#### **Green Award Foundation**

Westerkade 7B | 3016 CL ROTTERDAM | The Netherlands | www.greenaward.org

# Annex 3b: Green Award Requirements Bulk carrier (General Cargo carrier) Version 2023

Checklists for Office Audits and Ship Surveys

Effective as of 1 March 2023



# Annex 3b: Green Award Requirements Bulk carrier (General Cargo carrier)

# Bulk carriers (General Cargo carriers)



#### **Table of contents**

Appen- dix	Subject	Doc. Nr.	Effective date	Total pages
1	Checklist <b>Basic</b> Criteria - <u>Office audit</u> - General Cargo carrier	GMC-06	01/03/2023	3
2	Checklist <b>Ranking</b> Criteria - Office audit - General Cargo carrier	GMC-07	01/03/2023	9
	Checklist <b>Ranking</b> Criteria - Office audit - Total Score Review		01/03/2023	44
3	Checklist <b>Basic</b> Criteria - Ship survey - General Cargo carrier	GMC-08	01/03/2023	49
4	Checklist <b>Ranking</b> Criteria - Ship survey - General Cargo carrier	GMC-09	01/03/2023	55
	Checklist <b>Ranking</b> Criteria - Ship survey - Total Score Review		01/03/2023	87
5	Checklist <b>Visual</b> Inspection - <u>Ship survey</u> - General Cargo carrier	GMC-10	01/03/2023	94

#### **Legend for Checklists**

0	Indicates which crew/employee may be interviewed/questioned.
	Shows that a certain item is complied.
	Shows that a certain item is not complied.
0	Indicates that an alternative is used, hence the score for that item is a "0".
	The checklist was filled in incorrectly, thus shows "error".
0	Indicates that the whole element did not reach the minimum score, hence a finding is issued. The number shows the scores obtained.
	Shows which elements are minimum = maximum. Hence scores on all items is required to fully comply.
	Indicates that the minimum score for the relevant element is "0", hence a finding will not be issued.

<sup>\*</sup> for detailed interpretations of the colours and the usage of the checklist, please refer to the pdf-file named

#### **Revision codes**

RN Item/question is renumbered

RR Rating score of item/question is changed

N New item or question

D Item/question is deleted

M Text of item/question is modified

CKL GCC / VERSION 2023 / 1.0 2 of 102

<sup>&</sup>quot;Instruction Notes" located on www.greenaward.org under "Certification/Download".

## **APPENDIX 1**

CHECKLIST - BASIC CRITERIA - OFFICE AUDIT - BULK CARRIER (GENERAL CARGO CARRIER)

(GMC-06)

		CHECKLIST - BASIC CRITERIA - OFFICE AUDIT - BULK CARI	RIEF	≀ (G	ENE	RA	L C	ARG	30 C	AR	RIEF	₹) -	VERS	ION :	202	3					
Revision Code	Norm item	BASIC Office - BBU (GCC)	GENERAL MAN.	Doc. & Impl.	QUALITY DEPT.	Doc. & Impl.	TECHNICAL DEPT.	Doc. & Impl.	NAUTICAL DEPT.	Doc. & Impl.	PERSONNEL DEPT.	Doc. & Impl.	OPER./CHART DEPT. Doc. & Impl.	PURCHASING DEPT.	Doc. & Impl.	FINANCIAL DEPT.	Doc. & Impl.	IT DEPT. Doc. & Impl.	NS-/ CLAIM DEPT	Doc. & Impl.	NOT APPLICABLE
	100	MANAGEMENT ELEMENTS																			
	101	GENERAL			0		0		0		0		0	0				0	0		
	101.1	Are the Management System (MS) Manuals maintained and updated?																			
	102	SAFETY AND ENVIRONMENTAL PROTECTION POLICY			0		0		0		0		0	0							
	102.1	Is a company policy concerning safety and the environment and which is signed by the Man. Dir., available?																			
	102.2	Are objectives concerning safety and the environment described?																			
	102.3	Is this policy maintained and implemented at all shore-based levels as well as all ship-based levels?																			
	103	COMPANY RESPONSIBILITIES AND AUTHORITY			0		0		0		0		0	0				0	0		
	103.1	Is the entity who is responsible for the operations of the ship clearly defined? (Owner or entity)																			
	103.2	Are shore-ship communications, defined levels of authority and lines of communication established?																			
	103.3	Are responsibilities and authorities of all office personnel clearly defined?																			
	103.4	Is the designated person provided with shore-based support and adequate resources?																			
	104	DESIGNATED PERSONS	0		0																
	104.1	Is/are (a) designated person(s) assigned in the office?																			
	104.3	Is objective evidence available that the safety and environmental aspects of the operation of each ship is monitored and that required adequate resources and shore-based support is applied?																			
	105	MASTER'S RESPONSIBILITY AND AUTHORITY			0		0		0		0		0	0					0		
	105.1	Is the responsibility of the master clearly defined and documented?																			
	105.6	Does the company have the overriding authority of the master clearly defined? (ISM Code																			
	100.0	2002 5.2)																		1	

		CHECKLIST - BASIC CRITERIA - OFFICE AUDIT - BULK CARF	RIEF	? (G	ENE	RA	L C	ARG	O C	AR	RIER)	- VE	RSI	ION 20	23			
Revision Code	Norm item	BASIC Office - BBU (GCC)	GENERAL MAN.	Doc. & Impl.	QUALITY DEPT.	Doc. & Impl.	TECHNICAL DEPT.	Doc. & Impl.	NAUTICAL DEPT.	Doc. & Impl.	PERSONNEL DEPT. Doc. & Impl.	OPER./CHART DEPT.	Doc. & Impl.	PURCHASING DEPT. Doc. & Impl.	FINANCIAL DEPT. Doc. & Impl.	IT DEPT. Doc. & Impl.	INS- / CLAIM DEPT. Doc. & Impl.	NOT APPLICABLE
	106	RESOURCES AND PERSONNEL AND STCW			0						0							
	106.1	Does the company have a procedure to verify the integrity of the sea staff certification and medical fitness before being assigned to the ship?																
	106.2	Have the owners/managers established documented policies concerning shore/ship personnel?																
	106.3	Has the level of competency been defined and documented for office personnel performing functions pertinent to safety and the environment?																
	106.4	Do arrangements include a provision for masters and officers to receive an adequate introduction and continuous update of the company's safety and environmental system?																
	106.5	Do arrangements include training and an introduction to the quality system for the executive management?																
	106.6	Do office personnel receive training/courses with regard to the ISM Code and are they consistent with the MS manuals?																
	106.7	Are records of this training/courses available?																
	106.8	Are internal audits held on board the ships?																
	106.9	Is standard composition of crew documented in company policy?																
	106.10	Is personnel promotion policy (ship & office) documented in company procedures?																
	106.11	Is the working language between the office and the vessels defined?																
	106.12	Are all senior and deck officers conversant with the English language for maritime communication?																
	106.13	Are operational instructions on board written in a language understood by officers and shipboard personnel?																
	106.14	Is the working language monitored and checked by the ship's staff and verified during internal audits?																
	106.17	Is the Master of a vessel fully conversant with the Company's Management Systems?																
	107	DEVELOPMENT OF PLANS FOR SHIPBOARD OPERATIONS			0		0		0		0	0		0			0	
	107.1	Does the company have procedures for the preparation of plans and instructions for key shipboard operations concerning safety of the ship and prevention of pollution?																
	107.3	Are tasks, qualifications and responsibilities defined in the manuals and in the job descriptions?																
	108	EMERGENCY PREPAREDNESS	0		0		0		0		0	0		0		0	0	
	108.1	Does the system cover the arrangements needed to ensure that the company, day and night, is prepared to respond effectively to hazards, accidents or emergencies involving their ships?																
	108.2	Are tasks, qualifications and responsibilities described in the manuals and in the job descriptions?																
	108.3	Is communication with media included in the emergency procedures?																
	108.4	Are procedures for an "Emergency room" in the office defined?																
_	_					_			_					_	_	_		

		CHECKLIST - BASIC CRITERIA - OFFICE AUDIT - BULK CAR	RIEF	₹ (G	ENE	ERA	L C	ARC	GO C	AR	RIER)	- VE	RS	ION 2	023				
Revision Code	Norm item	BASIC Office - BBU (GCC)	GENERAL MAN.	Doc. & Impl.	алагту рерт.	Doc. & Impl.	TECHNICAL DEPT.	Doc. & Impl.	NAUTICAL DEPT.	Doc. & Impl.	PERSONNEL DEPT.  Doc. & Impl.	OPER./CHART DEPT.	Doc. & Impl.	PURCHASING DEPT.	Doc. & Impl.	Doc. & Impl.	IT DEPT. Doc. & Impl.	INS-/ CLAIM DEPT.	NOT APPLICABLE
	109	REPORTS AND ANALYSES OF NON-CONFORMATIES, ACCIDENTS AND HAZARDOUS OCCURENCES			0		0		0		0	0		0				0	
	109.1	Are safety and environmental inspections carried out, documented and reported?																	
	109.2	Does the company have instructions/procedures for the reporting of non-conformities/ near misses?																	
	109.3	Are non-conformities, accidents and hazardous occurrences reported to the office?																	
	109.4	Are corrective and/or preventive actions taken?																	
	109.5	Does the company have objective evidence to show their support of the shipboard personnel in reporting of non-conformities / near misses?																	
	110	MAINTENANCE OF THE SHIP AND EQUIPMENT			0		0		0										
	110.1	Are ship inspections held at defined intervals? (minimum of twice a year or equivalent)																	
	110.2	Are non-conformities reported including their possible cause?																	
	110.3	Is appropriate corrective action taken?																	
	110.4	Are records of these activities maintained?																	
	110.5	Does the MS require ship-critical equipment and systems to be identified?																	
	110.6	Does the MS provide for specific measures aimed at promoting the reliability of ship-critical equipment and systems?																	
	111	DOCUMENTATION			0														
	111.1	Does the company have procedures to control documents and data relevant to the Man.System?															·		
	111.2	Are valid documents available at all relevant locations?																	
	111.3	Are changes to documents reviewed and approved by authorised personnel?																	
	111.4	Are obsolete documents removed promptly?																	
	112	COMPANY VERIFICATION, REVIEW AND EVALUATION	0		0		0		0		0	0		0	0		0	0	
	112.1	Are internal audits carried out to verify whether safety and pollution-prevention activities, and other procedures, comply with the Management System (MS)?																	
	112.2	Does the company periodically evaluate the efficiency of the MS and review the MS , in accordance with procedures established by the company ,when necessary?																	
	112.3	Is a management review done?																	
	112.4	Are the results of audits and reviews brought to the attention of all personnel having responsibility in the area involved?																	
	112.5	Have the management personnel, responsible for the area involved, taken timely corrective actions on deficiencies found?																	

		CHECKLIST - BASIC CRITERIA - OFFICE AUDIT - BULK CARF	RIER	(G	ENER	AL C	ARC	30 C	ARR	IER)	- VEI	RSI	ON 202	23					
Revision Code	Norm item	BASIC Office - BBU (GCC)	GENERAL MAN.	Doc. & Impl.	QUALITY DEPT. Doc. & Impl.	TECHNICAL DEPT.	Doc. & Impl.	NAUTICAL DEPT.	Doc. & Impl.	PERSONNEL DEPT. Doc. & Impl.	OPER./CHART DEPT.	Doc. & Impl.	PURCHASING DEPT. Doc. & Impl.	FINANCIAL DEPT.	Doc. & Impl.	IT DEPT.  Doc. & Impl.	INS-/ CLAIM DEPT.	Doc. & Impl.	NOT APPLICABLE
		IMO ELEMENTS	-		='	-	<u>-</u>		<u>-</u>		•			-			-	· ·	
	200	SOLAS 1974																	
	201	SOLAS, General Provisions				0		0											
	201.1	Compliance with General Provisions																	
	211	Enhanced Surveys				0		0											
	211.1	(N/A for General Cargo Carriers) Are enhanced surveys performed and approved by the Classification Society?																·	na
	212	SOLAS Certificates				0		0											
	212.1	Is an overview of the valid certificates per ship available and is the overview updated?																	
	215	Additional Safety Measures for Bulk Carriers				0		0			0								
	215.1	(N/A for General Cargo Carriers) Does the bulk carrier comply with the requirements of Ch. XII?																•	na
	217	Safety of Navigation / SOLAS chart carriage requirements						0			0								
		ECDIS (Compulsory carriage of ECDIS)																	
	217.1	If carriage of ECDIS is compulsory, is it a company policy for the ECDIS to be type-approved according to Res A 817(19) as amended by MSC 64 (67) and MSC 86 (70) or MSC.232(82)?																	
	217.3	Is it a company policy that an acceptable back-up arrangement is in place? (an independent type-approved ECDIS with an independent position fixing system using official Electronic Navigational Charts (or a combination of official ENCs and Raster Navigational Charts) or a full / reduced folio of up-to-date paper charts, as relevant to the ship's voyage)																	
		Training & Onboard Use of ECDIS (Compulsory carriage of ECDIS)				•	•		•		•			•	-		*		
	217.5	Is it a company policy that all officers and masters that use ECDIS for primary navigation are to complete generic training based on IMO model course 1.27?																	
	217.7	Is it a company policy that a risk assessment is carried out for the operation of ECDIS which identifies and controls the hazards when using ENCs and (if used) when ECDIS is in RCDS mode?																	
	217.9	Is the risk assessment and relevant onboard procedures + instructions reviewed on a regular basis (at least once a year or if circumstances require a review)?																	

		CHECKLIST - BASIC CRITERIA - OFFICE AUDIT - BULK CARF	RIER	(GI	ENE	RAL	_ CA	RG	O CA	RRIE	R) -	· VERS	SION	202	3				
Revision Code	Norm item	BASIC Office - BBU (GCC)	GENERAL MAN.	Doc. & Impl.	аиалту DEPT.	Doc. & Impl.	TECHNICAL DEPT.	Doc. & Impl.	NAUTICAL DEPT. Doc. & Impl.	PERSONNEL DEPT.	Doc. & Impl.	OPER./CHART DEPT. Doc. & Impl.	PURCHASING DEPT.	Doc. & Impl.	FINANCIAL DEPT. Doc. & Impl.	п DEPT.	Doc. & Impl.	INS- / CLAIM DEPT. Doc. & Impl.	NOT APPLICABLE
	218	Noise Levels On Board Ships																	
		(Only applicable to new ships (ships contracted to build on or after 1st July 2014) of a gross tonnage of 1,600 and above.)			·													·	
	218.1	Is it company policy that the ships are surveyed for the measurement of noise level and the results recorded in the noise survey report in accordance with the Res MSC.337(91)?																	
	218.2	Is it company policy to identify areas of the vessels based on the noise levels and to place relevant visible warning notices at the entrance to these areas? (IMO noise symbols)																	
	300	MARPOL 73/78																	
	301	Provisions concerning Reports on Incidents Involving Harmful Substances (Protocol 1)			0				0			0							
	301.1	Does the company have a procedure in order to report an incident to the nearest coastal state in the event of the ship being abandoned or if a report from the ship is incomplete or unobtainable?					·		•			·			•			·	
	310	Prevention of pollution by oil			0				0			0							
	310.1	Is a shipboard oil pollution emergency plan developed?							·										
	310.3	Is training and testing of the oil pollution emergency plan done?																	
	310.4	Is the plan reviewed? (periodic and event review)																	
	310.5	Is an updated list of persons to be contacted available? (coastal States, port contacts, company interest contacts)																	
	310.6	Is office personnel familiar with the shipboard oil pollution emergency plan?																	
	310.7	Does the company have a policy concerning the retention and disposal of oil residues (sludge)?																	
	350	Prevention of pollution by garbage			0		0		0										
	350.2	Has the company developed a ship specific garbage management plan detailing the specific ship's equipment, arrangements and procedures for the handling of garbage?																	
	350.4	Is it a company policy to designate a person responsible for execution of the garbage management onboard?																	

## **APPENDIX 2**

CHECKLIST - RANKING CRITERIA - OFFICE AUDIT - BULK CARRIER (GENERAL CARGO CARRIER)

(GMC-07)

		CHECKLIST - RANKING CRITERIA - OFFICE AUDIT - BULK CA	RRIE	ER (	GEN	IER.	AL C	ARG	O C	ARR	ER) - '	VERSI	ON 20	023					
Revision Code	Norm item	RANKING Office - BBU (GCC)	GENERAL MAN.	Doc. & Impl.	QUALITY DEPT.	Doc. & Impl.	Doc. & Impl.	NAUTICAL DEPT.	Doc. & Impl.	PERSONNEL DEPT.  Doc. & Impl.	OPER./CHART DEPT.  Doc. & Impl.	PURCHASING DEPT.	FINANCIAL DEPT.	Doc. & Impl.	IT DEPT.  Doc. & Impl.	INS- / CLAIM DEPT.	NOT APPLICABLE	RANKING SCORE	RANKING MAX. SCORE
	1000	GENERAL																	
	1200	Enclosed Space Entry & Hot Work				(	0	0											
	1200.1	Is there an Enclosed Space Entry and Hot Work permit to work system, taking account of IMO and industry guidelines and where relevant local port / terminal requirements?																0	10
	1200.6	Is company approval of the Hot Work permit required before work can begin?																0	10
	1200.7	Is an evaluation of the Hot Work permit made (permit shows the appropriate safety precautions relevant to the location of work)?																0	20
	1200.12	Is the HSQ Manager designated to authorise hot work?																0	20
	1200.2	Is crew on board provided with suitable personal protective equipment and suitable equipment for testing the atmosphere of an enclosed space? (e.g. breathing apparatus, protective clothing and approved + calibrated atmosphere testing equipment)																0	5
	1200.8	Are all personnel entering an enclosed space provided with a personal gas detector which can measure HC, oxygen and relevant toxic vapours?																0	10
	1200.9	Is it company policy that a safety meeting, attended by all personnel involved, is held prior to entering the space or commencement of hot work in order to review procedures and PPE (including those specific for the intended work)?																0	10
	1200.10	Does the company require a responsible officer to be designated for all aspects of the operation?																0	5
	1200.3	Is ship's crew trained and drilled periodically according to enclosed space entry procedures?		j														0	5
	1200.4	Does training also include rescue and first aid?		j														0	5
				- 1.	Marin In						tal score		20					0	100
		Compressor for the refilling of air cylinders for breathing apparatus or alternative, Additional			winim	um ra	anking		requir	red for	element '	1200 = 10	JU						
	1300	Green Award Requirement					D	0											
	1300.1	Is it company policy that the vessels have a compressor for the refilling of air cylinders for breathing apparatus?																0	20
	1300.2	Alternative for 1300.1: sufficient number of air cylinders for the sole purpose of safety drills		Ì														0	10
											tal score		-					0	20
					Minim	um ra	anking	score r	requir	red for	element '	1300 = 10	)						

		CHECKLIST - RANKING CRITERIA - OFFICE AUDIT - BULK CAI	RRIE	R (	GEN	IER	RAL C	AR	GO (	CAR	RIE	₹) - '	VER	SIO	N 20	)23						
Revision Code	Norm item	RANKING Office - BBU (GCC)	GENERAL MAN.	Doc. & Impl.	QUALITY DEPT.	Doc. & Impl.	TECHNICAL DEPT.  Doc. & Impl.	NAUTICAL DEPT.	Doc. & Impl.	PERSONNEL DEPT.	Doc. & Impl.	Doc. & Impl.	PURCHASING DEPT.	Doc. & Impl.	FINANCIAL DEPT.	Doc. & Impl.	IT DEPT.  Doc. & Impl.	TABU WE IS / "SN	Doc. & Impl.	NOT APPLICABLE	RANKING SCORE	RANKING MAX. SCORE
	1400	Control of drugs & alcohol onboard								0												
	1400.2	Are all seafarers subject to an unannounced alcohol testing on board as initiated by the office? (Approved test equipment to be available on board)																			0	10
	1400.1	Are all seafarers subject to shore-based drug and alcohol testing at least once in last 12 months?																			0	15
	1400.5	Are all fleet vessels subject to unannounced drug and alcohol testing at least once every year (not exceeding 18 months between two consecutive tests) by an external organisation?																			0	10
	1400.6	Alternative to 1400.1 & 1400.5: In case crew members are not subject to shore-based drug and alcohol testing at least once in last 12 months, are all fleet vessels subject to unannounced drug and alcohol testing at least twice in 12 months by an external organisation?																			0	25
	1400.7	Does the company contract an external drug and alcohol test organization to monitor fleet vessels for next due vessel tests such that the organization can appropriately decide themselves location and date of attendance?																			0	10
				_	Minim	um i	ranking	ccor	o rogu		Total			20							0	45
	1500	Emergency Response System					anking	0	l	iii eu i	0		1									
	1500.4	Are company vessels in receipt of an evaluation report of an annual drill between company, ERS service provider (class) and a company vessel?				T															0	10
	1500.5	Is an annual ERT drill performed at the office which includes participation by the ERS service provider (class) and one company vessel ?																			0	15
	1500.9	Is an updated list of national & local authorities, as required in the SOPEP & the emergency response plan, available in the office ?																			0	10
	1500.10	Do relevant ERT member(s) participate in an ERS training course as provided by the ERS service provider (class) ?																			0	10
				_	Minim	um i	ranking	scor	e reau		Total or ele		1500 =	25							0	45
	1510	Emergency Oil Recovery																				
	1510.1	Does the company equip its vessels (GA-certified) with a system providing emergency access to cargo tanks and bunker tanks (for example, from the vessel deck), should the vessel be submerged?																			0	5
	1510.2	Does the company ensure that its ships (GA-certified) carry an oil skimmer or a similar device that can be used in an emergency situation of oil spill overboard?																			0	5
							ranking				Total										0	10

		CHECKLIST - RANKING CRITERIA - OFFICE AUDIT - BULK CA	RRI	ER	(GEN	NER	AL (	CAR	GO	CAI	RRII	ER)	- V	ERSI	ON 2	023						
Revision Code	Norm item	RANKING Office - BBU (GCC)	GENERAL MAN.	Doc. & Impl.	QUALITY DEPT.	Doc. & Impl.	TECHNICAL DEPT.	NAUTICAL DEPT.	Doc. & Impl.	PERSONNEL DEPT.	Doc. & Impl.	OPER./CHART DEPT.	Doc. & Impl.	PURCHASING DEPT. Doc. & Impl.	FINANCIAL DEPT.	Doc. & Impl.	П DEPT.	Doc. & Impl.	INS- / CLAIM DEPT.	Doc. & Impl.	RANKING SCORE	RANKING MAX. SCORE
	1600	Computer Systems, Networks, Data Security and Training			0												0					
	1600.1	Are arrangements for shore and vessel systems documented ? (configuration scheme)																			0	10
	1600.2	Are adequate system back-up's for office administrative PC systems made (where applicable) and are procedures for this documented?																			0	5
	1600.7	Is there a policy that system back-ups for vessel computer-based systems are made (where applicable)?																			0	5
	1600.8	Is there a policy that system back-ups for vessel administrative PC systems are made?																			0	5
	1600.3	Is training provided at a level required to effectively operate and maintain the system and cover normal, abnormal and emergency conditions?																			0	10
	1600.4	Is the internal audit scheme applicable to the IT department?																			0	10
	1600.5	Are computer systems, in relation to IMO MSC/Circ.891, certified by a recognised organisation?																			0	10
	1600.6	Is a system administrator designated for administrative PC systems in the office ?																			0	10
					Minim	um r	ankin	a ecoi	o ron	uirad		al sco		00 = 40							0	65
	1610	Cyber Risk Management					anitin,	9 300.	1	uncu	10. 0		1	00 = 40								
	1610.1	Does the company have plans and procedures of cyber risk management (cyber risk policy) incorporated within its Safety Management System (SMS)?																			0	20
	1610.3	Does the cyber risk policy differentiate between IT (information technology) and OT (operational technology) systems?																			0	10
	1610.4	Does the cyber risk policy focus on elements such as third-party access and bring your own device (BYOD) in the office?																			0	5
	1610.5	Does the company designate and train personnel as appropriate to identify and respond to cyber threats to the company's information technology systems?																			0	5
	1610.6	Does the company have a policy in place to build new ships equipped with cyber secure systems and components?																			0	5
	1610.7	Does the company have a set of clear and unambiguous cyber risk requirements that reflect the company's expectations to vendors and agents?																			0	5
	1610.8	Does the company have a policy to carry out cyber risk assessments on its ships (at an interval deemed suitable by the company) using either of the following: - self-assessments followed by third party risk assessments - penetration tests of critical IT and OT infrastructure performed by external experts simulating cyber attacks?																			0	5
	1610.9	Does the company provide its ships with contingency plans and related information in a non- electronic form that need to be followed in the event of a cyber attack?																			0	5
	1610.10	Is it a company policy to involve IT department while preparing to purchase OT systems for ships?																			0	5
	1610.11	Does the company use the information from investigations of previous identified cyber incidents to improve the technical and procedural protection measures and response plans on board and ashore?																			0	5
	1610.12	Does the company forbid remote access by technicians and manufacturers to on-board systems without authorization by the vessel's senior leadership team (For example, by following a two-step digital authorization process)?																			0	5
					B.d.i.e.i		a m later			. dua d		al sco		10 = 35							0	75

		CHECKLIST - RANKING CRITERIA - OFFICE AUDIT - BULK CAI	RRIE	R (	(GEI	NEF	RAL	. CA	ARGO	CA	ARR	IER)	) - V	ERS	SIOI	N 20	23						
Revision Code	Norm item	RANKING Office - BBU (GCC)	GENERAL MAN.	Doc. & Impl.	QUALITY DEPT.	Doc. & Impl.	TECHNICAL DEPT.	Doc. & Impl.	NAUTICAL DEPT.	PERSONNEL DEPT.	Doc. & Impl.	OPER./CHART DEPT.	Doc. & Impl.	PURCHASING DEPT.	Doc. & Impl.	FINANCIAL DEPT.	Doc. & Impl.	IT DEPT.	Doc. & Impl.	INS- / CLAIM DEPT.	Doc. & Impl.  NOT APPLICABLE	RANKING SCORE	RANKING MAX. SCORE
	1700	Noise and Vibration Management																					
		Noise/Vibration Monitoring and Measures																					
	1700.1	Is it company policy to verify the noise survey report every 5 years?																				0	15
	1700.2	Is it company policy that the crew entering spaces where noise levels exceed 85db(a) should wear hearing protectors which meet the requirements of the HML(High-Medium-Low) method (ISO 4869-2:1994)?																				0	5
	1700.3	Is it company policy to periodically inspect the noise and vibration of all machinery equipment and rectify any abnormalities?																				0	5
	1700.4	Is it company policy to take appropriate measures in order to protect the crew from cargo handling equipment noise if it exceeds 85db(a) (by taking into account technical solutions and/or exposure limits)?																				0	10
		Noise Mitigation and Health Hazards																					
	1700.5	Does the SMS include the following?  1.Hearing protection;  2.Exposure limits;  3.Training regarding noise and health hazards.																				0	5
	1700.6	Does the company provide the crew with a hearing conservation programme which includes the following:  1.Hazards of high and long duration of noise exposure;  2.Maintenance of audiometric test records;  3.Periodic analysis of records and hearing acuity of individuals with high hearing loss.																				0	5
	1700.7	Does the company assess the risks associated with distractions to onboard operations, communication and rest hours caused by exposure to high levels of noise?																				0	10
	1700.8	Is it company policy to determine the noise exposure level of each rating/officer by taking into account the job profile, time spent by each crew member in different work spaces? (ISO 9612:2009 procedure)																				0	10
				_	Minim		nami:		core re	!		tal sc		700 1	25							0	65
	1710	Underwater Noise and Vibration Management			WIIIIII	lulli	Taliki	ilig s	core re	quire	a ioi	eleme	#HL 17	00 = 2	23								
	1710.1	Is it company practice to design a newbuild ship in such a manner to attenuate/reduce underwater noise?																				0	10
	1710.2	Does the company take any of the following measures to reduce underwater noise and vibration:  1.Installation of state of art propellers (With reduced cavitation);  2.Wake conditioning devices;  3.Installation of air injection propeller;  4.Vibration isolators mounted on the diesel generators;  5. Installation of propeller boss cap with fins;  6. Others = *fill during audit*?																				0	10
		If others =	*fill d	urin	g aud	lit*																	
	1710.3	Does the company take any additional maintenance routines (e.g. polishing/coating) to reduce cavitation from the propeller?																				0	5
	1710.4	Does the company opt for re-routing or slow steaming where possible and practicable to protect whale sensitive areas?										<u> </u>										0	5
					Minim	num	ranki	ing s	core re	quire		eleme		710 = (	0							0	30

		CHECKLIST - RANKING CRITERIA - OFFICE AUDIT - BULK CAI	RRIE	R (	GEN	IEF	RAL	CAI	RGC	CA	RRI	IER)	- V	ERS	101	N 202	23					
Revision Code	Norm item	RANKING Office - BBU (GCC)	GENERAL MAN.	Doc. & Impl.	QUALITY DEPT.	Doc. & Impl.	TECHNICAL DEPT.	Doc. & Impl.	NAUTICAL DEPT.	PERSONNEL DEPT.	Doc. & Impl.	OPER./CHART DEPT.	Doc. & Impl.	PURCHASING DEPT.	Doc. & Impl.	FINANCIAL DEPT.	7 CC: & IIIpi:	IT DEPT. Doc. & Impl.	INS-/ CLAIM DEPT.	Doc. & Impl. NOT APPLICABLE	RANKING SCORE	RANKING MAX. SCORE
	1800	Social Dimension / Sustainability																				
		A. Good Health & Well-Being																				
	1800.1	Does the company ensure that all vessels under its control have an ITF or similar agreement in place?																			0	10
	1800.2	Does the company have procedure regarding relieving shipboard personnel on compassionate grounds? (For example, in case of a family emergency)																			0	5
	1800.3	Is the company subscribed to any digital platform (web or app) that can be referred to by shipboard staff for seeking medical advice?																			0	5
	1800.4	Does the company ensure that the shipboard staff is aware of platforms (online/offline) providing access to emotional support networks to tackle mental health issues?																			0	5
	1800.5	Does the company provide access to the internet at all times for shipboard personnel on board all ships under its control?																			0	5
		B. Reduced Inequalities / Equal Opportunities / Diversity																				
		B.1 General																				
	1800.6	Does the company have a policy focusing on subjects such as equal opportunities, equality and diversity, inclusion, anti-discrimination, anti-harassment, etc. to prevent and eliminate discrimination at workplace (office and ship)?																			0	10
	1800.7	Does the company have confidential reporting procedures enabling all employees to report harassment & discrimination?																			0	5
	1800.8	Does the company take steps to create awareness among its staff (on shore & off shore) and to ensure effective implementation of its policies focusing on subjects such as equal opportunities, equality and diversity, inclusion, anti-discrimination, anti-harassment, etc.?																			0	5
		B.2 Gender-specific		_				_		_		_	_		_		_			_		_
	1800.10	Does the company take steps to promote and achieve gender diversity/equality at office and on board vessels (at all levels)?									_										0	10
	1800.11	Does the company provide the following specific facilities for its women seafarers:  - feminine hygiene items (in bonded stores) & separate disposal facilities on board  - separate washrooms with sanitary facilities on board  - suitable sized (gender specific) safety and protective clothing on board  - access to medical supplies without having to consult male colleagues on board																			0	5
		C. Sustainability Reporting		_		_									_							
	1800.12	Does the company prepare and publish its performance on environmental, social and governance criteria annually (in line with internationally recognised frameworks, such as GRI, IIRC and SASB standards)?																			0	20
				_		_		_				tal sc			_					_		85

		CHECKLIST - RANKING CRITERIA - OFFICE AUDIT - BULK CAI	RRII	ER	(GEN	IER.	AL C	AR	GO (	CAR	RIE	₹) - \	/ERS	ION 2	2023						
Revision Code	Norm item	RANKING Office - BBU (GCC)	GENERAL MAN.	Doc. & Impl.	QUALITY DEPT.	DOC: & IMPI.	Doc. & Impl.	NAUTICAL DEPT.	Doc. & Impl.	PERSONNEL DEPT.	Doc. & Impl.	Doc. & Impl.	PURCHASING DEPT.	FINANCIAL DEPT.	Doc. & Impl.	IT DEPT.	Ne / State Debt	Doc. & Impl.	NOT APPLICABLE	RANKING SCORE	RANKING MAX. SCORE
	2000	NAVIGATION / BRIDGE OPERATIONS																			
	2100	Navigation						0			•										
	2100.6	Does the company have a contract for automatic supply of new hydrographic publications?																		0	10
	2100.7	Does the company have a contract for electronic update of hydrographic publications? (eg. Temporary and Preliminary NtM)																		0	10
	2100.8	Is it a company policy to include navigational equipment in electronic Planned Maintenance System?																		0	10
	2100.9	Are masters entitled to use non-compulsory pilot services? (must be stated in a company procedure)																		0	10
	2100.12	Is the company aware of the vessel's critical areas transiting?																		0	10
		Does the company use weather routing services for ships on long haul voyages?																		0	10
		Is it a company policy to enrol the vessels in a meteorological & oceanographic service in a form of a software application?																		0	10
	2100.19	Alternative to 2100.18: Do the vessels have a capability to receive comprehensive weather information from the office or from coastal stations / platforms?																		0	5
	2100.14	Does the company have instructions for navigating in sensitive areas? (IMO SN/Circulars)																		0	10
	2100.15	Is it a company policy to equip vessels with the multi constellation GNSS receivers?																		0	10
	2100.16	Is it a company policy to equip vessels with the eLoran receivers?																		0	10
	2100.17	Is it a company policy that the position for all stages of voyage is compared with a different method of positioning than GPS?																		0	20
					Minim	um ra	ankina	score	rogi		Total		100 = 50	n						0	120
	2110	Electronic chart display & information systems / ECDIS				411116	anking	0	requ	60 1	C		130 = 31								
		Only applicable to the companies with the fleet for which the implementation date is still in the future																			
	2110.3	Is it a company policy to have ECDIS available onboard the vessels for training purpose at least 12 months ahead of implementation date?																	na	0	0
	2110.2	Does the company have an introduction programme for the crew in relation to usage of ECDIS?																	na	0	0
					Minim	um ra	anking	SCOT	e regi		Total		110 = 0							0	0
						um 16	anking	3001	requ	ar eu i	O1 6161	nont Z	. 10 - 0								

		CHECKLIST - RANKING CRITERIA - OFFICE AUDIT - BULK CAI	RRII	ER (	(GEI	NEI	RAL	CA	RGC	CA	ARRI	ER) -	VER	SIO	N 20	023						
Revision Code	Norm item	RANKING Office - BBU (GCC)	GENERAL MAN.	Doc. & Impl.	QUALITY DEPT.	Doc. & Impl.	TECHNICAL DEPT.	Doc. & Impl.	NAUTICAL DEPT. Doc. & Impl.	PERSONNEL DEPT.	Doc. & Impl.	OPER./CHART DEPT.	PURCHASING DEPT.	Doc. & Impl.	FINANCIAL DEPT.	Doc. & Impl.	IT DEPT. Doc. & Impl.	INS- / CLAIM DEPT.	Doc. & Impl.	NOT APPLICABLE	RANKING SCORE	RANKING MAX. SCORE
	2111	Electronic chart display & information systems / ECDIS																				
		Applicable to the companies with ships for which carriage of ECDIS is compulsory and Bulk Carriers which choose to use ECDIS as primary means of navigation on voluntary basis																				
	2111.3	Does the company provide navigational procedures concerning the use of ECDIS?																			0	10
	2111.4	Is it a company policy to list ECDIS as critical equipment and integrate into PMS? (hardware and software)																			0	5
	2111.5	Is it a company policy that ECDIS is tested according to IHO ECDIS data presentation and performance check with a use of test data set after every update of the software (including back up)?																			0	5
	2111.6	Is it a company policy that regardless of the generic training the crew is familiarised with the ECDIS unit(s) installed onboard according to the Industry Recommendations for ECDIS Familiarisation?																			0	15
	2111.7	Is it a company policy to provide structured ECDIS training(s) for all officers on top of the generic training (besides the familiarization onboard in R2111.6)?																			0	5
	2111.8	Does the company have a contract / agreement with ECDIS manufacturer in relation to the maintenance of the software?																			0	5
	2111.11	Does the company have a standard for display settings (layers) of ECDIS for various navigation conditions (arrival / departure - coastal - deep sea)?																			0	5
	2111.12	Is it a company policy that the vessels have a basic folio of paper charts (in case second ECDIS is a back up system)?																			0	10
					Minin		ronki	na 00		auiro		al score		- 2E							0	60
	2120	Fuel Change Over / Ballast Water Exchange			0	lulli	Talikii	<u> </u>	0	quire	u ioi e	O	1	- 33								
	2120.1	Is it company policy that the voyage plan (checklist) include when fuel change over should be carried out?																			0	10
	2120.2	Is it company policy that the voyage plan (checklist) include when ballast water exchange can be carried out?																			0	10
				_	Minin	num	ranki	na ca	oro ro	auiro		al score		- 20							0	20
	2300	Mooring Operations				iaiii	ankli	_	O	quii e	u ioi e	iement	2120	- 20								
	2300.1	Does the company have procedures/instructions for mooring/unmooring operations?																			0	10
				!								al score							_		0	10
					Minin	num	rankii	ng so	ore re	quire	d for e	lement	2300	= 10								

		CHECKLIST - RANKING CRITERIA - OFFICE AUDIT - BULK CAI	RRIE	ER (	GEN	ERA	L C	ARC	GO (	CAR	RIE	R) - \	/ERS	1018	N 202	23					
Revision Code	Norm item	RANKING Office - BBU (GCC)	GENERAL MAN.		QUALITY DEPT.	DEPT.		NAUTICAL DEPT.		. DEPT.	Doc. & Impl.		G DEPT.		FINANCIAL DEPT.		Doc. & Impl.	INS- / CLAIM DEPT.	Doc. & Impl.  NOT APPLICABLE	RANKING SCORE	RANKING MAX. SCORE
	3000	MACHINERY / ENGINE OPERATIONS																			
	3100	Bunker Operations				0					0										
	3100.1	Does the company MS specify a safe-maximum percentage fill for bunker tanks? (max. limit 95%)																		0	10
	3100.2	Is a checklist used for bunker operations (company format) ?																		0	10
	3100.3	Does the bunker procedure include a bunker plan (company format) ?																		0	10
	3100.4	Are there procedures/instructions for the internal transfer of fuel oil between main storage tanks?																		0	10
	3100.5	Is there an instruction that all persons involved are to be familiar with the intended bunker operation and/or internal transfer operation and their duties?																		0	10
												score								0	50
	3101	Dunkar Operations   INC			Vinimu	ım rar	nking	score	e requ	iired f	or ele	ment 3	100 =	50							
	3101	Bunker Operations - LNG		-																+	
	3101.1	Does the company SMS specify that only a relevant IAPH LNG bunkering checklist must be used?																		0	10
	3101.2	Is it company policy to ensure that LNG-fuelled ships are equipped with LNG specific PPEs such as protective cryogenic gloves and safety goggles with side protection?																		0	10
	3101.3	Does the company install CCTV on LNG bunker stations for the purpose of observing the bunkering operation from the bridge or operation control room?																		0	10
	3101.4	Is it company policy that ships are mandated to provide a dedicated watch (from a safe location) on bunker station during the entire duration of the LNG bunkering?																		0	5
	3101.5	Does the company provide thermal imaging camera/equipment for leakage detection during bunkering on board its LNG-fuelled ships (GA-certified only)?																		0	5
	3101.6	Does the company provide its shipboard personnel a shore-based training on LNG bunkering?																		0	10
				- 1.	Alm Inc.		ddag					score	404 4	25						0	50
					Vinimu	ım rar	iking	score	e requ	iired f	or ele	ment 3	101 = 2	25							

		CHECKLIST - RANKING CRITERIA - OFFICE AUDIT - BULK CA	RRII	ER	(GE	NE	RA	L C	ARG	GO (	CAF	RRII	ER)	- VI	ERS	10	V 202	23						
Revision Code	Norm item	RANKING Office - BBU (GCC)	SENERAL MAN.	Joc. & Impl.	UALITY DEPT.	Joc. & Impl.	FECHNICAL DEPT.	Joc. & Impl.	AAUTICAL DEPT.		PERSONNEL DEPT.		кт DEРТ.		G DEPT.	Joc. & Impl.	DEPT.		T DEPT.		NS- / CLAIM DEPT.  Joc. & Impl.	VOT APPLICABLE	SANKING SCORE	SANKING MAX. SCORE
	3200	Fuel oil management	Ĭ																	Ī				
		A. Contracting / Procurement																						
	3200.14	N/A in case charterer is responsible for supplying bunkers (for all GA ships) Is it company procedure that bunker purchasing contracts state that the fuel oil be supplied with reference to ISO 8217 specifications (latest edition is recommended)?																					0	10
	3200.15	N/A in case owner / manager or third party ship manager is responsible for purchasing bunkers (for all GA ships)  Is it company procedure that the technical requirements of the ship and optimal fuel oil specifications are communicated to the charterer for their consideration?																					0	10
	3200.13	Is an evaluation of all fuel oil suppliers carried out to identify "quality-oriented fuel oil suppliers" before signing the bunker purchasing contract with a chosen supplier and are the negative results brought to the attention of the charterer (where applicable)?																					0	10
		B. Sampling & Testing																						
		B.1 MARPOL delivered fuel oil sampling																						
	3200.11	Is it company policy that fuel oil sampling (during bunkering) is carried out using an automatic sampler (time or flow proportional) in accordance with Marpol Annex VI?																					0	10
		B.2 In-use fuel oil sampling																						
	3200.16	Is it company policy that fuel oil samples are drawn from the following designated sampling points at least once every four months for testing of catalytic fines & separator efficiency at a recognized fuel analysis organization ashore?  1. at engine inlet 2. before separator 3. after separator																					0	10
		B.3 Testing																						
	3200.1	Is it company procedure that bunkered fuel oil is <u>always</u> tested (before use onboard) by a recognized fuel analysis organization ashore in accordance with the requirements of ISO 8217 standard (same edition for which the fuel was ordered)?																					0	40
		C. Operational procedures																						
	3200.17	Does the company prohibits its ships to commingle two different bunkers (even of the same grade of fuel)?																					0	10
	3200.18	For the situations where commingling of two different fuels is unavoidable, does the company have commingling procedure explaining the steps to be followed to determine the compatibility of two bunkers (including the reference test methods)?																					0	5
		D. Additional questions																_						
	3200.5	Are global bunker quality alerts received from company fleet experience and fuel analysis organisation shared with relevant ships by issuing technical bulletins or circulars?																					0	10
	3200.19	Is it company procedure that bunker suppliers are asked to provide the copies of the product's valid certificate of quality (COQ) and associated laboratory analysis reports verifying the details on the COQ?																					0	5
					N/1: '			do-	2007		ilue d		al sco		00	_							0	120
					iviini	mum	ı ranl	king s	score	e requ	ured	ıor e	iemen	ıt 320	00 = 60	U								

		CHECKLIST - RANKING CRITERIA - OFFICE AUDIT - BULK CAI	RRII	ER	(GEI	NE	RAL	. CA	ARGO	) C	ARR	IER)	- V	ERS	IOI	N 20	23						
Revision Code	Norm item	RANKING Office - BBU (GCC)	GENERAL MAN.	Doc. & Impl.	QUALITY DEPT.	Doc. & Impl.	TECHNICAL DEPT.	Doc. & Impl.	NAUTICAL DEPT.	PERSONNEL DEPT.	Doc. & Impl.	OPER./CHART DEPT.	Doc. & Impl.	PURCHASING DEPT.	Doc. & Impl.	FINANCIAL DEPT.	Doc. & Impl.	IT DEPT.	Doc. & Impl.	INS- / CLAIM DEPT.	NOT APPLICABLE	RANKING SCORE	RANKING MAX. SCORE
	4000	CARGOES / CARGO OPERATIONS																					
	4600	Cargo Operations	0				0		0			0								0			
	4600.2	Is company aware of cargo specifications which are required by the charterer of the ship?																				0	10
	4600.5	Does the charter party specify that the cargo to be loaded must be under the supervision and direction of the master?																				0	20
	4600.6	Does the charter party specify the action to be taken in the event of stevedores' damage?																				0	10
	4600.7	Does the charter party specify that the loading / unloading plan of the ship has to be followed?																				0	10
	4600.8	Does the charter party specify that cargo has to be provided with a certificate of transportable moisture limit?																				0	10
			<u> </u>		Minin	num	ranki	na s	core re	auire		tal sc		00 – 2	20							0	60
	4601	Preparation of loading / unloading plan	0				0		0			0			Ĭ					0			
	4601.1	Does the company distribute relevant cargo instructions to the vessel? (i.e. is ship compatible for intended cargo?)																				0	20
	4601.2	Does the company provide the master with clear instructions about identity of charterer with respect to reporting and consultation? (especially when ship is chartered by sub-charterers)																				0	10
	4601.3	Does the shipbroker (or head office staff) contact the master to request his confirmation that a cargo can be safely carried and his calculations of the tonnage that the ship can carry between specified ports?																				0	20
	4601.4	Is the ship provided with information about the terminal in order to plan the loading and unloading plan?																				0	10
	4601.6	(For General Cargo Carriers, go to alternatives 4601.7 to 4601.10) Is the master provided with information on the strength of the hull girder system for representative scenarios of loading and discharging under intended loading conditions?																				0	20
		(For General Cargo Carriers) 4601.7 to 4601.10 are alternatives to 4601.6																					
	4601.7	Does the "trim & stability booklet" provide information on maximum allowable cargo-load per hold / per tank top unit surface ( $m^2$ or $tt^2$ )?												_						_		0	10
	4601.8	Does the "trim & stability booklet" provide information on any restrictions during loading / discharging or voyage reference cargo-loads?																				0	10
	4601.9	Does the "trim & stability booklet" provide information on maximum permissible forces and moments on the ship's hull during loading / discharging and voyage?																				0	10
	4601.10	Is it company policy to provide each vessel with a loadicator which enables the ship's staff to make intact stability calculations and provides information as required by 4601.9?																				0	10
			⊢		Mini	011195	ronl-!-	na -	core re	en de		tal sc		01 - 0	20							0	100

RANKING Office - BBU (GCC)  4602. Cargo handling and operations  4602.1 Is it company procedure that the ship shore safety checklist for loading or unloading dry bulk cargo carriers (MSC/Circ. 690) has to be used before loading/unloading operations?  4602.7 Does the company policy that a written cargo declaration has to be issued before commencement of loading?  4602.1 Is it company policy that a written cargo declaration has to be issued before commencement of loading?  4602.2 Does the company policy that a cargo which is liable to stick between frames is removed on time? (e.g. in order to prevent damage caused by pneumatic hammers, bulldozers etc.)  Total score  Total sc		CHECKLIST - RANKING CRITERIA - OFFICE AUDIT - BULK CAI	RRIE	ER (	GEN	ER <i>A</i>	L C	AR	GO	CAF	RRIE	R) - '	VER:	SIO	N 20	023						
4602.1 Is it company procedure that the ship shore safety checklist for loading or unloading dry bulk cargo carriers (MSC/Circ. 690) has to be used before loading/unloading operations?  4602.2 Does the company give procedures/instructions in relation to the entire cargo operations?  4602.6 Is it company policy that a written cargo declaration has to be issued before commencement of loading?  4602.7 Does the company have procedures / instructions regarding stevedore damage?  4602.13 (N/A for General Cargo Carriers) is it company policy that cargo which is liable to stick between frames is removed on time? (e.g. in order to prevent damage caused by pneumatic hammers, bulldozers etc.)  4606 Safety precautions during cargo operations  4606.1 Does the company have instructions / procedures to control the access of unauthorised persons on board?  4606.2 Are there procedures to ensure that a sufficient number of personnel will be available in case of an emergency during port stay?  4607 Total score to under the doc and the cargo will be available in case of an emergency during port stay?  4608 Total score to under the doc and the cargo will be available in case of an emergency during port stay?	E .		GENERAL MAN.	Doc. & Impl.	QUALITY DEPT.	TECHNICAL DEPT.	Doc. & Impl.	NAUTICAL DEPT.	Doc. & Impl.	PERSONNEL DEPT.	Doc. & Impl.	OPER./CHART DEPT. Doc. & Impl.	PURCHASING DEPT.	Doc. & Impl.		Doc. & Impl.	IT DEPT.	Doc. & Impl.	NS- / CLAIM DEPT. Doc. & Impl.	NOT APPLICABLE	သွ	
4602.1 Does the company give procedures/instructions in relation to the entire cargo operations?  4602.6 Is it company policy that a written cargo declaration has to be issued before commencement of loading?  4602.7 Does the company have procedures / instructions regarding stevedore damage?  4602.13 Is it company policy that cargo which is liable to stick between frames is removed on time? (e.g. in order to prevent damage caused by pneumatic hammers, bulldozers etc.)  4602.13 Is it company policy that cargo which is liable to stick between frames is removed on time? (e.g. in order to prevent damage caused by pneumatic hammers, bulldozers etc.)  4606 Safety precautions during cargo operations  4606.1 Does the company have instructions / procedures to control the access of unauthorised persons on board?  4606.2 Are there procedures to ensure that a sufficient number of personnel will be available in case of an emergency during port stay?  400 LID	4602	Cargo handling and operations	0			0		0				0						•	)			
4602.6 Is it company policy that a written cargo declaration has to be issued before commencement of loading?  4602.7 Does the company have procedures / instructions regarding stevedore damage?  (N/A for General Cargo Carriers) Is it company policy that cargo which is liable to stick between frames is removed on time? (e.g. in order to prevent damage caused by pneumatic hammers, bulldozers etc.)  4602.13 Safety precautions during cargo operations  4606 Safety precautions during cargo operations  4606.1 Does the company have instructions / procedures to control the access of unauthorised persons on board?  4606.2 Are there procedures to ensure that a sufficient number of personnel will be available in case of an emergency during port stay?  4607 Total score Total s	 4602.1																				0	10
4602.7 Does the company have procedures / instructions regarding stevedore damage?  (IV/A for General Cargo Carriers) Is it company policy that cargo which is liable to stick between frames is removed on time? (e.g. in order to prevent damage caused by pneumatic hammers, bulldozers etc.)  A606. Safety precautions during cargo operations  A606.1 Does the company have instructions / procedures to control the access of unauthorised persons on board?  Are there procedures to ensure that a sufficient number of personnel will be available in case of an emergency during port stay?  A607. Total score  A608. Total score  A608. Total score  A609. Total score  A	4602.2	Does the company give procedures/instructions in relation to the entire cargo operations?																			0	10
4602.13 (N/A for General Cargo Carriers)   Si it company policy that cargo which is liable to stick between frames is removed on time? (e.g. in order to prevent damage caused by pneumatic hammers, bulldozers etc.)    Column   Co	4602.6																				0	10
4602.13 Is it company policy that cargo which is liable to stick between frames is removed on time? (e.g. in order to prevent damage caused by pneumatic hammers, bulldozers etc.)  4606 Safety precautions during cargo operations  4606.1 Does the company have instructions / procedures to control the access of unauthorised persons on board?  4606.2 Are there procedures to ensure that a sufficient number of personnel will be available in case of an emergency during port stay?  400 Safety precautions during cargo operations  400 Safety precautions during cargo operations / procedures to control the access of unauthorised persons on board?  400 Safety precautions during cargo operations  400 Safety	4602.7	Does the company have procedures / instructions regarding stevedore damage?																			0	10
Minimum ranking score required for element 4602 = 30  4606 Safety precautions during cargo operations  4606.1 Does the company have instructions / procedures to control the access of unauthorised persons on board?  4606.2 Are there procedures to ensure that a sufficient number of personnel will be available in case of an emergency during port stay?  Minimum ranking score required for element 4602 = 30  0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	4602.13	is it company policy that cargo which is liable to stick between frames is removed on time? (e.g. in																		na	0	0
4606 Safety precautions during cargo operations  4606.1 Does the company have instructions / procedures to control the access of unauthorised persons on board?  4606.2 Are there procedures to ensure that a sufficient number of personnel will be available in case of an emergency during port stay?  5 Total score  5 O O O O O O O O O O O O O O O O O O																					0	40
4606.1 Does the company have instructions / procedures to control the access of unauthorised persons on board?  4606.2 Are there procedures to ensure that a sufficient number of personnel will be available in case of an emergency during port stay?  Total score  Total score  2 10 20 20	 4606	Safety precautions during cargo operations	0		viinimu		Ť		e requ	uired			4602 =	30					)			
an emergency during port stay?  Total score  Total score  2 0 20		Does the company have instructions / procedures to control the access of unauthorised persons																			0	10
	4606.2																				0	10
Minimum ranking score required for element 4606 = 20					Minimu	m rai	king	SCOT	o roci					20							0	20

		CHECKLIST - RANKING CRITERIA - OFFICE AUDIT - BULK CAF	RRIE	R (G	ENE	RAL	_ CA	ARG	O CA	ARRI	ER)	- VE	RSI	ON 2	2023						
Revision Code	Norm item	RANKING Office - BBU (GCC)	GENERAL MAN.	Doc. & Impl. QUALITY DEPT.	Doc. & Impl.	TECHNICAL DEPT.	Doc. & Impl.	NAUTICAL DEPT.	Doc. & Impl. PERSONNEL DEPT.	Doc. & Impl.	OPER./CHART DEPT.	Doc. & Impl.	PURCHASING DEPT.  Doc. & Impl.	FINANCIAL DEPT.	Doc. & Impl.	IT DEPT.	DOC: & Impli.	Doc. & Impl.	NOT APPLICABLE	RANKING SCORE	RANKING MAX. SCORE
	5000	PREVENTION OF POLLUTION																			
	5100	Biofouling Management																			
	5100.5	the control and management of ships' biofouling to minimize the transfer of invasive aquatic																		0	10
	5100.6	Does the company define frequency and timing of in-water inspection and proactive hull cleaning in consultation with coatings manufacturer and/or coatings consultant for each ship under its management?																		0	5
	5100.7	Is it a company policy to define potential trigger points for reactive hull cleaning – based on performance monitoring or other relevant datasets (such as increased drag or increased friction)?																		0	5
	5100.8	Is it a company policy to use in-water cleaning only in combination with capture and filtration of the cleaned material and subsequent waste treatment and disposal, when made available in ports?																		0	10
				Ing:		ronk	ina o	core r			tal sco		10 – E							0	30

Page 1			CHECKLIST - RANKING CRITERIA - OFFICE AUDIT - BULK CAI	RRIE	ER	(GE	NE	RAI	L C	ARG	30 (	CARI	RIEF	R) - V	ERS	101	N 202	23					
A General procedures  5201.17 Does the company have a policy to reduce garbage at source? For example, bulk packaging of consumable items.  5201.17 Sept. 18 is a company policy that recyclable material such as paper, plastic, metal (for example, in cares), gisses, bottles, crockey 8 similar refuse, and durnage are always delivered to the port reception facilities?  B. Garbage types  B. 2 Cargo residute  8.3 Ashes and clinkers  S200.26 Is it a company policy that cargo residues are always delivered ashore?  B. 3.4 Acleaning agents & additives  S200.27 Is it a company policy that satis in interreted ashes and clinkers are always delivered to the port reception facilities?  B. 4 Cleaning agents & additives  S200.28 Is it a company policy that satis interreted ashes and clinkers are always delivered to the port reception facilities?  B. 4 Cleaning agents & additives  S200.29 Is it company policy to use gond harmful (MARPOL Annex V compliant) cleaning agents and additives for cleaning the cargo holds?  B. 5 Plastice  S200.29 Is it a company policy to use gond harmful (MARPOL Annex V compliant) cleaning agents and additives for cleaning the death of vaternal surfaces?  S200.29 Is it a company policy that plastic in ever incinerated?  S200.30 Is it a company policy that plastic in ever incinerated?  S200.30 Is it a company policy that plastic in ever incinerated?  S200.31 (S200.32 Is it accompany policy that plastic in ever incinerated?  S200.32 Is one the company have a policy to exceed the use of disposable and single-use plastics on board (for example, replacing small yoghur policy in the face in the laural yester board and an experiment of the policy of example, replacing small yoghur policy will for example, replacing small yoghur policy will face in the laural yester board and a fine flating mesh to shiply washing machine so cultate to prevent fibrar reaching the conor?  C. Additional questions  C. Additional questions  Does the company participate in autional international Marine Litter Monitoring Programs?  S2	Revision Code	Norm item		GENERAL MAN.	Doc. & Impl.	QUALITY DEPT.	Doc. & Impl.	TECHNICAL DEPT.	Doc. & Impl.	NAUTICAL DEPT.	Doc. & Impl.	PERSONNEL DEPT.	OPER./CHART DEPT.	;	PURCHASING DEPT.	Doc. & Impl.	FINANCIAL DEPT. Doc. & Impl.	IT DEPT.	Doc. & Impl.	INS- / CLAIM DEPT.	NOT APPLICABLE	RANKING SCORE	
Second Company Native a policy for reduce garbage at source? For example, bulk packaging of consumable items.   Second Company Policy that recycloble material such as paper, plastic, metal (for example, tin cans), also, brothes, crockery & similar refuse, and durinage are always delivered to the port reception statilities?   Second Company Policy that ago residues are always delivered ashore?		5200	Waste Management / Garbage Handling Onboard			0		0		0													
Security Consumable items.  Security Consumable items.  Security Securi			A. General procedures																				
Secondary glass, bottles, crockery & similar refuse, and dunnage are always delivered to the port reception		5200.17																				0	5
S200.26 Is it a company policy that cargo residues are always delivered ashore?     0 10 10	M	5200.22	glass, bottles, crockery & similar refuse, and dunnage are always delivered to the port reception																			0	5
Size a company policy that cargo residues are always delivered ashore?     0   10			B. Garbage types																				
B.3 Ashes and clinkers  5200.25 Is it a company policy that all incinerated ashes and clinkers are always delivered to the port reception facilities?  B.4 Cleaning agents & additives  5200.27 Is it company policy to use non-harmful (MARPOL Annex V compliant) cleaning agents and additives for cleaning the carpo holds?  5200.28 Is it a company policy to use non-harmful (MARPOL Annex V compliant) cleaning agents and additives for cleaning the carpo holds?  B.5 Plastics  5200.20 Is it a company policy that plastic is never incinerated?  5200.21 Uses the company have a policy to reduce the use of disposable and single-use plastics on board (at least focusing on plastic cutlery, dishes & straws and beverages & mineral water bottles in bonded stores)?  5200.41 Does the company have a policy to avoid procuring food items in single servings of plastics pots (for example, replacing small yoghur; pots with decanted supplies in large containers)?  5200.42 Does the company have a policy to avoid procuring food items in single servings of plastics pots (for example, replacing small yoghur; pots with decanted supplies in large containers)?  5200.42 Does the company combat micro-plastics in the laundry system by adding a fine filtering mesh to ships washing machine's outlets to prevent filters reaching the coean?  5200.43 Does the company have a procedure that clearly stipulates there should be no dumping of dump of plastic ropes and mooring lines at sea and encourage to retain them on board until landed ashore for correct disposal?  5200.16 Does the company provide training / education programme for the crew in order to create awareness in relation to garbage management?  5200.18 Does the company participate in national / international Marine Litter Monitoring Programs?  5200.19 Does the company participate in national / international Marine Litter Monitoring Programs?  5200.19 Does the company participate in national / international Marine Litter Monitoring Programs?  5200.19 Does the company have a reporting system on lack			B.2 Cargo residue																				
S200.25   Is it a company policy that all incinerated ashes and clinkers are always delivered to the port reception facilities?   B. A. Cleaning agents & additives		5200.26	Is it a company policy that cargo residues are always delivered ashore?														-					0	10
source securion facilities?  B.4 Cleaning agents & additives  Si company policy to use non harmful (MARPOL Annex V compliant) cleaning agents and additives for cleaning the cargo holds?  Source security of cleaning the cargo holds?  B.5 Plastics  Source security of cleaning the deck / external surfaces?  B.5 Plastics  Source security of the securit			B.3 Ashes and clinkers																				
S200.27   Is it company policy to use <u>non harmful</u> (MARPOL Annex V compliant) cleaning agents and additives for cleaning the cargo holds?		5200.25																				0	10
additives for cleaning the cargo holds?    Sample   Sampl			B.4 Cleaning agents & additives																				
additives for cleaning the deck / external surfaces?  B.5 Plastics  5200.20 Is it a company policy that plastic is never incinerated?  Does the company have a policy to reduce the use of disposable and single-use plastics on board (at least focusing on plastic cutlery, dishes & straws and beverages & mineral water bottles in bonded stores)?  Does the company have a policy to avoid procuring food items in single servings of plastics pots (for example, replacing small yoghurt pots with decanted supplies in large containers)?  Does the company combat micro-plastics in the laundry system by adding a fine filtering mesh to ship's washing machine's outlets to prevent fibres reaching the ocean?  Does the company have a procedure that clearly stipulates there should be no dumping of dump old plastic ropes and mooring lines at sea and encourage to retain them on board until landed ashore for correct disposal?  C. Additional questions  Does the company provide training / education programme for the crew in order to create awareness in relation to garbage management?  Does the company provide training / international Marine Litter Monitoring Programs?  Does the company have a reporting system on lack of availability of reception facilities for certain types of garbage? (such as GISIS by IMO or equivalent)  Total score  Total score		5200.27																				0	10
Section 200.20   Is it a company policy that plastic is never incinerated?   0   10		5200.28																				0	10
Does the company have a policy to reduce the use of disposable and single-use plastics on board (at least focusing on plastic cutlery, dishes & straws and beverages & mineral water bottles in bonded stores)?  Does the company have a policy to avoid procuring food items in single servings of plastics pots (for example, replacing small yoghurt pots with decanted supplies in large containers)?  Does the company combat micro-plastics in the laundry system by adding a fine filtering mesh to ship's washing machine's outlets to prevent fibres reaching the ocean?  Does the company have a procedure that clearly stipulates there should be no dumping of dump old plastic ropes and mooring lines at sea and encourage to retain them on board until landed ashore for correct disposal?  C. Additional questions  Does the company provide training / education programme for the crew in order to create awareness in relation to garbage management?  Does the company participate in national / international Marine Litter Monitoring Programs?  Does the company have a reporting system on lack of availability of reception facilities for certain the population of participate in national / international Marine Litter Monitoring Programs?  Total score  Total score  Does the company have a reporting system on lack of availability of reception facilities for certain graphs of garbage? (such as GISIS by IMO or equivalent)			B.5 Plastics						•				•		-	-				•		-	•
5200.38 (at least focusing on plastic cutlery, dishes & straws and beverages & mineral water bottles in bonded stores)?  5200.41 (Does the company have a policy to avoid procuring food items in single servings of plastics pots (for example, replacing small yoghurt pots with decanted supplies in large containers)?  5200.42 Does the company combat micro-plastics in the laundry system by adding a fine filtering mesh to ship's washing machine's outlets to prevent fibres reaching the ocean?  M 5200.43 Does the company have a procedure that clearly stipulates there should be no dumping of dump old plastic ropes and mooring lines at sea and encourage to retain them on board until landed ashore for correct disposal?  C. Additional questions  5200.16 Does the company provide training / education programme for the crew in order to create awareness in relation to garbage management?  5200.18 Does the company participate in national / international Marine Litter Monitoring Programs?  5200.19 Does the company have a reporting system on lack of availability of reception facilities for certain types of garbage? (such as GISIS by IMO or equivalent)  Total score  0 100		5200.20	Is it a company policy that plastic is never incinerated?																			0	10
Section   Company   Comp		5200.38	(at least focusing on plastic cutlery, dishes & straws and beverages & mineral water bottles in																			0	10
ship's washing machine's outlets to prevent fibres reaching the ocean?  Does the company have a procedure that clearly stipulates there should be no dumping of dump old plastic ropes and mooring lines at sea and encourage to retain them on board until landed ashore for correct disposal?  C. Additional questions  Does the company provide training / education programme for the crew in order to create awareness in relation to garbage management?  Does the company participate in national / international Marine Litter Monitoring Programs?  Does the company have a reporting system on lack of availability of reception facilities for certain types of garbage? (such as GISIS by IMO or equivalent)  Total score		5200.41																				0	5
M 5200.43 old plastic ropes and mooring lines at sea and encourage to retain them on board until landed ashore for correct disposal?  C. Additional questions  5200.16 Does the company provide training / education programme for the crew in order to create awareness in relation to garbage management?  5200.18 Does the company participate in national / international Marine Litter Monitoring Programs?  Does the company have a reporting system on lack of availability of reception facilities for certain types of garbage? (such as GISIS by IMO or equivalent)  Total score  0 5		5200.42																				0	5
5200.16 Does the company provide training / education programme for the crew in order to create awareness in relation to garbage management?  5200.18 Does the company participate in national / international Marine Litter Monitoring Programs?  5200.19 Does the company have a reporting system on lack of availability of reception facilities for certain types of garbage? (such as GISIS by IMO or equivalent)  Total score  5200.19 Does the company have a reporting system on lack of availability of reception facilities for certain types of garbage? (such as GISIS by IMO or equivalent)  Total score  0 100	M	5200.43	old plastic ropes and mooring lines at sea and encourage to retain them on board until landed																			0	5
awareness in relation to garbage management?  5200.18 Does the company participate in national / international Marine Litter Monitoring Programs?  5200.19 Does the company have a reporting system on lack of availability of reception facilities for certain types of garbage? (such as GISIS by IMO or equivalent)  Total score  0 100	-		C. Additional questions																	_		_	_
5200.19 Does the company have a reporting system on lack of availability of reception facilities for certain types of garbage? (such as GISIS by IMO or equivalent)  Total score  0 100		5200.16																				0	5
types of garbage? (such as GISIS by IMO or equivalent)  Total score  100		5200.18	Does the company participate in national / international Marine Litter Monitoring Programs?																			0	5
		5200.19																				0	5
						B. 81 1										_						0	100

		CHECKLIST - RANKING CRITERIA - OFFICE AUDIT - BULK CAI	RRIE	R (	GEN	ER	AL (	CA	RGC	CA	RR	IER)	- V	ERS	IOI	N 20	23						
Revision Code	Norm item	RANKING Office - BBU (GCC)	GENERAL MAN.	Doc. & Impl.	QUALITY DEPT.		TECHNICAL DEPT.	FOLIA CITIES	NAUTICAL DEPT.	PERSONNEL DEPT.	Doc. & Impl.	OPER./CHART DEPT.	Doc. & Impl.	PURCHASING DEPT.	Doc. & Impl.	FINANCIAL DEPT.	Doc. & Impl.	IT DEPT. Doc. & Impl.	INS-/ CLAIM DEPT.	Doc. & Impl.	NOT APPLICABLE	RANKING SCORE	RANKING MAX. SCORE
	5410	NOx Emissions			0		0																
		A. Emission Monitoring																					
	5410.10	Does the company use a continuous emission monitoring system (in-situ or extractive) for monitoring and recording NOx emissions?																				0	10
		B. Emission Reduction																					
	5410.20	Does the company use any one of the following measures on board one or more of its vessels to reduce NOx emissions from main and/or auxiliary engines?																				0	30
		Measures taken to reduce NOx emissions	If YE	S, cł	noose	fro	m be	low	opti /	ons													
		Direct Water Injection																					
		Fuel Water Emulsification															I	-				/	
		Intake Air Humidification																			/		
		Slow Steaming																					
	5410.21	Is it company policy to implement regulated slow steaming on some or all of the vessels within their fleet in an effort to reduce NOx emissions?																				0	10
		C. Additional Questions																					
		Exhaust Gas Recirculation (EGR)								_		_							_				_
	5410.22	Are negative results from the continuous monitoring of exhaust gas recirculation bleed-off discharge water collected from the ship and addressed by the company?  *The guidelines set out in MEPC.259 (68) are applicable to EGR bleed-off discharge water as well.																				0	10
	5410.24	Does the company's PPE matrix include handling of caustic soda for exhaust gas recirculation?																				0	5
	5410.25	Does the company provide the relevant crew with manufacturer training for the EGR unit?  *The manufacturer training should cover the normal operation of the EGR system including bunkering of any chemicals (consumables), calibration of sensors, routine maintenance as well as the procedures to be followed in case of system failure and deviation from normal operation.																				0	5
		Selective Catalytic Reduction (SCR)																					
	5410.26	Does the company install a monitoring unit which monitors and measures any formation of ammonia slip?  *The monitoring unit should be capable of issuing a warning in the event of ammonia formation.																				0	10
	5410.27	Does the company take adequate measures to avoid the breakdown of the SCR unit? Measures should include (all of) the following:  1. Requisition's of materials  2. Redundancy  3. Effects of back pressure  4. Maintenance regimes of the SCR  5. Monitoring the condition of the catalyst.																				0	10
	5410.28	Does the company provide the relevant crew with manufacturer training for the SCR unit?  *The manufacturer training should cover the normal operation of the SCR unit including bunkering of any chemicals (consumables), calibration of sensors, routine maintenance as well as the procedures to be followed in case of system failure and deviation from normal operation.																				0	5
												tal sco											95

		CHECKLIST - RANKING CRITERIA - OFFICE AUDIT - BULK CAI	RRIE	R (	GE	NE	RAL	L C	ARG	O C	ARI	RIER	) - V	/ERS	SIO	N 20	23						
Revision Code	Norm item	RANKING Office - BBU (GCC)	GENERAL MAN.	Doc. & Impl.	QUALITY DEPT.	Doc. & Impl.	TECHNICAL DEPT.	Doc. & Impl.	NAUTICAL DEPT.	Doc. & Impl.	PERSONNEL DEPT.	OPER./CHART DEPT.	Doc. & Impl.	PURCHASING DEPT.	Doc. & Impl.	FINANCIAL DEPT.	Doc. & Impl.	IT DEPT. Doc. & Impl.	INS- / CLAIM DEPT.	Doc. & Impl.	NOT APPLICABLE	RANKING SCORE	RANKING MAX. SCORE
	5420	SOx Emissions			0		0							0									
		A. Emission Monitoring																					
	5420.11	Does the company use a continuous emission monitoring system (in-situ or extractive) for monitoring and recording SOx emissions?																				0	10
		B. Emission Reduction																					
	5420.12	Main and auxiliary engines: Does the company voluntarily burn low sulphur fuel (max. 0.10% sulphur) or use equivalent methodology during the ship's stay at every port? (If exhaust gas cleaning system is used, sulphur content is measured with SO2:CO2 ratio. Ratio of max 4.3 is equal to 0.10% sulphur content)																				0	50
		C. Additional Questions																					
		Exhaust Gas Cleaning System (EGCS)																					
	5420.13	Does the company use the requirements of Scheme B* (continuous emission monitoring with parameter checks) for testing, survey, certification and verification of EGC systems on board all its ships having such systems (EGC)?  * Under scheme B, the SOx emissions compliance plan (SECP) should present how the continuous monitoring of ship exhaust gas emissions will demonstrate that the total SO2(ppm)/CO2(%) ratio is comparable to the requirements of 14.1 and/or 14.4 of MARPOL Annex 6.  * Ships should be in possession of EGC technical manual, scheme B (ETM-B).																				0	20
	5420.14	Are negative test results from the continuous monitoring of wash water discharge collected from the ship and addressed by the company?  *The wash water discharge criteria have been set out in MEPC.259 (68).																				0	10
	5420.16	Does the company take adequate measures to avoid breakdown of the EGCS unit?  Measures should include (all of) the following:  1. Material requisitions  2. Redundancy  3. Risk of condensation  4. Safety process regarding handling and storage of caustic soda.  5. Noise prevention  6. Contingency plan for failure  7. Remote monitoring  8. Technical support from the manufacturer (Telephone helpline)																				0	20
	5420.20	Does the company's PPE matrix include handling of caustic soda for closed-loop scrubbers?															ı					0	5
	5420.21	Does the company provide relevant crew with manufacturer training course for the EGC unit?																				0	5
												otal so										0	120

	CHECKLIST - RANKING CRITERIA - OFFICE AUDIT - BULK CA	RRI	ER	(GE	NE	RAL	_ CA	RG	O C	ARR	IER)	) - V	ERS	SIO	N 20	23						
Norm item	RANKING Office - BBU (GCC)	GENERAL MAN.	Doc. & Impl.	QUALITY DEPT.	Doc. & Impl.	TECHNICAL DEPT.	Doc. & Impl.	NAUTICAL DEPT.	Doc. & Impl.	Doc. & Impl.	OPER./CHART DEPT.	Doc. & Impl.	PURCHASING DEPT.	Doc. & Impl.	FINANCIAL DEPT.	Doc. & Impl.	IT DEPT.	DOC: & IIIpi.	INS- / CLAIM DEPT. Doc. & Impl.	NOT APPLICABLE	RANKING SCORE	RANKING MAX. SCORE
5421	Ships required to carry out Fuel Change Over to low sulphur MARINE DIESEL OIL or low sulphur MARINE GAS OIL (low sulphur Distillates)					0																
5421.1	Has the company carried out a safety assessment with respective manufacturers, for any necessary modifications to the vessel's boilers and each fuel system onboard? (modifications should be class approved)							·													0	30
5421.2	Does company policy require <b>updated</b> fuel change over procedures (company approved) to be available onboard for the main engine, auxiliary engines and boilers? (procedures should be available for each fuel type used onboard)																				0	10
				Min	imum	rank	ing s	core r	equir				121 –	40							0	40
5430	Particulate Matter (PM) Emissions				lilian	О	ing s	COICI	equii	eu ioi	Cicino	one J-	721 -									
5430.10	Does the company use any one of the following measures on board one or more of its vessels to																				0	30
	Measures taken to reduce PM emissions	If Y	ES,	choc	ose f	rom	belov	w opt	tions	3						•		-		•		
	Diesel Particulate Filter																					
	Diesel Oxidation Catalyst																			1		
	Electrostatic Precipitator																					
																					0	30
	5421 5421.1 5421.2 5430 5430.10	Ships required to carry out Fuel Change Over to low sulphur MARINE DIESEL OIL or low sulphur MARINE GAS OIL (low sulphur Distillates)  Has the company carried out a safety assessment with respective manufacturers, for any necessary modifications to the vessel's boilers and each fuel system onboard? (modifications should be class approved)  Does company policy require updated fuel change over procedures (company approved) to be available onboard for the main engine, auxiliary engines and boilers? (procedures should be available for each fuel type used onboard)  Particulate Matter (PM) Emissions  Does the company use any one of the following measures on board one or more of its vessels to reduce PM emissions from main and/or auxiliary engines?  Measures taken to reduce PM emissions  Diesel Particulate Filter	Ships required to carry out Fuel Change Over to low sulphur MARINE DIESEL OIL or low sulphur MARINE GAS OIL (low sulphur Distillates)  Has the company carried out a safety assessment with respective manufacturers, for any necessary modifications to the vessel's boilers and each fuel system onboard? (modifications should be class approved)  Does company policy require updated fuel change over procedures (company approved) to be available onboard for the main engine, auxiliary engines and boilers? (procedures should be available for each fuel type used onboard)  5430 Particulate Matter (PM) Emissions  5430.10 Does the company use any one of the following measures on board one or more of its vessels to reduce PM emissions from main and/or auxiliary engines?  Measures taken to reduce PM emissions  Diesel Particulate Filter  Diesel Oxidation Catalyst	Ships required to carry out Fuel Change Over to low sulphur MARINE DIESEL OIL or low sulphur MARINE GAS OIL (low sulphur Distillates)  Has the company carried out a safety assessment with respective manufacturers, for any necessary modifications to the vessel's boilers and each fuel system onboard? (modifications should be class approved)  Does company policy require updated fuel change over procedures (company approved) to be available onboard for the main engine, auxiliary engines and boilers? (procedures should be available for each fuel type used onboard)  Particulate Matter (PM) Emissions  Does the company use any one of the following measures on board one or more of its vessels to reduce PM emissions from main and/or auxiliary engines?  Measures taken to reduce PM emissions  Diesel Particulate Filter  Diesel Oxidation Catalyst	Ships required to carry out Fuel Change Over to low sulphur MARINE DIESEL OIL or low sulphur MARINE GAS OIL (low sulphur Distillates)  Has the company carried out a safety assessment with respective manufacturers, for any necessary modifications to the vessel's boilers and each fuel system onboard? (modifications should be class approved)  Does company policy require updated fuel change over procedures (company approved) to be available onboard for the main engine, auxiliary engines and boilers? (procedures should be available for each fuel type used onboard)  Particulate Matter (PM) Emissions  Does the company use any one of the following measures on board one or more of its vessels to reduce PM emissions from main and/or auxiliary engines?  Measures taken to reduce PM emissions  Diesel Particulate Filter  Diesel Oxidation Catalyst  Electrostatic Precipitator	RANKING Office - BBU (GCC)  Ships required to carry out Fuel Change Over to low sulphur MARINE DIESEL OIL or low sulphur MARINE GAS OIL (low sulphur Distillates)  Has the company carried out a safety assessment with respective manufacturers, for any necessary modifications to the vessel's boilers and each fuel system onboard? (modifications should be class approved)  Does company policy require updated fuel change over procedures (company approved) to be available onboard for the main engine, auxiliary engines and boilers? (procedures should be available for each fuel type used onboard)  Minimum  Minimum  Mainimum  Mainimum  Minimum  Measures taken to reduce PM emissions  Diesel Particulate Filter  Diesel Oxidation Catalyst  Electrostatic Precipitator	RANKING Office - BBU (GCC)  Ships required to carry out Fuel Change Over to low sulphur MARINE DIESEL OIL or low sulphur MARINE GAS OIL (low sulphur Distillates)  Has the company carried out a safety assessment with respective manufacturers, for any necessary modifications to the vessel's boilers and each fuel system onboard? (modifications should be class approved)  Does company policy require updated fuel change over procedures (company approved) to be available onboard for the main engine, auxiliary engines and boilers? (procedures should be available for each fuel type used onboard)  Minimum rank  Mainimum rank  Mainimum rank  Minimum rank  Mainimum rank  Minimum rank  Measures taken to reduce PM emissions  Diesel Particulate Filter  Diesel Oxidation Catalyst  Electrostatic Precipitator	Ships required to carry out Fuel Change Over to low sulphur MARINE DIESEL OIL or low sulphur MARINE GAS OIL (low sulphur Distillates)  Has the company carried out a safety assessment with respective manufacturers, for any necessary modifications to the vessel's boilers and each fuel system onboard? (modifications should be class approved)  Does company policy require updated fuel change over procedures (company approved) to be available onboard for the main engine, auxiliary engines and boilers? (procedures should be available for each fuel type used onboard)  Minimum ranking s  5430 Particulate Matter (PM) Emissions  Does the company use any one of the following measures on board one or more of its vessels to reduce PM emissions from main and/or auxiliary engines?  Measures taken to reduce PM emissions  Diesel Particulate Filter  Diesel Oxidation Catalyst  Electrostatic Precipitator	Ships required to carry out Fuel Change Over to low sulphur MARINE DIESEL OIL or low sulphur MARINE GAS OIL (Iow sulphur Distillates)  Has the company carried out a safety assessment with respective manufacturers, for any necessary modifications to the vessel's boilers and each fuel system onboard? (modifications should be class approved)  Does company policy require updated fuel change over procedures (company approved) to be available onboard for the main engine, auxiliary engines and boilers? (procedures should be available for each fuel type used onboard)  Minimum ranking score of the discovery of the following measures on board one or more of its vessels to reduce PM emissions from main and/or auxiliary engines?  Measures taken to reduce PM emissions  Diesel Particulate Filter  Diesel Oxidation Catalyst  Electrostatic Precipitator	Ships required to carry out Fuel Change Over to low sulphur MARINE DIESEL OIL or low sulphur MARINE GAS OIL. (low sulphur Distillates)  Has the company carried out a safety assessment with respective manufacturers, for any necessary modifications to the vessel's boilers and each fuel system onboard? (modifications should be class approved)  Does company policy require updated fuel change over procedures (company approved) to be available onboard for the main engine, auxiliary engines and boilers? (procedures should be available for each fuel type used onboard)  Minimum ranking score require available for each fuel type used onboard one or more of its vessels to reduce PM emissions from main and/or auxiliary engines?  Measures taken to reduce PM emissions  Diesel Particulate Filter  Diesel Oxidation Catalyst Electrostatic Precipitator	RANKING Office - BBU (GCC)  Ships required to carry out Fuel Change Over to low sulphur MARINE DIESEL OIL or low sulphur MARINE GAS OIL (low sulphur Distillates)  Has the company carried out a safety assessment with respective manufacturers, for any necessary modifications to the vessel's boilers and each fuel system onboard? (modifications should be class approved)  Does company policy require updated fuel change over procedures (company approved) to be available for each fuel type used onboard)  Minimum ranking score required for available for each fuel type used onboard)  To Minimum ranking score required for reduce PM emissions  Does the company use any one of the following measures on board one or more of its vessels to reduce PM emissions from main and/or auxiliary engines?  Measures taken to reduce PM emissions  Diesel Particulate Filter  Diesel Oxidation Catalyst Electrostatic Precipitator	Ships required to carry out Fuel Change Over to low sulphur MARINE DIESEL OIL or low sulphur MARINE GAS OIL (low sulphur Distillates)    Has the company carried out a safety assessment with respective manufacturers, for any necessary modifications to the vessel's boilers and each fuel system onboard? (modifications should be class approved)    Does company policy require updated fuel change over procedures (company approved) to be available onboard for the main engine, auxiliary engines and boilers? (procedures should be available onboard for the main engine, auxiliary engines and boilers? (procedures should be available onboard for the main engine, auxiliary engines on board one or more of its vessels to reduce PM emissions    Does the company use any one of the following measures on board one or more of its vessels to reduce PM emissions   If YES, choose from below options	Ships required to carry out Fuel Change Over to low sulphur MARINE DIESEL OIL or low sulphur MARINE GAS OIL (low sulphur Distillates)    Has the company carried out a safety assessment with respective manufacturers, for any necessary modifications to the vessel's boilers and each fuel system onboard? (modifications should be class approved)    Does company policy require updated fuel change over procedures (company approved) to be available onboard for the main engine, auxiliary engines and boilers? (procedures should be available onboard for the main engine, auxiliary engines and boilers? (procedures should be available onboard for the main engine, auxiliary engines and boilers? (procedures should be available for each fuel type used onboard)    Particulate Matter (PM) Emissions	RANKING Office - BBU (GCC)  Ships required to carry out Fuel Change Over to low sulphur MARINE DIESEL OIL or low sulphur MARINE GAS OIL (Iow sulphur Distillates)  Has the company carried out a safety assessment with respective manufacturers, for any necessary modifications to the vessel's boilers and each fuel system onboard? (modifications should be class approved)  Does company policy require updated fuel change over procedures (company approved) to be available or board for the main engine, auxiliary engines and boilers? (procedures should be available for each fuel type used onboard)  Total score  Minimum ranking score required for element \$421 = \$430.10  Does the company use any one of the following measures on board one or more of its vessels to reduce PM emissions from main and/or auxiliary engines?  Measures taken to reduce PM emissions  Diesel Particulate Filter  Diesel Oxidation Catalyst  Electrostatic Precipitator  Total score  Total score	RANKING Office - BBU (GCC)  Ships required to carry out Fuel Change Over to low sulphur MARINE DIESEL OIL or low sulphur MARINE GAS OIL. (low sulphur Distillates)  Fat21.  Ships required to carry out Fuel Change Over to low sulphur MARINE DIESEL OIL or low sulphur MARINE GAS OIL. (low sulphur Distillates)  Description of the main engine, auxiliary engines and boilers? (procedures should be available onboard for the main engine, auxiliary engines and boilers? (procedures should be available for each fuel type used onboard)  Particulate Matter (PM) Emissions  Description of the Matter (PM) Emissions  Diesel Particulate Filter  Diesel Oxidation Catalyst  Electrostatic Precipitator  Total score	Ships required to carry out Fuel Change Over to low sulphur MARINE DIESEL OIL or low sulphur MARINE GAS OIL (low sulphur Distillates)  5421.1 Ships required to carry out Fuel Change Over to low sulphur MARINE DIESEL OIL or low sulphur MARINE GAS OIL (low sulphur Distillates)  5421.2 Does company parried out a safety assessment with respective manufacturers, for any necessary modifications to the vessel's boilers and each fuel system onboard? (modifications should be class approved)  5421.2 Does company policy require updated fuel change over procedures (company approved) to be available onboard for the main engine, auxiliary engines and boilers? (procedures should be available for each fuel type used onboard)  Formula to the company use any one of the following measures on board one or more of its vessels to reduce PM emissions  Diesel Particulate Filter  Diesel Oxidation Catalyst  Electrostatic Precipitator  Total score	Ships required to carry out Fuel Change Over to low sulphur MARINE DIESEL OIL or low sulphur MARINE GAS OIL (low sulphur Distillates)  Has the company carried out a safety assessment with respective manufacturers, for any necessary modifications to the vessel's boilers and each fuel system onboard? (modifications should be class approved)  Does company policy require updated fuel change over procedures (company approved) to be available onboard for the main engine, auxiliary engines and boilers? (procedures should be available for each fuel type used onboard)  Total score  Minimum ranking score required for element 5421 = 40  5430 Particulate Matter (PM) Emissions  Does the company use any one of the following measures on board one or more of its vessels to reduce PM emissions from main and/or auxiliary engines?  Measures taken to reduce PM emissions  Diesel Particulate Filter  Diesel Oxidation Catalyst  Electrostatic Precipitator  Total score	RANKING Office - BBU (GCC)  Ships required to carry out Fuel Change Over to low sulphur MARINE DIESEL OIL or low sulphur MARINE GAS OIL (low sulphur Distillates)  Has the company carried out a safety assessment with respective manufacturers, for any necessary modifications to the vessel's boilers and each fuel system onboard? (modifications should be class approved)  Does company policy require updated fuel change over procedures (company approved) to be available onboard for the main engine, auxiliary engines and boilers? (procedures should be available for each fuel type used onboard)  Particulate Matter (PM) Emissions  Does the company use any one of the following measures on board one or more of its vessels to reduce PM emissions from main and/or auxiliary engines?  Measures taken to reduce PM emissions  Diesel Particulate Filter  Diesel Oxidation Catalyst Electrostatic Precipitator	Ships required to carry out Fuel Change Over to low sulphur MARINE DIESEL OIL or low sulphur MARINE GAS OIL. (low sulphur Distillates)  Has the company carried out a safety assessment with respective manufacturers, for any necessary modifications to the vessels boilers and each fuel system onboard? (modifications should be class approved)  Does company policy require updated fuel change over procedures (company approved) to be available onboard for the main engine, auxiliary engines and boilers? (procedures should be available onboard for the main engine, auxiliary engines?  Minimum ranking score required for element 5421 = 40  Total score  Weasures taken to reduce PM emissions  Diesel Particulate Filter  Diesel Oxidation Catalyst  Electrostatic Precipitator  Total score	Ships required to carry out Fuel Change Over to low sulphur MARINE DIESEL OIL or low sulphur MARINE GAS OIL (low sulphur Distillates)  Has the company carried out a safety assessment with respective manufacturers, for any necessary modifications to the vessel's boilers and each fuel system onboard? (modifications should be class sapproved)  Does company policy require updated fuel change over procedures (company approved) to be available onboard for the main engine, auxiliary engines and boilers? (procedures should be available for each fuel type used onboard)  Total score  Whinimum ranking score required for element 5421 = 40  S421.2 Does company use any one of the following measures on board one or more of its vessels to reduce PM emissions  Diesel Particulate Filter  Diesel Oxidation Catalyst  Electrostatic Precipitator  Total score  Total score	Ships required to carry out Fuel Change Over to low sulphur MARINE DIESEL OIL or low sulphur MARINE GAS OIL (low sulphur Distillates)  Has the company carried out a safety assessment with respective manufacturers, for any necessary modifications to the vessel's bollers and each fuel system onboard? (modifications should be class sapproved)  Does company policy require updated fuel change over procedures (company approved) to be available onboard for the main engine, auxiliary engines and boilers? (procedures should be available for each fuel type used onboard)  Total score  Minimum ranking score required for element 5421 = 40  S421.2 available on and of the fuel with the sum of the fuel of the fuel of the sum of the fuel	Ships required to carry out Fuel Change Over to low sulphur MARINE DIESEL OIL or low sulphur MARINE GAS OIL (low sulphur Distillates)  Ships required to carry out Fuel Change Over to low sulphur Marine Diesel Oil of the main and/or auxiliary engines and boilers? (procedures should be class approved)  Does company policy require updated fuel change over procedures (company approved) to be available onto ard for the main engine, auxiliary engines and boilers? (procedures should be available for each fuel type used onboard)  Particulate Matter (PM) Emissions  If YES, choose from below options  If YES, choose from below options  Diesel Particulate Filter  Diesel Oxidation Catalyst  Electrostatic Precipitator

		CHECKLIST - RANKING CRITERIA - OFFICE AUDIT - BULK CAI	RRIE	ER (	(GE	NE	RAL	. CA	RGO	O C	ARR	IER)	- VI	ERSI	ON 2	2023	3					
Revision Code	Norm item	RANKING Office - BBU (GCC)	GENERAL MAN.	Doc. & Impl.	QUALITY DEPT.	Doc. & Impl.	TECHNICAL DEPT.	Doc. & Impl.	NAUTICAL DEPT.	PERSONNEL DEPT.	Doc. & Impl.	OPER./CHART DEPT.	Doc. & Impl.	PURCHASING DEPT.  Doc. & Impl.	FINANCIAL DEPT.	Doc. & Impl.	т DEPT.	Doc. & Impl.	INS- / CLAIM DEPT. Doc. & Impl.	NOT APPLICABLE	RANKING SCORE	RANKING MAX. SCORE
	5440	Greenhouse Gas (GHG) Emissions - CO₂ Emissions																				
		A. Emission Monitoring																				
	5440.10	Does the company use flow meters for monitoring and recording of fuel consumption? (Flow meter is to be calibrated and certified by for example a classification society)																			0	10
	5440.6	Is an energy efficiency baseline measured for each ship?  *Using a calculation of fuel consumption (Unit = Fuel consumption per transport work expressed in grams per tonne-nautical mile or other relevant unit as applicable to relevant ship category) (or)  *Using measurement of CO2 emissions from emission monitoring equipment (grams CO2 per tonne nautical mile or other relevant units as applicable to relevant ship category)  (Baseline is a measurement of the ships average (operational) energy efficiency under normal operating conditions before energy efficient measures or policies are implemented).																			0	5
	5440.14	Does the company use a ship performance monitoring software to monitor and reduce energy consumption by operational measures for their entire fleet?																			0	20
		B. Emission Reduction																				
		Short term goals (CO <sub>2</sub> reduction through energy efficiency measures)																				
	5440.15	(Design and operational based measures) Energy efficiency measures implemented on-board company vessels?																			0	20
		For ease of use, measures are grouped according to the GLOMEEP Energy efficiency technologies information portal.	If YE	ES, c	hoo	se fi	rom k	belov	v opti	ions	and f	ill-in :	supp	lemen	t CO	<sub>2</sub> - G	IoME	EP ta	ab			
		Measures related to Machinery																				
		Measures related to Propulsion and Hull Improvements																				
		Measures related to Energy Consumers																				
		Measures related to Energy Recovery																		/	/	
		Measures related to Technical Solutions for optimizing the operations																		<u>/</u>		
	5440.16	Has the company achieved an annual average reduction of at least 2.0% in CO2 emissions per transport work (gCO2/tnm) since 1st Jan 2013?																			0	30
	5440.17	<u>Alternative to 5440.16</u> : Has the company achieved an annual average reduction of at least 1.0% in CO2 emissions per transport work (gCO2/tnm) since 1st Jan 2013?																			0	15

		CHECKLIST - RANKING CRITERIA - OFFICE AUDIT - BULK CA	RRIER	(GE	NE	RAL	CAR	GO	CAR	RIER)	- VE	RSIC	N 20	23					
Revision Code	Norm item	RANKING Office - BBU (GCC)	GENERAL MAN. Doc. & Impl.	QUALITY DEPT.	Doc. & Impl.	TECHNICAL DEPT.	NAUTICAL DEPT.	Doc. & Impl.	PERSONNEL DEPT.	OPER./CHART DEPT.	Doc. & Impl.	Doc. & Impl.	FINANCIAL DEPT.	Doc. & Impl.	Doc. & Impl.	INS- / CLAIM DEPT. Doc. & Impl.	NOT APPLICABLE	RANKING SCORE	RANKING MAX. SCORE
		Mid term goals (CO₂ reduction through the use of low carbon fuels)																	
	5440.18	Main engines:									Ì							0	15
		Does the company have any vessels within their fleet which use low carbon fuels such as:	14.1450	<u> </u>		L .													
		Low carbon fuels	If YES	choo	se ti	rom be	elow o	optio	ns				1						
		LNG (Liquefied Natural Gas)		-									<del>                                     </del>	-			-		
		LPG (Liquefied Petroleum Gas)		1									1						/
		GTL (Gas to liquid) fuel Bio-diesel																	
		Bio-LNG (Bio-methane)																/	/
		Methanol																/	
		Ethanol																	
		Dimethyl Ether																	
		Other: *fill during audit*															١,	/	
		If others =												_ !			$\exists /$		
	5440.19	Auxiliary engines:  Does the company have any vessels within their fleet which use low carbon fuels such as:																0	15
		Low carbon fuels	If YES	choo	se fi	rom be	elow o	optio	ns		-								
		LNG (Liquefied Natural Gas)																	
		LPG (Liquefied Petroleum Gas)																	/
		GTL (Gas to liquid) fuel										-			-				
		Bio-diesel																	/
		Bio-LNG (Bio-methane)																/	'
		Methanol																	
		Ethanol																/	
		Dimethyl Ether																/	
		Other: *fill during audit*															4/	′	
		If others =															_/_		

	CHECKLIST - RANKING CRITERIA - OFFICE AUDIT - BULK CAI	RRIE	R (	GEN	IER	RAL	. C	ARG	60 C	ARI	RIE	R) - \	/ER	SIO	N 2	023						
Norm item	RANKING Office - BBU (GCC)	GENERAL MAN.	Doc. & Impl.	QUALITY DEPT.	Doc. & Impl.	TECHNICAL DEPT.	Doc. & Impl.	NAUTICAL DEPT.	Doc. & Impl.	PERSONNEL DEPT.	ooc. & impi.	OPER./CHART DEPT.  Doc. & Impl.	PURCHASING DEPT.	Doc. & Impl.	FINANCIAL DEPT.	Doc. & Impl.	IT DEPT.	Doc. & Impl.	INS-/ CLAIM DEPT. Doc. & Impl.	NOT APPLICABLE	RANKING SCORE	RANKING MAX. SCORE
	Long term goals (CO <sub>2</sub> neutral operation through zero carbon fuels)		_		_						_					_						
5440.20	Main engines:  Does the company have any vessels within their fleet which use zero carbon fuels such as:																				0	25
	· · · ·	If YE	S. cl	hoos	e fro	om b	belo	w or	otions	S			1									
			Ť																			
	Hydrogen		T		1						$\dagger$							$\top$				
	Fuel Cells (Powered by ammonia or hydrogen)		T		T						T										,	
	Batteries		T		T													T				
	Nuclear		_[																			
	Other: *fill during audit*																					
	If others =																			/_		
5440.21	Auxiliary engines: Does the company have any vessels within their fleet which use zero carbon fuels such as:																				0	25
	Zero carbon fuels	If YE	S, cl	hoos	e fro	om b	belo	w op	otions	S						_						
	Anhydrous Ammonia																					
	Hydrogen																					
	Fuel Cells (Powered by ammonia or hydrogen)																				/	/
	Batteries										_											
					_						-									/	/	
	-																			/		
					Т		- 1				-		1							И т		
5440.22	energy production such as:																				0	25
		If YE	S, cl	hoos	e fro	om b	belo	w op	otions	S	1					1				1		
			_		4						$\bot$											
					4						$\perp$										/	/
	-																					
																				/	•	
5440.24	Does the company take steps to facilitate JIT Arrival of ships (for example, use of BIMCO's Virtual Arrival Clause for Voyage Charter Parties or speed decisions taken by the Master of owned ships to ensure JIT Arrival or implement measures from Port Information Manual by International Taskforce Port Call Optimization or other such measures)?										Cotol	coore									0	10
		1									otal	SCOLE								1	0	200
	5440.21 5440.22	RANKING Office - BBU (GCC)  Long term goals (CO2 neutral operation through zero carbon fuels)  Main engines: Does the company have any vessels within their fleet which use zero carbon fuels such as:  Zero carbon fuels Anhydrous Ammonia Hydrogen Fuel Cells (Powered by ammonia or hydrogen) Batteries Nuclear Other: 'fill during audit'  If others =  Auxiliary engines: Does the company have any vessels within their fleet which use zero carbon fuels such as:  Zero carbon fuels Anhydrous Ammonia Hydrogen Fuel Cells (Powered by ammonia or hydrogen) Batteries Nuclear Other: 'fill during audit'  If others =  5440.21 Does the company have any vessels within their fleet which use zero carbon fuels such as:  Zero carbon fuels Anhydrous Ammonia Hydrogen Fuel Cells (Powered by ammonia or hydrogen) Batteries Nuclear Other: 'fill during audit'  If others =  5440.22 Does the company have any vessels within their fleet which use renewable energy sources for energy production such as:  Renewable Energy source  Wind 'fill during audit' Solar Other: 'fill during audit'  Solar Other: 'fill during audit'  Does the company take steps to facilitate JIT Arrival of ships (for example, use of BIMCO's Virtual Arrival Clause for Voyage Charter Parties or speed decisions taken by the Master of owned ships to ensure JIT Arrival or implement measures from Port Information Manual by International	RANKING Office - BBU (GCC)  Long term goals (CO₂ neutral operation through zero carbon fuels)  Main engines: Does the company have any vessels within their fleet which use zero carbon fuels such as:  Zero carbon fuels Anhydrous Ammonia Hydrogen Fuel Cells (Powered by ammonia or hydrogen) Batteries Nuclear Other: "fill during audit"  If others =  Auxilliary engines: Does the company have any vessels within their fleet which use zero carbon fuels such as:  Zero carbon fuels Anhydrous Ammonia Hydrogen Fuel Cells (Powered by ammonia or hydrogen) Batteries Nuclear Other: "fill during audit"  If others =  Anhydrous Ammonia Hydrogen Fuel Cells (Powered by ammonia or hydrogen) Batteries Nuclear Other: "fill during audit"  If others =  S440.22 Does the company have any vessels within their fleet which use renewable energy sources for energy production such as:  Renewable Energy source Wind "fill during audit"  Wind =  If others =  If others =  Does the company have any vessels within their fleet which use renewable energy sources for energy production such as:  Renewable Energy source Wind "fill during audit"  Wind =  If others =  Does the company take steps to facilitate JIT Arrival of ships (for example, use of BIMCO's Virtual Arrival Clause for Voyage Charter Parties or speed decisions taken by the Master of owned ships to ensure JIT Arrival or implement measures from Port Information Manual by International	RANKING Office - BBU (GCC)  Long term goals (CO₂ neutral operation through zero carbon fuels)  Main engines: Does the company have any vessels within their fleet which use zero carbon fuels such as:  Zero carbon fuels  Hydrogen Fuel Cells (Powered by ammonia or hydrogen) Batteries Nuclear Other: 'fill during audit'  Main engines: Long term goals (CO₂ neutral operation through zero carbon fuels)  If others =  May a type of the company have any vessels within their fleet which use zero carbon fuels such as:  Zero carbon fuels  If others =  Anhydrous Ammonia Hydrogen Fuel Cells (Powered by ammonia or hydrogen) Batteries Anhydrous Ammonia Hydrogen Fuel Cells (Powered by ammonia or hydrogen) Batteries Nuclear Other: 'fill during audit'  If others =  S440.22 Does the company have any vessels within their fleet which use renewable energy sources for energy production such as:  Renewable Energy source Wind 'fill during audit' Solar Other: 'fill during audit' Solar	Long term goals (CO₂ neutral operation through zero carbon fuels)   S440.20   Main engines:   Does the company have any vessels within their fleet which use zero carbon fuels such as:   If YES, choos	Long term goals (CO2 neutral operation through zero carbon fuels)    Section 2009   Page 2014   Page 2	Long term goals (CO2 neutral operation through zero carbon fuels)   St40.20   Main engines:   Does the company have any vessels within their fleet which use zero carbon fuels such as:   If YES, choose from I state is   Public operation   P	Long term goals (CO; neutral operation through zero carbon fuels)	RANKING Office - BBU (GCC)  Long term goals (CO2 neutral operation through zero carbon fuels)  Main engines: Does the company have any vessels within their fleet which use zero carbon fuels such as:  Zero carbon fuels Anhydrous Ammonia Hydrogen Batteries Nuclear Other: "fill during audit"  If others = Other Till during audit  Zero carbon fuels  Anhydrous Ammonia Hydrogen) Batteries Nuclear Other: "fill during audit"  If others = Other Till during audit  If yes, choose from below of the company have any vessels within their fleet which use zero carbon fuels such as:  Zero carbon fuels  Anhydrous Ammonia Hydrogen Fuel Cells (Powered by ammonia or hydrogen) Batteries Nuclear Other: "fill during audit"  If others = Other: "fill during audit"  Does the company have any vessels within their fleet which use renewable energy sources for energy production such as:  Renewable Energy source  Wind "fill during audit"  Does the company take steps to facilitate JIT Arrival of ships (for example, use of BIMCO's Virtual Arrival Clause for Voyage Charter Parties or speed decisions taken by the Master of owned ships to ensure JIT Arrival or implement measures from Port Information Manual by International	Long term goals (CO2, neutral operation through zero carbon fuels)   State   State	Long term goals (CO2 neutral operation through zero carbon fuels)	RANKING Office - BBU (GCC)  Long term goals (CO <sub>2</sub> neutral operation through zero carbon fuels)  Main engines:  Zero carbon fuels  Anhydrous Ammonia Hydrogen Fuel Cells (Powered by ammonia or hydrogen) Batteries Anhydrous Ammonia Hydrogen Fuel Cells (Powered by ammonia or hydrogen) Batteries Anhydrous Ammonia Hydrogen Fuel Cells (Powered by ammonia or hydrogen) Batteries Anhydrous Ammonia Hydrogen Fuel Cells (Powered by ammonia or hydrogen) Batteries Anhydrous Ammonia Hydrogen Fuel Cells (Powered by ammonia or hydrogen) Batteries Anhydrous Ammonia Hydrogen Fuel Cells (Powered by ammonia or hydrogen) Batteries Nuclear Other: fill during audit* If others =  Does the company have any vessels within their fleet which use zero carbon fuels such as:  If yes, choose from below options  If others =  Sero carbon fuels If yes, choose from below options  If yes, choose from below options  If others =  Other: fill during audit*  If others =  Does the company have any vessels within their fleet which use renewable energy sources for energy production such as:  Renewable Energy source If yes, choose from below options  If yes, choose from below options  Affined and the production such as:  Renewable Energy source If others =  Does the company have any vessels within their fleet which use renewable energy sources for energy production such as:  Renewable Energy source If yes, choose from below options  Does the company have any vessels within their fleet which use renewable energy sources for energy production such as:  Renewable Energy source  If others =  Does the company have any vessels within their fleet which use renewable energy sources for energy production such as:  If others =  Does the company have any vessels within their fleet which use renewable energy sources for energy production such as:  If others =  Does the company have any vessels within their fleet which use renewable energy sources for energy production such as:  If others =  Does the company have any vessels within their fleet which use renewable energ	Continuous   Con	RANKING Office - BBU (GCC)  Long term goals (CO; neutral operation through zero carbon fuels)  Main engines: Does the company have any vessels within their fleet which use zero carbon fuels such as:  Zero carbon fuels  Hydrogen Hydrogen Cother: "fill during audit"  Mailiary engines: Does the company have any vessels within their fleet which use zero carbon fuels such as:  Zero carbon fuels  Nuclear Other: "fill during audit"  Mydrogen Fuel Cells (Powered by ammonia or hydrogen) Batteries Nuclear Other: "fill during audit"  Mydrogen Fuel Cells (Powered by ammonia or hydrogen) Batteries Nuclear Other: "fill during audit"  Mydrogen Fuel Cells (Powered by ammonia or hydrogen) Batteries Nuclear Other: "fill during audit"  Mydrogen Fuel Cells (Powered by ammonia or hydrogen) Batteries Nuclear Other: "fill during audit"  Mydrogen Fuel Cells (Powered by ammonia or hydrogen) Batteries Nuclear Other: "fill during audit"  Mydrogen Fuel Cells (Powered by ammonia or hydrogen) Batteries Nuclear Other: "fill during audit"  Mydrogen Fuel Cells (Powered by ammonia or hydrogen) Batteries Nuclear Other: "fill during audit"  Mydrogen Fuel Cells (Powered by ammonia or hydrogen) Batteries Nuclear Other: "fill during audit"  Mydrogen Fuel Cells (Powered by ammonia or hydrogen) Batteries Nuclear Other: "fill during audit"  Mydrogen Fuel Cells (Powered by ammonia or hydrogen) Batteries Nuclear Other: "fill during audit"  Mydrogen Fuel Cells (Powered by ammonia or hydrogen) Batteries Nuclear Other: "fill during audit"  Does the company have any vessels within their fleet which use renewable energy sources for engrept production such as:  If others =  St440.24  Does the company have any vessels within their fleet which use renewable energy sources for engrept production such as:  If others =  St440.25  Does the company have any vessels within their fleet which use renewable energy sources for engrept production such as:  If others =  St440.24  Anythrogen  Main engines: Does the company have any vessels within their fleet which use renewa	RANKING Office - BBU (GCC)    Variable   Lab   L	RANKING Office - BBU (GCC)  Long term goals (CC2 neutral operation through zero carbon fuels)  Main engines: Does the company have any vessels within their fleet which use zero carbon fuels such as:  Zero carbon fuels  Arbytrous Ammonia Hydrogen  Batteries Nuclear  Other: "fill during audit"  Arbytrous Ammonia Hydrogen  Fuel Cells (Powered by ammonia or hydrogen)  Batteries  Arbytrous Ammonia Hydrogen  Fuel Cells (Powered by ammonia or hydrogen)  Batteries  Other: "fill during audit"  Fuel Cells (Powered by ammonia or hydrogen)  Batteries  Arbytrous Ammonia Hydrogen  Fuel Cells (Powered by ammonia or hydrogen)  Batteries  Other: "fill during audit"  Fuel Cells (Powered by ammonia or hydrogen)  Batteries  Other: "fill during audit"  Fuel Cells (Powered by ammonia or hydrogen)  Batteries  Other: "fill during audit"  Fuel Cells (Powered by ammonia or hydrogen)  Batteries  Other: "fill during audit"  Fuel Cells (Powered by ammonia or hydrogen)  Batteries  Other: "fill during audit"  Fuel Cells (Powered by ammonia or hydrogen)  Batteries  Other: "fill during audit"  Fuel Cells (Powered by ammonia or hydrogen)  Batteries  Other: "fill during audit"  Fuel Cells (Powered by ammonia or hydrogen)  Batteries  Other: "fill during audit"  Fuel Cells (Powered by ammonia or hydrogen)  Fuel Cells (Powered by ammonia or hydrogen)  Batteries  Other: "fill during audit"  Fuel Cells (Powered by ammonia or hydrogen)  Fuel Cells (Powered by ammonia or hydroge	RANKING Office - BBU (GCC)  Long term goals (CO, neutral operation through zero carbon fuels)  Main engines: Does the company have any vessels within their fleet which use zero carbon fuels such as:  If others - Batteries Anhydrous Ammonia Hydrogen Cother: "fill during audit"  Anhydrous Ammonia Hydrogen Cother: "fill during audit"  Anhydrous Ammonia Hydrogen Cother: "fill during audit"  Batteries Cother: "fill during audit"  If others - Cother: "fill during audit"  Anhydrous Ammonia Hydrogen Cother: "fill during audit"  Batteries Cother: "fill during audit"  Cother: "fill during audit"  Batteries Cother: Till during audit"  Batteries Cother: Till during audit"  Batteries Cother: Till during audit  Batteries Cother: Till during a	Long term goals (CO <sub>2</sub> neutral operation through zero carbon fuels)  Main engines:  Zero carbon fuels  Anhydrous Ammonia Hydrogen  Fuel Cells (Powered by ammonia or hydrogen)  Batteries  Anhydrous Ammonia Hydrogen  Other: "fill during audit"  If others =  Zero carbon fuels  Main engines:  Does the company have any vessels within their fleet which use zero carbon fuels such as:  If others =  Zero carbon fuels  If yet Cells (Powered by ammonia or hydrogen)  Batteries  Anhydrous Ammonia Hydrogen  Anhydrous Ammonia Hydrogen  Anhydrous Ammonia Hydrogen  Anhydrous Ammonia Hydrogen  Other: "fill during audit"  If others =  Zero carbon fuels  If yets, choose from below options  If YES, choose from below options  If YES, choose from below options  Fuel Cells (Powered by ammonia or hydrogen)  Batteries  Anhydrous Ammonia Hydrogen  Other: "fill during audit"  If others =  Does the company have any vessels within their fleet which use renewable energy sources for energy production such as:  If YES, choose from below options  Does the company have any vessels within their fleet which use renewable energy sources for energy production such as:  If others =  Does the company have any vessels within their fleet which use renewable energy sources for energy production such as:  If others =  If others =  Does the company have seps to facilitate JIT Arrival of ships (for example, use of BIMCO's Virtual Tarking or implement measures from Port Information Manual by International Tarking or implement measures from Port Information Manual by International Tarking or implement measures from Port Information Manual by International Tarking or implement measures from Port Information Manual by International Tarking or implement measures from Port Information Manual by International Tarking or implement measures from Port Information Manual by International Tarking or implement measures from Port Information Manual by International Ta	RANKING Office - BBU (GCC)  Long term goals (CO, neutral operation through zero carbon fuels)  Main engines: Does the company have any vessels within their fleet which use zero carbon fuels such as:  Anhydrous Ammonia Pydrogen Fuel Cells (Powered by ammonia or hydrogen) Batteries  Anhydrous Ammonia Pydrogen Green (Fill during audit*  Anhydrous Ammonia Pydrogen Fuel Cells (Powered by ammonia or hydrogen) Batteries  Anhydrous Ammonia Pydrogen Green (Fill during audit*  Brief Cells (Powered by ammonia or hydrogen) Batteries  Anhydrous Ammonia Pydrogen Green (Fill during audit*  Brief Cells (Powered by ammonia or hydrogen) Batteries  Anhydrous Ammonia Pydrogen Green (Fill during audit*  Brief Cells (Powered by ammonia or hydrogen) Batteries  Anhydrous Ammonia Pydrogen Green (Fill during audit*  Brief Cells (Powered by ammonia or hydrogen) Batteries  Anhydrous Ammonia Pydrogen Green (Fill during audit*  Brief Cells (Powered by ammonia or hydrogen) Batteries  Anhydrous Ammonia Pydrogen Green (Fill during audit*  Brief Cells (Powered by ammonia or hydrogen) Batteries  Anhydrous Ammonia Pydrogen Green (Fill during audit*  Brief Cells (Powered by ammonia or hydrogen) Batteries  Brief Cells (Powered by ammonia or hydrogen) Batteries  Brief Cells (Powered by ammonia or hydrogen) Batteries  Brief Cells (Powered by ammonia or hydrogen) Brief Cells (Powered by am	Long term goals (CO, neutral operation through zero carbon fuels such as:  Long term goals (CO, neutral operation through zero carbon fuels such as:  Zero carbon fuels  Anhydrous Ammonia  Hydrogen  Fuel Cells (Powered by ammonia or hydrogen)  Batteries  Auxilliary engines:  Zero carbon fuels  Auxilliary engines:  Line there a hydrogen  Fuel Cells (Powered by ammonia or hydrogen)  Batteries  Anhydrous Ammonia  Hydrogen  Fuel Cells (Powered by ammonia or hydrogen)  Batteries  Anhydrous Ammonia  Hydrogen  Fuel Cells (Powered by ammonia or hydrogen)  Batteries  Nuclear  Other: "fill during audit"  If others a company have any vessels within their fleet which use zero carbon fuels such as:  If others a company have any vessels within their fleet which use zero carbon fuels such as:  If others a company have any vessels within their fleet which use zero carbon fuels such as:  If others a company have any vessels within their fleet which use zero carbon fuels such as:  If others a company have any vessels within their fleet which use zero carbon fuels such as:  If others a company have any vessels within their fleet which use zero carbon fuels such as:  If others a company have any vessels within their fleet which use zero carbon fuels such as:  If others a company have any vessels within their fleet which use zero carbon fuels such as:  If others a company have any vessels within their fleet which use renewable energy sources for an energy production such as:  Nuclear  Other: "fill during audit"  Wind "Ill during audit"  Wind	Long term goals (CC), neutral operation through zero carbon fuels)  Lian strings:  Zero carbon fuels  Antiydrous Ammonia Hydrogen Fuel Cells (Powered by ammonia or hydrogen) Batteries  Auxillary engines:  Zero carbon fuels  Antiydrous Ammonia Hydrogen Fuel Cells (Powered by ammonia or hydrogen) Batteries  Antiydrous Ammonia Hydrogen Guerries  Very Company have any vessels within their fleet which use zero carbon fuels such as:  If YES, choose from below options  Antiydrous Ammonia Hydrogen Guerries  Other: "Ill during audit"  If others =  Other: "Ill during audit"  Other: "Ill during audit"  Other: "Ill during audit"  Other: "Ill during audit"  If others =  Other: "Ill during audit"  One: The company have any vessels within their fleet which use renewable energy sources for energy production such as:  Renewable Energy source  If Others =  Other: "Ill during audit"  Other: Till during audit"  Other: Till during audi	Long term goals (CC), neutral operation through zero carbon fuels with their fleet which use zero carbon fuels such as:  Zero carbon fuels  Arbydrous Armonia  Hydrogen  Fuel Cells (Powered by armonia or hydrogen)  Batteries  Arbydrous Armonia  Hydrogen  Fuel Cells (Powered by armonia or hydrogen)  Batteries  Arbydrous Armonia  Hydrogen  Fuel Cells (Powered by armonia or hydrogen)  Batteries  Other: "fill during audit"  If others =  Settionies  Arbydrous Armonia  Hydrogen  Fuel Cells (Powered by armonia or hydrogen)  Batteries  Other: "fill during audit"  If others =  Settionies  Arbydrous Armonia  Hydrogen  Fuel Cells (Powered by armonia or hydrogen)  Batteries  Other: "fill during audit"  If others =  Settionies  Arbydrous Armonia  Hydrogen  Fuel Cells (Powered by armonia or hydrogen)  Batteries  Other: "fill during audit"  If others =  Settionies  Nuclear  Other: "fill during audit"  If others =  Dees the company have any vessels within their fleet which use zero carbon fuels such as:  If others =  Settionies  Other: "fill during audit"  If others =  Dees the company have any vessels within their fleet which use renewable energy sources for energy production such as:  Renewable Energy source  If others =  Dees the company have any vessels within their fleet which use renewable energy sources for energy production such as:  Ones the company have any vessels within their fleet which use renewable energy sources for energy production such as:  Ones the company have any vessels within their fleet which use renewable energy sources for energy production such as:  Ones the company have any vessels within their fleet which use renewable energy sources for energy production such as:  Ones the company have any vessels within their fleet which use renewable energy sources for energy production such as:  Ones the company have any vessels within their fleet which use renewable energy sources for energy production such as:  Ones the company have any vessels within their fleet which use zero carbon fuels and a such as:  On

		CHECKLIST - RANKING CRITERIA - OFFICE AUDIT - BULK CAI	RRIE	ER (	(GEI	NE	RAL	L C	ARG	O (	CAR	RIE	R) - '	/ER	SIO	N 2	023	3					
Revision Code	Norm item	RANKING Office - BBU (GCC)	GENERAL MAN.	Doc. & Impl.	QUALITY DEPT.	Doc. & Impl.	TECHNICAL DEPT.	Doc. & Impl.	NAUTICAL DEPT.	Doc. & Impl.	PERSONNEL DEPT.	DOC: & Impl.	Doc. & Impl.	PURCHASING DEPT.	Doc. & Impl.	FINANCIAL DEPT.	Doc. & Impl.	IT DEPT.	Doc. & Impl.	INS- / CLAIM DEPT.	NOT APPLICABLE	RANKING SCORE	RANKING MAX. SCORE
	5441	Greenhouse Gas (GHG) Emissions - Methane (CH <sub>4</sub> ) Emissions - Main Propulsion																					
		B. Emission Reduction																					
		Gas Turbine or High Pressure Dual Fuel engine										_											
	5441.2	Does the company ensure that at least one of its LNG-powered ships operate on low (or no) Methane Slip technology, for example, Gas Turbine or High Pressure Dual Fuel (HPDF) Engine?																				0	20
		Other Engine Types																			Ī		
	5441.3	Does the company take measures and is able to achieve annual reduction in Methane Slip from LNG-fuelled engines fitted on board its fleet of ships?																				0	10
		A. Emission Monitoring																					
	5441.1	Does the company use a continuous emission monitoring system (in-situ or extractive) for monitoring and recording Methane Slip?																				0	10
		C. Additional questions																					
	5441.4	Does the company provide awareness training to shipboard personnel on methane emissions from LNG-fuelled engines?																				0	5
	5441.5	Does the company collaborate with engine manufacturers on research & development projects aiming to improve methane emissions from LNG-fuelled engines?																				0	10
					Minin	num	rank	ina s	score	reau			score ment	5441 =	= 0							0	55
	5450	Newbuild policy			0		0																
	5450.1	Does the company policy for newbuilds implement additional measures to reduce harmful air emissions (NOx, SOx and PM) and improve energy efficiency (reduce CO2 or fuel consumption)?																				0	40
					Minis		ron!-	dna -		****			score ment	450	. 0							0	40
	5460	Environmental Ship Index (ESI)			O	nuifi	O	ang s	score	requ	neu 10	n eie	ment :	,430 <b>=</b>	- 0								
	5460.1	Is it company policy for ships to participate in the Environmental Ship Index, where applicable? (The ESI is a project from the World Port Climate Initiative; its aim is to recognise ships whose air emissions are below regulatory limits and in doing so contribute to improvements in air quality and reduction of greenhouse gas emissions in the shipping sector).																				0	50
			,,,,,,,,,,,,,,,		Minin								score									0	50

		CHECKLIST - RANKING CRITERIA - OFFICE AUDIT - BULK CA	RRII	ER	(GE	NE	RA	L C	ARG	60 C	CARF	RIER	() - V	ERS	101	N 202	23						
Revision Code	Norm item	RANKING Office - BBU (GCC)	GENERAL MAN.	Doc. & Impl.	QUALITY DEPT.	Doc. & Impl.	TECHNICAL DEPT.	Doc. & Impl.	NAUTICAL DEPT.	Doc. & Impl.	PERSONNEL DEPT.	OPER./CHART DEPT.	Doc. & Impl.	PURCHASING DEPT.	Doc. & Impl.	FINANCIAL DEPT.	T DEPT.	Doc. & Impl.	INS- / CLAIM DEPT.		NOT APPLICABLE RANKING SCORE	RANKING MAX. SCORE	
	5500	Sewage Management			ĺ					Ī		ĺ			Ī					Ī			
		Sewage Treatment Plant																					٦
	5500.1	Is it company policy to treat the sewage with a sewage treatment plant which uses minimal or no harmful chemicals?																			0	10	
	5500.2	Is it company policy to sample and monitor the discharged effluent periodically (at least annually) for lab testing ashore to check the compliance with:  1. MEPC 159(55) for plants installed after 1st Jan 2010;  2. MEPC 227(64) for plants installed after 1st Jan 2016.																			0	10	
	5500.4	Does the company have a procedure to monitor and address any non-compliance in the effluent standards?																			0	10	
N	5500.10	Alternative to 5500.1, 5500.2 & 5500.4 (applicable ONLY for short-haul vessels) is it company policy to ensure that ships deliver all their sewage / sewage sludge (regardless of treated or untreated) to port reception facilities (where available)?																			0	30	
		For all ships: Sewage Holding Tank			•			•		-							•						
	5500.6	Did the company perform a risk assessment to calculate the capacity of the holding tank?																			0	20	
			$\blacksquare$		Min	mum	rant	king o	corc	rogui		otal s		500 = 2	0						0	50	7
	5510	Grey Water Management			IVIIII	IIIuIII	I I dill	King S	core	requi	ii eu io	elelli	ient 5	JUU = 2						T			
	5510.1	Is it company policy to install a sewage treatment plant capable of treating grey water?	┲							+									М	7	0	15	-
	5510.2	Is it company policy to not discharge grey water within coastal and port areas?	+							1		+			1				<del>                                     </del>	-	0	10	-
		to it company policy to not disonarys groy mater within soustar and port areas:	+								Т	otal s	core				I		Щ		0		
					Min	imum	rank	king s	core	requi	ired fo	r elem	ent 5	510 = 0	)								٦.

		CHECKLIST - RANKING CRITERIA - OFFICE AUDIT - BULK CA	RRII	ER	(GE	NE	RAL	. CA	RGC	CA	ARR	ER)	- VI	ERSIC	ON	2023	3					
Revision Code	Norm item	RANKING Office - BBU (GCC)	GENERAL MAN.	Doc. & Impl.	QUALITY DEPT.		DEPT.		NAUTICAL DEPT.	L DEPT.		₹T DEPT.		PURCHASING DEPT.  Doc. & Impl.	FOR	FINANCIAL DEPT.  Doc. & Impl.	IT DEPT.	INS- / CLAIM DEPT.	Doc. & Impl.	NOT APPLICABLE	RANKING SCORE	RANKING MAX. SCORE
	5700	Ballast Water Management					0	C	)													
		For ships required to follow D-1 standard (as per International Ballast Water Management Certificate (IBWMC))											•	1								
	5700.5	Are tasks & responsibilities of shipboard personnel assigned to ballast water exchange operations defined, documented & controlled ?																			0	5
	5700.6	Does the office support the master in cases where the ship cannot reasonably be expected to carry out ballast water exchange?																			0	5
	5700.10	Does the company ensure that relevant ships voluntarily comply with D-2 ballast water management standard using a type-approved ballast water treatment system (BWTS)?																			0	10
		For ships required to follow D-2 standard (as per International Ballast Water Management Certificate (IBWMC))				,																
	5700.11	Does the company develop ship-specific contingency plans taking into account system design limitations, for example, - the UV-based BWTS cannot operate correctly in ports where the water is very muddy, - when operating in low salinity ports, the crew should plan to carry enough salt water or brine in order for the electrochlorination BWTS to function effectively.																			0	10
	5700.12	Does the company ensure the following in order to keep the BWT systems on board in operable condition:  - maintain full inventory of manufacturer recommended spare parts list on board  - define & maintain safe-margin stock of consumables on board (such as chemicals with short shelf-life, UV lamps, etc. as required by the installed system)																			0	5
	5700.14	Does the company train relevant crew to operate ship-specific BWT systems, for example, by means of computer-based training, training at the makers facilities or on a simulation BWMS that mimics real BWTS operations?																			0	10
	5700.15	Does the company conduct on-board familiarization of relevant crew for the operation of the BWTS installed on board?																			0	10
	5700.16	In addition to the relevant crew, does the company include shore-based management (ship managers/superintendents/port engineers) in the BWMS training programs?																			0	5
					Mini	num	ranki	ina sa	ore ro	auiro		tal sco		00 = 20							0	60
	5801	Protection of fuel oil tanks, lube oil tanks and hull			.411111	nuill	I aliki	ing st	JOI E IE	quire	u ioi	s.emei	3/	00 = 20								
		For Owner / Managers only (Not applicable to 3rd-party ship managers)																				
	5801.4	Does the company require ship building yards to use advanced shipbuilding plates (highly ductile steel) or structural features to build (a part of) hull structure and/or fuel tanks of new ships (for example, sandwich plate structure)?																				30
					NAI		ronti	ne -		aud		tal sco		01 - 0							0	30
					WIITIII	num	ranki	ıng so	core re	quire	u tor	eiemei	11 38	U								

		CHECKLIST - RANKING CRITERIA - OFFICE AUDIT - BULK CAF	RRIEF	(GE	NE	RAL	CAR	GO	CAR	RIE	۲) - ۱	/ERS	SIOI	N 20	23					
Revision Code	Norm item	RANKING Office - BBU (GCC)	GENERAL MAN.	QUALITY DEPT.	Doc. & Impl.	TECHNICAL DEPT.	Doc. & Impl. NAUTICAL DEPT.	Doc. & Impl.	PERSONNEL DEPT.	Doc. & Impl. OPER./CHART DEPT.	Doc. & Impl.	PURCHASING DEPT.	Doc. & Impl.	FINANCIAL DEPT.	Doc. & Impl.	Doc. & Impl.	INS- / CLAIM DEPT.	Doc. & Impl. NOT APPLICABLE	RANKING SCORE	RANKING MAX. SCORE
		Lubrication and Use of Oils (Element nr.: 5810, 5811 & 5812)																		
	5810	Stern tube lubrication				0						0								
	5810.1	Does the company install a class approved stern tube <u>water</u> lubricated system which uses <u>sea</u> <u>water</u> as a lubricant? (system includes water conditioning and monitoring equipment)																	0	60
	5810.6	Alternative for 5810.1 & 5810.3:  Does the company install a class approved stern tube water lubricated system which uses fresh water as a lubricant? (system includes water and conditioning and monitoring equipment)  *Additives used to maintain the condition of the water should be environmentally friendly.																	0	50
	5810.3	Alternative for 5810.1 & 5810.6: Is there a company policy to fit vessels with a class approved stern tube lubrication system with an air type or void space seal?																	0	25
				/// B 41		rankir				Total		040	_						0	60
	5811	Mooring wire lubrication		IVIIN	lmum	O	ig sco	re requ	Jirea 1	or elei	nent 5	0	Ī							
	5811.1	Is it company policy to use a mooring wire lubricant / grease that is certified according to the EEL?																	0	20
				///						Total									0	20
	5812	Deck equipment lubrication (use of oils)		Min	imum	rankir	ng sco	re requ	uired 1	or eler	nent 5	811 =	0							
	5812.1	Is it company policy to use grease that is certified according to the EEL (all deck equipment)?				•						•							0	15
	5812.2	Is it company policy to use grease that is certified according to the EEL (all deck equipment)?					+												0	10
	5812.3	Is it company policy to use hydraulic oil that is certified according to the EEL in mooring and anchor appliances?																	0	10
	5812.4	Is it company policy to use hydraulic oil that is certified according to the EEL in crane appliances?											j						0	10
	5812.5	Is it company policy to use hydraulic oil that is certified according to the EEL in hatch closing system?																	0	10
	5812.6	Due to characteristics of environmentally friendly lubricants (EEL certified) are extra measures taken into account for the applicable system if needed? (e.g. condition of seals & filters,																	0	10
		temperature & condition of oil, prevention of humidity ingress etc.)								Total :		<u> </u>							0	65

		CHECKLIST - RANKING CRITERIA - OFFICE AUDIT - BULK CA	RRI	ER	(GE	NE	RA	L C	ARGO	o C	ARR	IER)	) - <b>\</b>	/ER	SIO	N 2	023	3						
Revision Code	Norm item	RANKING Office - BBU (GCC)	GENERAL MAN.	Doc. & Impl.	QUALITY DEPT.	Doc. & Impl.	TECHNICAL DEPT.	Doc. & Impl.	NAUTICAL DEPT.	Doc. & Impl.	Doc. & Impl.	OPER./CHART DEPT.	Doc. & Impl.	PURCHASING DEPT.	Doc. & Impl.	FINANCIAL DEPT.	Doc. & Impl.	т рерт.	Doc. & Impl.	INS- / CLAIM DEPT.	Doc. & Impl.	NOT APPLICABLE		RANKING MAX. SCORE
	5820	Management of bilge water and sludge handling onboard			0		0		0	(	)	0												
	5820.3	Is it company policy to familiarize engine room personnel with on board sludge and bilge water management procedures?																				(	,	10
	5820.4	Is it company policy to ensure that all engine room personnel are familiar with the system layout, drawings and manuals?																				(	)	5
	5820.5	Is it company policy to include Sludge/Bilge and Soot collection tanks in the PMS for regular cleaning / inspection?																					)	5
	5820.6	Is it company policy to build vessels with bilge and sludge handling system in accordance with the MEPC.1/Circ. 642 guidelines?																				(	)	5
					Mini	imum	n rank	kina s	core re	equir		eleme		820 -	15							(	)	25
	5821	Outfitting of bilge water system			0		0		0	<del>-</del>	)	0												
		A. Clean Drains (Drains that are normally not contaminated by oil)																						
	5821.1	Does the company have a policy that bilge water from the Clean drain tank (for the collection of "clean drains", as per MEPC.1/Circ.642) passes through 15 ppm oil content meter and alarm?																				(	,	5
	5821.17	Does the company have a policy of logging discharges from the Clean drain tank (tank used for the collection of "clean drains", as per MEPC.1/Circ.642) in the engine room logbook?																				(	,	5
		B. Soot Collection Tank arrangement						•		•									•			<u>-</u>	•	
	5821.2	Are management instructions regarding disposal of soot and soot-water mixtures available onboard for ships equipped with Soot separation / collection tank?																				(	)	5
		C. Oily bilge water tank arrangement																						
	5821.4	Is it company policy to install Clean Water Tank (to enable Oily Bilge Water to be processed while in port and special areas)?																					)	10
	5821.5	Is it company policy to pump Oily bilge water from the Oily bilge water holding tank through the Oily Water Separator to the Clean water tank (rather than overboard discharge)?																				(	)	5
		D. Oily water separator / Oil content meter																						
	5821.6	N/A for vessels keel laid after 2005 Is it company policy to install an oil content meter with an automatic stopping device capable of measuring the difference in emulsifying particles and oil, as per IMO resolution MEPC.107(49)																				(		5
	5821.7	Are instructions available in the management system to avoid that the Oil Content Meter is flushed/diluted with clean water during Oily Water Separator operation or is an equipment or a protection system installed (e.g. White Box) to prevent illegal discharges of bilge water from machinery spaces?																				,		10
	5821.8	N/A for vessels keel laid after 2005 Is it company policy to equip the Oily Water Separator with a re-circulating facility for testing purposes as per IMO resolution MEPC.107(49) 6.1.1.?																				(		5
		5821.9 is an alternative to 5821.1 - 5821.8 & 5821.17 (all the above)																						
	5821.9	Is it a company policy to always deliver all bilge water to reception facilities?										<u> </u>										(		50
	-		$\vdash$		Mini	imum	ı ranl	kina s	score re	equir		eleme		821 -	20							(		50

		CHECKLIST - RANKING CRITERIA - OFFICE AUDIT - BULK CAI	RRIE	R (	GEI	NEF	RAL	. CA	RG	οс	ARF	RIER	) - V	'ER	SIO	N 20	23						
Revision Code	Norm item	RANKING Office - BBU (GCC)	GENERAL MAN.	Doc. & Impl.	QUALITY DEPT.	Doc. & Impl.	TECHNICAL DEPT.	Doc. & Impl.	NAUTICAL DEPT.	Doc. & Impl.	PERSONNEL DEPT.	OPER./CHART DEPT.	Doc. & Impl.	PURCHASING DEPT.	Doc. & Impl.	FINANCIAL DEPT.	Doc. & Impl.	IT DEPT. Doc. & Impl.	INS- / CLAIM DEPT.	Doc. & Impl.	NOT APPLICABLE	RANKING SCORE	RANKING MAX. SCORE
	5822	Outfitting of sludge handling system			0		0		0			0											
	5822.1	Is it company policy to install a sludge collecting pump as per MEPC.1/Circ.642? (with the sole purpose of collecting the sludge from different ER tanks to the Oil Residue (Sludge) Tank)?																				0	5
	5822.2	Is it company policy to install a separate sludge discharge pump with the purpose of discharging the sludge to reception facility?																				0	5
	5822.3	Is it company policy to improve the efficiency and capacity of the sludge handling system by installing:  - a tank or system with the sole purpose of removing large quantities of water from the sludge?  - a separate tank or system with the sole purpose of evaporating water from the sludge?  - a separate tank or system with the purpose of mixing the sludge while incinerated (in incinerator or boiler)																				0	5
	5822.6	Is it a company selection process to assign ships that always deliver all sludge to reception facilities?																				0	5
				- 1	Minin	um	ranki	ina e	coro	ogui		otal so		222 -	10							0	20
	5900	Ship Recycling - Inventory of Hazardous Materials	0		0		0	ing s	COTET	equii	eu io	T	one of										
		New buildings - For Owner / Managers and 3rd-party Ship Managers For 5900.1, 5900.12 and 5900.2																					
	5900.1	Does the company require the shipyard to develop an "Inventory of Hazardous Materials" (Part I) at the stage of design and/or construction? (requirement to be part of the building contract)																				0	40
	5900.12	Does the company require the shipyard to have procedures to require equipment-/machinery- suppliers to provide a "Material Declaration"? (used by the yard to develop the Inventory Part I) (requirement to be part of the building contract)																				0	10
	5900.2	Does the company require the shipyard to include in these procedures that the "Material Declaration" contains information on the safe removal of hazardous materials? (requirement to be part of the building contract)																				0	10
		Existing ships - For Owner / Managers and 3rd-party Ship Managers For 5900.10 and 5900.13																					
	5900.10	Is each Green Award-certified company vessel in the possession of an "Inventory of Hazardous Materials" (Part I completed)?																				0	40
	5900.13	Alternative to 5900.10: Has the company started the process to prepare Part I of the "Inventory of Hazardous Materials" with a target completion date for each Green Award certified vessel in the fleet?																				0	20
N	5900.14	Does the company use a software tool on board its ships to support the IHM maintenance process, for example, for the collection of Material Declarations (MDs) & SDoCs for all purchased items that fall into the scope of IHM Part I?																				0	20
																							120

RANKING Office - BBU (GCC)  Ship Recycling - Policy for ships due to be recycled  For Ship I Doc. 8 Impl. Doc	Doc. & Impl.  NOT APPLICABLE	ANKING SCORE	ANKING MAX. SCORE
5910 Ship Recycling - Policy for ships due to be recycled		RAN	RANKING
For Owner / Managers only (Not applicable to 3rd-party ship managers)			
Has a company policy been implemented within the Management System that end-of-life vessels will only be recycled at a recycling facility either compliant with the requirements of the Hong Kong Convention or on the EU-list? (regardless of being sold directly to a recycling facility or to a cash buyer)?		0	20
Has a company procedure been implemented within the Management System to audit a recycling facility before concluding a "contract of sale"?		0	10
Has a company policy been implemented that the "contract of sale" will include the requirement to develop a "Ship Recycling Plan" by the recycling facility (in consultation with the owner) or does the "contract of sale" with the cash buyer include the obligation to request such a plan upon sale to the recycling facility?		0	20
Has a company procedure been implemented within the Management System that a Final Survey, by an independent organization, will be carried out on the "Inventory of Hazardous Materials" (Part I, Part II and Part III) before delivery to either the recycling facility or cash buyer?		0	20
(Preparation of vessel before delivery) Has a company procedure been implemented to ensure that the vessel's cargo spaces & other compartments where possible, will be delivered to either the recycling facility or cash-buyer in a "gas-free & safe for entry and hot work" condition?		0	20
(Preparation of vessel before delivery) Has a company procedure been implemented to clearly mark all compartments which could have an oxygen deficient or dangerous atmosphere? ( e.g. cofferdams, fuel oil tanks, waste oil tanks, black/grey water tanks, etc.)		0	20
5910.9 Does the company disclose it's ship recycling policy in a public domain (such as company website) or via an environmental initiative such as SRTI (Ship Recycling Transparency Initiative)?		0	10
Policy regarding monitoring the recycling of company vessels			
Has a company procedure been implemented within the Management System to deploy a full-time personnel at the recycling facility for the entire duration of recycling of the company vessels (to monitor and report the recycling process)?		0	20
Alternative to 5910.10 & 5910.12  Has a company procedure been implemented within the Management System to hire third-parties (consultants or cash buyers) for continuous monitoring and reporting of the recycling process employed by the recycling facility to dismantle the company vessels?		0	10
Alternative to 5910.10 & 5910.11  Span Has a company procedure been implemented within the Management System to audit the recycling facility during the recycling of the company vessels?		0	5
Total score			

		CHECKLIST - RANKING CRITERIA - OFFICE AUDIT - BULK CAI	RRIE	ER (	GEN	ER/	AL C	ARG	O C	ARRI	ER)	- VER	SIO	N 2023	3					
Revision Code	Norm item	RANKING Office - BBU (GCC)	GENERAL MAN.	Doc. & Impl.	QUALITY DEPT.	TECHNICAL DEPT.	Doc. & Impl.	NAUTICAL DEPT.	Doc. & Impl. PERSONNEL DEPT.	Doc. & Impl.	OPER./CHART DEPT.	Doc. & Impl. PURCHASING DEPT.	Doc. & Impl.	FINANCIAL DEPT. Doc. & Impl.	IT DEPT.	INS- / CLAIM DEPT.	Doc. & Impl.	NOT APPLICABLE	RANKING SCORE	RANKING MAX. SCORE
	6000	MAINTENANCE / SURVEYS																		
	6100	Programme of Inspections & Cargo Hold Inspection / Maintenance				0	)	0												
	6100.1	Has the company developed an internal technical inspection programme?																	0	10
	6100.10	(For General Cargo Carriers) Alternative to 6100.1 Is it company policy to design new build vessels with a minimum fatigue life of 25 years North Atlantic?																	0	15
	6100.2	Does the company have relevant previous survey and internal technical inspection reports?																	0	10
	6100.11	(For General Cargo Carriers) Alternative to 6100.2  Are vessels subject to structural close up examinations supported by thickness measurements during each Special Survey.																	0	10
	6100.3	Does the company have a repair history on each vessel?																	0	10
	6100.12	(For General Cargo Carriers) Alternative to 6100.3  Is the extend of the structural examination before each Special Survey defined and increased at each next Special Survey.																ı	0	10
	6100.4	Does the company have procedures/instructions for hull / ship's construction condition-inspections to be carried out by ship's personnel?																	0	20
	6100.13	(For General Cargo Carriers) Alternative to 6100.4  Are the structural examination reports available onboard and with vessel's superintendent.					-												0	20
	6100.6	Does the company have information regarding the relevant maintenance level of the vessel?																	0	10
	6100.14	(For General Cargo Carriers) Alternative to 6100.6  Are the structural examinations carried out by an independent organization.																	0	10
	6100.7	Is an owner's inspection report available?																	0	10
	6100.15	(For General Cargo Carriers) Alternative to 6100.7  Does the company provide the vessel's owner an annual condition report of each vessel.																	0	10
	6100.8	Is it company policy that inspections of cargo holds are conducted before and after all unloading operations?								_									0	20
	6100.9	Is the restoration of damage to hold coatings caused by cargo operations included in the planned maintenance scheme?																	0	20
											tal sco								0	115
				N	/linimu	ım raı	nking	score	require	ed for e	elemen	t 6100 :	= 80							

		CHECKLIST - RANKING CRITERIA - OFFICE AUDIT - BULK CAI	RRII	ER	(GENI	ERA	L C	AR	GO	CAR	RRIE	R) - '	VER	SIO	N 202	3					
Revision Code	Norm item	RANKING Office - BBU (GCC)	GENERAL MAN.	Doc. & Impl.	QUALITY DEPT. Doc. & Impl.	TECHNICAL DEPT.	Doc. & Impl.	NAUTICAL DEPT.	Doc. & Impl.	PERSONNEL DEPT.	Doc. & Impl.	OPER./CHART DEPT. Doc. & Impl.	PURCHASING DEPT.	Doc. & Impl.	FINANCIAL DEPT. Doc. & Impl.	IT DEPT.	Doc. & Impl.	INS- / CLAIM DEPT.	Doc. & Impl.	RANKING SCORE	RANKING MAX. SCORE
	6110	Critical and Stand-by Equipment	0		0	0															
	6110.1	Is the risk assessment carried out in order to create a list of critical equipment for every ship after intermediate survey (at least every 2.5 years)?													•					0	10
	6110.2	Does the list of critical equipment include and specify stand-by equipment for every ship?																		0	10
	6110.3	Is the feedback from the ship considered in the process of creating a list of critical equipment? (eg. PMS reports)																		0	10
	6110.4	Is it company policy to categorize the ship into departments as per TMSA (OCIMF) in the process of creating a list of critical equipment?																		0	5
	6110.5	Is it company policy to install a Computer Based Program to register failures, break downs and near misses in order to have a constant event report on the systems?																		0	10
	6110.6	Are those event reports considered in creating a list of critical equipment?																		0	10
	6110.7	Is it company policy to install a Computer Based Program for spare parts management of critical equipment and stand-by equipment?																		0	10
	6110.8	Is it company policy to have safety stock inventory reports for critical equipment and stand-by equipment?																		0	10
					Minimu	m rar	kina	score	e regi	uired t		score		- 30						0	75
	6200	Mooring Equipment				0	Ť						0								
	6200.1	Does the company have instructions for carrying out winch brake tests (to be carried out at least once a year or after an excessive load)?																		0	10
	6200.2	Does the company provide the ship with a winch brake test kit?																		0	5
	6200.5	Are inspection, maintenance and discard criteria for mooring wires and tails / fibre ropes established and carried out by a competent person? (time interval for inspection should be in the PMS)																		0	10
	6200.8	Do these criteria take manufacturer's recommendations into account ?																		0	10
	6200.9	Does the company give guidance for an additional examination after unusual events such as long periods of inactivity, excessive loads, heat exposure, loading/discharge at swell ports, etc?																		0	5
	6200.10	Does the company give instructions for internal inspections and do these inspections take manufacturer's recommendations into account?																		0	10
	6200.11	Are the lubricants & cleaning products compatible with the wire and approved by the wire manufacturer?																		0	5
	6200.6	Is a log for "workingdays" of mooring wires and tails / fibre ropes maintained? (to predict the point of discard & for evaluation of wire/rope performance)																		0	10
	6200.7	Does the company provide the ship(s) with an automatic wire rope lubricator?																		0	10
	6200.12	Alternative for 6200.7: (for fibre ropes) Are there procedures for care of fibre ropes?										-								0	10
					Minimu		a labarer			des et e		score	2200	45						0	75

		CHECKLIST - RANKING CRITERIA - OFFICE AUDIT - BULK CAP	RRIEF	R (G	ENE	RA	L C	ARG	0 0	CAR	RIEF	R) - V	/ER	SIO	N 2	023						
Revision Code	Norm item	RANKING Office - BBU (GCC)	GENERAL MAN.	QUALITY DEPT.	Doc. & Impl.	TECHNICAL DEPT.	Doc. & Impl.	NAUTICAL DEPT.	Doc. & Impl.	PERSONNEL DEPT.	Doc. & Impl. OPER./CHART DEPT.	Doc. & Impl.	PURCHASING DEPT.	Doc. & Impl.	FINANCIAL DEPT.	Doc. & Impl.	п оерт.	Doc. & Impl.	INS- / CLAIM DEPT.	NOT APPLICABLE	RANKING SCORE	RANKING MAX. SCORE
	6300	Corrosion Prevention of Seawater Ballast Tanks				0																
	6300.8	Is it company policy that ballast tanks of vessels delivered after 01-07-2012, are coated with a hard coating of a light colour?	·																		0	20
	6300.1	For existing vessels: Are ballast tanks coated with a hard coating of a light colour?																			0	10
	6300.6	For existing vessels: Are ballast tanks coated with dark epoxy maintained with a modified epoxy coating of a light colour, after safety benefit assessment is carried out?																			0	5
	6300.7	Is the coating approved according to the IMO performance standard? (type approval or statement of compliance according to Res. MSC 215(82) in Coating Technical File)																			0	20
	6300.4	Does the company have a system which ensures an adequate level of corrosion prevention of the seawater ballast tanks? (Protective coatings provided in ballast tanks has to be in a GOOD condition)																			0	10
	6300.9	(For General Cargo Carriers) Alternative to 6300.4  Are guidelines available from company's Management System to instruct ship's staff how to assess the structural condition of Water Ballast Tanks.																			0	10
	6300.5	Does the company require the corrosion prevention system to be part of the vessel maintenance system?																			0	10
				Mir	nimun	n rani	kina s	core	requi		Total : or eler		300 -	- 40							0	75
	6400	Condition Assessment Program, Maintenance Additional Green Award requirements	0			0		0010	Toqui		OI CICI		1									
		For Owner/Managers		•							•					•				•	•	
	6400.1	Is it company policy that a condition assessment for <u>Hull</u> will be carried out on vessels more than 15 years old, or by the end of the 3rd special survey, whichever is earlier?																			0	25
	6400.8	Is it company policy that a condition assessment for <u>Cargo Systems</u> will be carried out on vessels more than <u>15 years old</u> , or by the <u>end of the 3rd special survey</u> , whichever is earlier?																			0	20
	6400.9	Is it company policy that a condition assessment for Machinery will be carried out on vessels more than 15 years old, or by the end of the 3rd special survey, whichever is earlier?																			0	20
		6400.10, 6400.11 & 6400.12 are alternatives to 6400.1, 6400.8 & 6400.9 For 3rd-party Ship Managers		_																		
	6400.10	Is it company policy to request ship owners to carry out condition assessment for <u>Hull</u> on vessels more than <u>15 years old</u> , or by the <u>end of the 3rd special survey</u> , whichever is earlier?																			0	25
	6400.11	Is it company policy to request ship owners to carry out condition assessment for <u>Carqo Systems</u> on vessels more than <u>15 years old</u> , or by the <u>end of the 3rd special survey</u> , whichever is earlier?																			0	20
	6400.12	Is it company policy to request ship owners to carry out condition assessment for <u>Machinery</u> on vessels more than <u>15 years old</u> , or by the <u>end of the 3rd special survey</u> , whichever is earlier?																			0	20
	6400.3	Is it company policy that maintenance meetings are carried out on board? (e.g. each month and at (all) sections on board)																			0	10
	6400.4	Is a maintenance checklist used regarding the (monthly) maintenance inspection?																			0	10
	6400.5	Is an evaluation report of vessel's performance sent to the company?																			0	20
	6400.6	Is an annual technical report made by the Company's superintendent?		- 1		1							1							1	0	15
	0400.0	is an annual technical report made by the company's superintendent:								Total :		1								0	120	

		CHECKLIST - RANKING CRITERIA - OFFICE AUDIT - BULK CAI	RRII	ER (	GEN	NER.	AL C	AR	GO (	CAF	RRIE	R)	- VE	RSIC	N 202	23						1
Revision Code	Norm item	RANKING Office - BBU (GCC)	GENERAL MAN.	Doc. & Impl.	QUALITY DEPT.	Doc. & Impl.	Doc. & Impl.	NAUTICAL DEPT.	Doc. & Impl.	PERSONNEL DEPT.	Doc. & Impl.	OPER./CHART DEPT.	Doc. & Impl.	Doc. & Impl.	FINANCIAL DEPT.	T DEPT.	Doc. & Impl.	INS- / CLAIM DEPT.	Doc. & Impl.	NOI APPLICABLE RANKING SCORE	RANKING MAX. SCORE	
	6600	Bulk Carrier Practice				0	ı					)	0									Ī
	6600.1	Does the company provide sufficient spare parts for deck maintenance on board? ( rubber gaskets, fittings, cleats etc.)																		0	20	
	6600.2	Is the number of spare parts required increasing as the ship grows older?																		0	20	
					Vlinim	um ra	anking	scor	o rogi	ired	Tota			0 – 40						0	40	1
	6610	Alternative Green Award requirements (SOLAS XII) (For General Cargo Carriers)				0		3001	requ	iii eu	_	)	0									
	6610.1	Does the company assess the design and construction of new vessels (by e.g. an in-house naval- architect) with the aim to be able to withstand the strengths and to remain afloat in a satisfactory condition of equilibrium in all loading conditions in the scenario of any hold flooded? (scenario applies to carriage of bulk cargoes).																		0	20	
	6610.2	Does the company assess the design and construction of new vessels to be able to withstand the strengths and to remain afloat in a satisfactory condition of equilibrium in all loading conditions in the scenario of the foremost hold flooded? (scenario applies to carriage of bulk cargoes).																		0	20	
	6610.3	Is evidence available from existing vessels operated by the company that these vessels are capable to withstand the strengths and to remain afloat in a satisfactory condition of equilibrium in all loading conditions in the scenario of any hold flooded? (scenario applies to carriage of bulk cargoes).																		0	10	
	6610.4	Is evidence available from existing vessels operated by the company that these vessels are capable to withstand the strengths and to remain afloat in a satisfactory condition of equilibrium in all loading conditions in the scenario of the foremost hold flooded? (scenario applies to carriage of bulk cargoes).																		0	10	
		Does the company have a policy to design and construct new vessels which can withstand the strengths during loading and discharging by standard loading / discharge equipment (e.g. grabs)																		0	10	
				Ti-	Minim	um =	anking	500*	0 1000	irod	Tota for old			0 = 40						0	70	4

		CHECKLIST - RANKING CRITERIA - OFFICE AUDIT - BULK CA	RRI	ER (	(GE	NEF	RAL	CAI	RGO	CA	RRIE	ER) -	VERS	101	N 202	3					
Revision Code	Norm item	RANKING Office - BBU (GCC)	GENERAL MAN.	Doc. & Impl.	аиашту DEPT.	Doc. & Impl.	TECHNICAL DEPT.	Doc. & Impl.	Doc. & Impl.	PERSONNEL DEPT.	Doc. & Impl.	OPER./CHART DEPT.	PURCHASING DEPT.	Doc. & Impl.	FINANCIAL DEPT. Doc. & Impl.	IT DEPT.	Doc. & Impl.	INS- / CLAIM DEPT.	NOT APPLICABLE	RANKING SCORE	RANKING MAX. SCORE
	7000	CREW																			
	7100	Employment of Personnel								0											
	7100.1	Is it company policy to employ all ship-personnel on a permanent basis?																		0	30
		Alternatives for 7100.1														_					
	7100.2	Is it company policy to employ senior officers on a permanent basis?																		0	10
	7100.3	Is it company policy to employ officers on a permanent basis?																		0	10
	7100.4	Is it company policy to employ ratings on a permanent basis?																		0	10
					Mini	mum	rankii	10 SC	ore rec	nuired		al score	7100 = (	1						0	30
	7200	Extra Personnel, Additional Green Award Requirement					0	.9 00.		0											
	7200.1	Is it company policy to employ extra deck officers onboard in addition to what is required by minimum safe manning document?																		0	10
	7200.7	Is it company policy to employ extra engine officers onboard in addition to what is required by minimum safe manning document?																		0	10
	7200.2	Is it company policy to employ extra deck ratings onboard in addition to what is required by minimum safe manning document?																		0	10
	7200.8	Is it company policy to employ extra engine ratings onboard in addition to what is required by minimum safe manning document?																		0	10
	7200.3	Is it company policy to have a ship administrator onboard? (In addition to the standard complement and extra deck-officers and -ratings above)?																		0	10
	7200.4	Is it company policy to employ riding squads to carry out extensive maintenance jobs?																		0	10
	7200.9	Is it company policy that manufacturer service engineers routinely attend the vessel or provide remote monitoring assistance for maintenance/repair of technical equipment or systems?																		0	10
	7200.6	Is it company policy to hire an electrical officer in addition to the engine officers required by the safe manning document?																		0	10
<b> </b>					Mini	2011125	ronki	20.00		univo-		al score	7200 = 4	10						0	80
					IAIIIIII	mulli	rankn	iy sc	ore rec	վա <u>ու</u> <b>Ե</b> Ա	i ioi ei	CINCIL	1200 = 4	ŧυ							,

		CHECKLIST - RANKING CRITERIA - OFFICE AUDIT - BULK CAI	RRIE	R (0	ENI	ERA	L C	ARG	ОС	ARR	IER)	- V	ERSIO	N 202	3					
Revision Code	Norm item	RANKING Office - BBU (GCC)	GENERAL MAN.	Doc. & Impl.	Doc. & Impl.	TECHNICAL DEPT.	Doc. & Impl.	NAUTICAL DEPT.	Doc. & Impl.	Doc. & Impl.	OPER./CHART DEPT.	Doc. & Impl.	PURCHASING DEPT. Doc. & Impl.	FINANCIAL DEPT. Doc. & Impl.	т оерт.	Doc. & Impl.	INS- / CLAIM DEPT. Doc. & Impl.	NOT APPLICABLE	RANKING SCORE	RANKING MAX. SCORE
	7300	Training / Courses for Personnel Additional Green Award Requirements & IMO Model Courses							•	0										
	7300.4	Is it company policy to provide a training for advanced fire fighting to the lower ranking deck officers (IMO 2.03)?																	0	5
	7300.18	Is it company policy to provide a training for advanced fire fighting to the lower ranking engine officers (IMO 2.03)?																	0	5
	7300.5	Does the company provide "onboard assessment/train the trainer" courses for the onboard management (IMO 1.30) ?																	0	10
	7300.6	Does the company provide simulator training /courses for officers involved in cargo and ballast handling?																	0	15
	7300.7	Does the company provide "Marine Environmental Awareness" course (IMO 1.38) for all the ship personnel?																	0	10
	7300.21	Does the company provide "Marine Environmental Awareness" course (IMO 1.38) to the technical superintendents?																	0	5
	7300.22	Does the company provide "Marine Environmental Awareness" (IMO 1.38) to the HSQE manager ?																	0	5
	7300.8	Does the company provide bridge team management/ bridge resource management training / course for all deck officers (IMO 1.22) ?																	0	5
	7300.19	Does the company provide engine room resource management training/courses for all engine officers?																	0	5
	7300.20	Alternative for 7300.8 & 7300.19  Does the company provide maritime resource management course for all officers?																	0	10
	7300.9	Does the company have a structured program for refresher and updated training of company related courses at suitable intervals for office and shipboard personnel?																	0	15
	7300.10	Is it company policy to employ cadets by providing training and education in order to recruit future officers?																	0	15
	7300.14	Does the company have a system in place to monitor officers' competence, training, time in rank and use it as a basis for promotion?																	0	10
	7300.15	Is the system as meant in 7300.14 audited and certified by an IACS member classification society?																	0	20
	7300.17	Is it company policy that all the officers are to complete Security Awareness Training?																	0	5
				М	inimu	m ran	king	score	requi		tal sc		300 = 50						0	130

		CHECKLIST - RANKING CRITERIA - OFFICE AUDIT - BULK CAI	RRIE	R (	(GE	NE	RAI	L C	ARG	0 (	CAF	RRIE	R) -	VE	RSI	ON	202	23						
Revision Code	Norm item	RANKING Office - BBU (GCC)	GENERAL MAN.	Doc. & Impl.	QUALITY DEPT.	Doc. & Impl.	TECHNICAL DEPT.	Doc. & Impl.	NAUTICAL DEPT.	Doc. & Impl.	PERSONNEL DEPT.	Doc. & Impl.	OPER,/CHART DEPT.	Doc. & Impl.	PURCHASING DEPT.  Doc. & Impl.		FINANCIAL DEPT. Doc. & Impl.	T DEPT	Doc. & Impl.	INS- / CLAIM DEPT.	Doc. & Impl.	NOT APPLICABLE	RANKING SCORE	RANKING MAX. SCORE
	7400	Familiarisation, Additional Green Award Requirement							0		0													
	7400.1	Is it company policy that the shipboard crew after a period of absence or leave has been provided with familiarization of changes with regard to the operations/machinery which is related to their position?											•		Ü		•						0	20
	7400.2	Is it company policy that newly employed personnel are provided with familiarization with regard to operations/machinery which is related to their position?																					0	20
	7400.9	Does the company have a method in which senior officers are deployed onboard within the company fleet? (eg. Senior officers returning to the same vessel)																					0	10
	7400.8	Does the company have a method in which junior officers are deployed onboard within the company fleet? (eg. Junior officers rotating among the companies fleet)																					0	10
	7400.10	In those cases when junior or senior officers are transferred to another class of ship that differ considerably from where their experience lie, is an onboard appropriate operational experience with previous off-signing officers implemented for a specific minimum period?																					0	10
	7400.4	Is it company policy that a company format handover report is requested from all off-signing officers onboard?																					0	10
				_	Minir	mum	rank	cina s	score	reau	ired		l scor		0 = 50								0	80
	7500	Safe Manning and Fatigue Management						9		÷	0	<u> </u>		T										
		A. General - managing work/rest hours																						
	7500.1	Is it a company policy that the work/rest hours performed by the individual seafarer are recorded using a software program and such records are accessible and regularly updated?																					0	5
	7500.4	Are reports of work/rest hours reviewed on regular basis?																					0	10
	7500.2	Is there a company policy to monitor and address non compliance on STCW 2010 Manila amendments of work/rest hours?																					0	10
		B. Fatigue management																						
	7500.5	Is there a company specific fatigue mitigation and control strategy (or similar document) available within the Safety Management System (SMS) to ensure the health and wellbeing of the seafarers?																					0	30
	7500.9	Does the fatigue mitigation and control strategy consist of the following (both): - framework to assess the hazards associated with fatigue (hazard assessment) - strategies to mitigate the risk of fatigue (risk mitigation)																					0	15
	7500.10	Does the company ensure that any one of the following fatigue management tools (as described in IMO MSC.1/Circ1598) is used on board GA certified ships: - Sleep Diary - Self-monitoring through fatigue and sleepiness ratings - Fatigue self-assessment tool - Fatigue event reporting																					0	15
		C. Additional questions - reporting, training & awareness		_		_				_						_		_						
	7500.7	Does the company have a system in which crew members are able to report to a designated person on fatigue related issues without fearing any action against them for such communication?																					0	5
	7500.11	Does the company conduct fatigue management training and awareness campaigns for shipboard crew on an initial and recurrent basis?																				Щ	0	5
Total score 0  Minimum ranking score required for element 7500 = 60									95															

		CHECKLIST - RANKING CRITERIA - OFFICE AUDIT - BULK CAI	RRIE	R (	GEN	ER	AL C	ARC	GO C	ARR	IER)	) - VI	ERSI	ON :	2023	3					
Revision Code	Norm item	RANKING Office - BBU (GCC)	GENERAL MAN.	Doc. & Impl.	QUALITY DEPT.	TECHNICAL DEPT.	Doc. & Impl.	NAUTICAL DEPT.	Doc. & Impl.	PERSONNEL DEPT. Doc. & Impl.	OPER./CHART DEPT.	Doc. & Impl.	PURCHASING DEPT.	FINANCIAL DEPT.	Doc. & Impl.	IT DEPT.	Doc. & Impl.	INS-/ CLAIM DEPT.	Doc. & Impl. NOT APPLICABLE	RANKING SCORE	RANKING MAX. SCORE
	9000	REQUIREMENTS ACCORDING TO ISO STANDARDS																			
	9421	ISO Certification																			
	9421.1	Is the company certified for the latest edition of ISO 9001 (quality management systems)?																		0	10
	9421.2	Is the company certified for the latest edition of ISO 10015 (quality management – guidelines for competence management and people development)?																		0	10
	9421.3	Is the company certified for the latest edition of ISO 14001 (environmental management systems)?																		0	10
	9421.4	Is the company certified for the latest edition of ISO 22301 (societal security – business continuity management systems)?																		0	10
	9421.5	Is the company certified for the latest edition of ISO 27001 (information security management systems)?																		0	10
	9421.6	Is the company certified for the latest edition of ISO 30401 (knowledge management systems – requirements)?																		0	10
	9421.7	Is the company certified for the latest edition of ISO 45001 (occupational health and safety management systems)?															Ì			0	10
	9421.8	Is the company certified for the latest edition of ISO 50001 (energy management systems)?																		0	10
	9421.9	Does the company perform audits at planned intervals to demonstrate the conformity to the requirements of the EnMS (Energy management system) in accordance with ISO 50001:2011?																		0	10
	9421.10	Has the company established an energy baseline using the methodology from ISO 50001:2011 with the aim to reduce the energy consumption of the organisation?																		0	5
					Min.in-		ndda -				otal so		24 0							0	95
		<u> </u>			viinimu	um ra	inking	score	requi	red for	eieme	ent 94	Z1 = U								

	CHECKLIST - RANKING CRITERIA - OFFICE AUDIT - BULK CARRIER (GENERAL CARGO CARRIER	) - VERSIC	N 2023		
Norm item	TOTAL SCORE REVIEW OFFICE AUDIT - BBU (GCC)	OFFICE RANKING SCORE	MAXIMUM OBTAINABLE RANKING SCORE	MINIMUM RANKING SCORE REQUIRED	ELEMENTS WITH NO MINIMUM SCORE
1000	GENERAL				
1200	Enclosed Space Entry & Hot Work	0	100	100	
1300	Compressor for the refilling of air cylinders for breathing apparatus or alternative, Additional Green Award Requirement	0	20	10	
1400	Control of drugs & alcohol onboard	0	45	20	
1500	Emergency Response System	0	45	25	
1510	Emergency Oil Recovery	0	10	0	
1600	Computer Systems, Networks, Data Security and Training	0	65	40	
1610	Cyber Risk Management	0	75	35	
1700	Noise and Vibration Management	0	65	25	
1710	Underwater Noise and Vibration Management	0	30	0	
1800	Social Dimension / Sustainability	0	85	15	
2000	NAVIGATION / BRIDGE OPERATIONS				
2100	Navigation	0	120	50	
2110	Electronic chart display & information systems / ECDIS	0	0	0	
2111	Electronic chart display & information systems / ECDIS	0	60	35	
2120	Fuel Change Over / Ballast Water Exchange	0	20	20	
2300	Mooring Operations	0	10	10	
3000	MACHINERY / ENGINE OPERATIONS				
3100	Bunker Operations	0	50	50	
3101	Bunker Operations - LNG	0	50	25	
3200	Fuel oil management	0	120	60	
4000	CARGOES / CARGO OPERATIONS				-
4600	Cargo Operations	0	60	20	
4601	Preparation of loading / unloading plan	0	100	80	
4602	Cargo handling and operations	0	40	30	
4606	Safety precautions during cargo operations	0	20	20	
5000	PREVENTION OF POLLUTION				-
5100	Biofouling Management	0	30	5	
5200	Waste Management / Garbage Handling Onboard	0	100	50	
5410	NOx Emissions	0	95	35	
5420	SOx Emissions	0	120	20	
5421	Ships required to carry out Fuel Change Over to low sulphur MARINE DIESEL OIL or low sulphur MARINE GAS OIL (low sulphur Distillates)	0	40	40	
5430	Particulate Matter (PM) Emissions	0	30	0	
5440	Greenhouse Gas (GHG) Emissions - CO2 Emissions	0	200	0	
5441	Greenhouse Gas (GHG) Emissions - Methane (CH4) Emissions - Main Propulsion	0	55	0	
5450	Newbuild policy	0	40	0	

	CHECKLIST - RANKING CRITERIA - OFFICE AUDIT - BULK CARRIER (GENERAL CARGO CARRIER	) - VERSIC	N 2023		
Norm item	TOTAL SCORE REVIEW OFFICE AUDIT - BBU (GCC)	OFFICE RANKING SCORE	MAXIMUM OBTAINABLE RANKING SCORE	MINIMUM RANKING SCORE REQUIRED	ELEMENTS WITH NO MINIMUM SCORE
5460	Environmental Ship Index (ESI)	0	50	0	
5500	Sewage Management	0	50	20	
5510	Grey Water Management	0	25	0	
5700	Ballast Water Management	0	60	20	
5801	Protection of fuel oil tanks, lube oil tanks and hull	0	30	0	
5810	Stern tube lubrication	0	60	0	
5811	Mooring wire lubrication	0	20	0	
5812	Deck equipment lubrication (use of oils)	0	65	0	
5820	Management of bilge water and sludge handling onboard	0	25	15	
5821	Outfitting of bilge water system	0	50	20	
5822	Outfitting of sludge handling system	0	20	10	
5900	Ship Recycling - Inventory of Hazardous Materials	0	120	40	
5910	Ship Recycling - Policy for ships due to be recycled	0	140	60	
6000	MAINTENANCE / SURVEYS				
6100	Programme of Inspections & Cargo Hold Inspection / Maintenance	0	115	80	
6110	Critical and Stand-by Equipment	0	75	30	
6200	Mooring Equipment	0	75	45	
6300	Corrosion Prevention of Seawater Ballast Tanks	0	75	40	
6400	Condition Assessment Program, Maintenance Additional Green Award requirements	0	120	60	
6600	Bulk Carrier Practice	0	40	40	
6610	Alternative Green Award requirements (SOLAS XII) (For General Cargo Carriers)	0	70	40	
7000	CREW				-
7100	Employment of Personnel	0	30	0	
7200	Extra Personnel, Additional Green Award Requirement	0	80	40	
7300	Training / Courses for Personnel Additional Green Award Requirements & IMO Model Courses	0	130	50	
7400	Familiarisation, Additional Green Award Requirement	0	80	50	
7500	Safe Manning and Fatigue Management	0	95	60	
9000	REQUIREMENTS ACCORDING TO ISO STANDARDS				
9421	ISO Certification	0	95	0	
	TOTAL SCORES	0	3695	1540	

#### LEGEND

0	Indicates which crew/employee may be interviewed/questioned.
	Shows that a certain item is complied.
	Shows that a certain item is not complied.
0	Indicates that an alternative is used, hence the score for that item is a "0".
	The checklist was filled in incorrectly, thus shows "error".
0	Indicates that the whole element did not reach the minimum score, hence a finding is issued. The number shows the scores obtained.
	Shows which elements are minimum = maximum. Hence scores on all items is required to fully comply.
	Indicates that the minimum score for the relevant element is "0", hence a finding will not be issued.

<sup>\*</sup> for detailed interpretations of the colours and the usage of the checklist, please refer to the pdf-file named "Instruction Notes" located on www.greenaward.org under "Certification/ Download".

### **SUPPLEMENT TO 5440 GHG EMISSIONS - CO2**

GA Code:

## **ENERGY EFFICIENCY TECHNOLOGIES INFORMATION PORTAL**

TECHNOLOGY GROUPS Certificate Holder name:

IMO GLOMEEP Website Date of Office Audit:

## **MACHINERY TECHNOLOGIES**

This technology group includes measures that improve the energy efficiency of main and auxiliary engines. These include measures such as auxiliary systems optimization, optimizing heat exchangers, waste heat recovery systems, electronic autotuning, batteries and other solutions.

Υ?	NAME	FUNCTION	TECHNICAL MATURITY*	APPLICABILITY
	Auxiliary systems optimization	Optimizing auxiliary systems to actual operational profiles, not design conditions	Semi-mature	All vessels
	Engine de-rating	De-rating an engine for reduction of the vessel's maximum speed to increase its efficiency by limiting the potential power output	Semi-mature	Vessels sailing 10-15% slower than design speed
	Engine performance optimization (automatic)	Automatic increase of engine efficiency through testing and tuning according to actual operational load and conditions	Semi-mature	Mainly for two stroke engines
	Engine performance optimization (manual)	Manual increase of engine efficiency through testing and tuning according to actual operational load and conditions	Mature	All vessels
	Exhaust gas boilers on auxiliary engines	Exhaust gas boilers recover the heat from the exhaust gas of auxiliary engines to generate steam, hot water or heat for process heating	Semi-mature	Vessels without shaft generator
	<u>Hybridization (plug-in or conventional)</u>	Use of electricity to replace various modes of power consumption	Semi-mature	Vessels with large fluctuations in power output (ferries, offshore vessels, tugs)
	Improved auxiliary engine load	Increase of the auxiliary engines' load and efficiency by reducing the number of auxiliary engines running	Semi-mature	All vessels
	<u>Shaft generator</u>	Produce electricity from the main propulsion engine	Mature	All vessels with high power needs and long transits
	Shore power	Use of cold ironing in ports to reduce fuel consumption on power producing engines	Semi-mature	For smaller vessels and in ports with developed solutions for larger vessels
	Steam plant operation improvement	Improve operations and maintenance of steam plant system saving fuel on oil fired boiler	Mature	Mainly crude and product tankers
	Waste heat recovery systems	Recover thermal energy from the exhaust gas and convert it into electrical energy	Semi-mature	All vessels with engines above 10 MW

CKL GCC / VERSION 2023 / 1.0 46 of 102

### **SUPPLEMENT TO 5440 GHG EMISSIONS - CO2**

## PROPULSION AND HULL IMPROVEMENTS

Technologies in this group focus on improving the hydrodynamic performance of the vessel. This includes solutions that reduce the resistance of the vessel and/or also improve the propulsive efficiency of the vessel. Examples include measures such as propeller polishing, hull cleaning, PIDs (Propulsion Improving Devices), air lubrication and more.

Υ?	NAME	FUNCTION	TECHNICAL MATURITY*	APPLICABILITY
	Air cavity lubrication	Use of air injection on the wetted hull surfaces to improve a ship's hydrodynamic performance	Semi-mature	Most vessels in deep sea trade
	Hull cleaning	Removal of fouling on the hull to increase the vessel's hydrodynamic performance	Mature	All vessels
	Hull coating	Reduction of the hull's resistance through water	Mature	All vessels
	Hull form optimization	Optimizing the hull for lower resistance through water	Mature	All vessels
	Hull retrofitting	Retrofitting of the bulbous bow, optimizing thruster tunnels or bilge keel to reduce resistance	Mature	All vessels
	Propeller polishing	Removal of fouling on the propeller	Mature	All vessels
	Propeller retrofitting	Retrofitting the propeller to increase efficiency	Semi-mature	All vessels
	Propulsion Improving Devices (PIDs)	Installation of propulsion improving devices	Mature	All vessels

## **ENERGY CONSUMERS**

Consumers are equipment or devices that use energy when operated. Technologies in this group focus on minimizing the energy consumption by improving the device or optimizing the utilization of the device. Examples of measures in this group are frequency controllers, cargo handling systems, low energy lighting and more.

Υ?	NAME	FUNCTION	TECHNICAL MATURITY*	APPLICABILITY
	Cargo handling systems (Cargo discharge operation)	Reduction of energy consumption while discharging crude oil by use of model-based studies of the discharge operation	Semi-mature	Tankers
	Energy efficient lighting system	Use of energy efficient lighting equipment, such as LED light, to increase efficiency and remove heat loss from light devices	Mature	All vessels
	Frequency controlled electric motors	Regulating the frequency of the motors in order to adapt the motor optimized load	Mature	All vessels

CKL GCC / VERSION 2023 / 1.0 47 of 102

#### **SUPPLEMENT TO 5440 GHG EMISSIONS - CO2**

## **ENERGY RECOVERY**

Technologies in this group focus on capturing energy from the surroundings of the vessel and using or transforming this to useful energy for the vessel. This involves measures such as application of kites, fixed sails or wings, Flettner rotors, or solar panels.

Y?	NAME	FUNCTION	TECHNICAL MATURITY*	APPLICABILITY
	Fixed sails or wings	Use sails or wings to replace some of the propulsion power needed	Not mature	Vessels with enough place on deck (general cargo, tankers, bulkers)
	<u>Flettner rotors</u>	Use Flettner rotors to generate power from wind energy	Not mature	Dependent on trading area and sufficient free deck-surface
	<u>Kite</u>	Use a kite to replace some of the propulsion power needed	Not mature	All vessels
	Solar panels	Install solar panels for conversion of solar energy to electricity	Not mature	Dependent on trading area and sufficient free deck-surface

#### **TECHNICAL SOLUTIONS FOR OPTIMIZING OPERATION**

Technologies in this group focus on improving the operation of the vessel more than improving the vessel itself. The list of suggested measures includes both technologies and suggestions for best practice (without direct application of a technology). Measures in this group include trim and draft optimization, speed management, autopilot adjustment and use, combinator optimizing, and others.

Υ?	NAME	FUNCTION	TECHNICAL MATURITY*	APPLICABILITY
	Autopilot adjustment and use	Use of an automatic system to control the vessel's rudder in a more energy efficient manner	Mature	All vessels
	Combinator optimizing	Use of optimized pitch settings and propeller speed for optimized efficiency of propulsion system	Mature	For vessels with controllable pitch propeller
	Efficient DP Operation	Optimize the operation in DP mode	Semi-mature	Vessels with DP mode
	Speed management	Management of the vessel's speed in the most efficient manner	Semi-mature	All vessels
	Trim and draft optimization	Optimizing the trim and draft to reduce the vessel's water resistance	Semi-mature	All vessels
	Weather routing	Including weather conditions when planning a voyage	Mature	All vessels

#### Definitions of maturity levels according to uptake across the maritime industry, and degree of proven technology/principle

Mature Proven, new or existing technology/principle, with high uptake across the industry.

Proven, new or existing technology/principle, but with limited uptake across the Semi-mature

industry.

Not mature New unproven-, unproven existing- , or proven existing technology/principle but

with very few installations and little to no operational experience.

This Energy Efficiency Technologies Information Portal was developed in cooperation with DNV GL.

This webpage serves as an Information Portal for Energy Efficiency Technologies for Ships. IMO does not make any warranties or representations as to the accuracy or completeness of the information provided.

View disclaimer

CKL GCC / VERSION 2023 / 1.0 48 of 102

<sup>\*</sup>This Information Portal is still under development and further images will be added.

# **APPENDIX 3**

CHECKLIST - BASIC CRITERIA - SURVEY - BULK CARRIER (GENERAL CARGO CARRIER)

(GMC-08)

		CHECKLIST - BASIC CRITERIA - SHIP SURVEY - BULK CARRIER (GENER	RAL	CA	RG	O C.	ARF	RIEF	R) - V	ER:	SIO	N 2	023						
Revision Code	Norm item	BASIC Ship - BBU (GCC)	MASTER	Doc. & Impl.	CHIEF OFFICER	Doc. & Impl.	DECK OFFICER	Doc. & Impl.	DECK RATING	Doc. & Impl.	CHIEF ENGINEER	Doc. & Impl.	ENGINEER OFFICER	Doc. & Impl.	ENGINEER RATING	Doc. & Impl.	CATERING PERSONNEL	Doc. & Impl.	NOTAPPLICABLE
	100	MANAGEMENT ELEMENTS						_											
	101	GENERAL	0																
	101.1	Are the Management System (MS) Manuals maintained and updated?		•															$\Box$
	102	SAFETY AND ENVIRONMENTAL PROTECTION POLICY	0		0		0		0		0		0		0		0		
	102.1	Is the company policy concerning safety and the environment available, posted and implemented at all levels?																	
	103	COMPANY RESPONSIBILITIES AND AUTHORITY	0		0		0		0		0		0		0		0		
	103.1	Are the responsibilities and authorities of all shipboard personnel clearly defined and implemented?																	
	103.2	Are shore-ship communications, defined levels of authority and lines of communication documented and working effectively?																	
	104	DESIGNATED PERSONS	0		0		0		0		0		0		0		0		
	104.2	Is (are) (a) designated person(s) known on board?																	
	104.3	Is objective evidence available that safety and environmental aspects of the operation of the ship are monitored and that the required adequate resources and shore-based support is applied?																	
	105	MASTER'S RESPONSIBILITY AND AUTHORITY	0																
	105.1	Is the responsibility of the master clearly defined and documented?																	
	105.2	Does the master implement the Company's safety and environmental-protection policy on board?																	
	105.3	Does the master motivate the crew in the observation of that policy?											<u> </u>						
	105.4	Does the master verify that specified requirements are observed?											L						
	105.5	Does the master review the MS and are its deficiencies reported to the shore-based management?											<u> </u>						
	106	RESOURCES AND PERSONNEL AND STCW	0								0								
	106.1	Does the company have a procedure for the Master to ensure that assigned sea staff are in possession of necessary certificates when joining the vessel?																	
	106.4	Are shipboard personnel informed about new/revised rules, regulations, codes and guidelines?											<u> </u>		<u> </u>				
	106.6	Does ship's personnel receive training/courses which are required in support of the MS?											<u> </u>		<u> </u>				
	106.11	Is the working language between the office and the vessels defined?											<u> </u>		<u> </u>				
	106.12	Are all senior and deck officers conversant in the English language for maritime communication?			1								<u> </u>		$\vdash$			$\dashv$	
	106.13	Is relevant information on the MS written in a working language or languages understood by officers and shipboard personnel?																	
	106.14	Is the working language monitored and checked by the ships staff?			_								<u> </u>		$\vdash$				
	106.15	Are new personnel and personnel transferred to new assignments given proper familiarisation with their duties?											L		<u> </u>				
	106.16	Are instructions, which are essential prior to sailing, identified, documented and given to the new personnel?											L						
	106.17	Is the Master fully conversant with the Company's Management Systems?			1		1						ĺ		l				

		CHECKLIST - BASIC CRITERIA - SHIP SURVEY - BULK CARRIER (GENER	RAL	CAI	RGC	) C	٩RR	IER	) - V	/ER	SIO	N 2	023					
Revision Code	Norm item	BASIC Ship - BBU (GCC)	MASTER	Doc. & Impl.	CHIEF OFFICER	Doc. & Impl.	DECK OFFICER	Doc. & Impl.	DECK RATING	Doc. & Impl.	CHIEF ENGINEER	Doc. & Impl.	ENGINEER OFFICER	Doc. & Impl.	ENGINEER RATING	CATERING PERSONNEL	Doc. & Impl.	NOTAPPLICABLE
	107	DEVELOPMENT OF PLANS FOR SHIPBOARD OPERATIONS	0		0						0					0		
	107.2	Are plans and instructions for key shipboard operations concerning safety of the ship and prevention of pollution, evaluated and reviewed?							•									
	107.3	Are tasks, qualifications and responsibilities defined in the manuals and in the job descriptions?																
	108	EMERGENCY PREPAREDNESS	0		0		0		0		0		0		0	0		
	108.1	Does the system cover the arrangements needed to ensure that the company, day and night, can be notified if a hazard, accident or emergency involving the ship occurs?																
	108.2	Are tasks, qualifications and responsibilities evaluated during drills and exercises as described in the emergency procedures?																
	108.3	Is communication with media described in the emergency procedures and is shipboard personnel aware of these instructions?																
	108.5	Is the shipboard personnel prepared to respond to emergency shipboard situations?																
	109	REPORTS AND ANALYSES OF NON-CONFORMATIES, ACCIDENTS AND HAZARDOUS OCCURENCES	0		0						0					0		
	109.1	Are safety and environmental inspections carried out, documented and reported?																
	109.2	Does the ship have instructions/procedures for the reporting of non-conformities/ near misses?																
	109.3	Are non-conformities, accidents and hazardous occurrences reported to the office?																
	109.4	Are corrective and/or preventive actions taken?																
	109.5	Does the company have objective evidence to show their support of the shipboard personnel in reporting of non-conformities / near misses?																
	110	MAINTENANCE OF THE SHIP AND EQUIPMENT	0		0						0					0		
	110.1	Are ship inspections held at defined intervals? (minimum of twice a year or equivalent)																
	110.2	Are non-conformities reported including their possible cause?																
	110.3	Is appropriate corrective action taken?																
	110.4	Are records of these activities maintained?																
	110.5	Are ship-critical equipment and technical systems identified ?																
	110.6	Does the MS provide for specific measures aimed at promoting the reliability of critical equipment and systems?							•									
	111	DOCUMENTATION	0		0						0							
	111.1	Does the company have procedures to control documents and data relevant to the MS?																
	111.2	Are valid documents available at all relevant locations?																
	111.3	Are changes to documents reviewed and approved by authorised personnel?																
	111.4	Are obsolete documents promptly removed ?																

		CHECKLIST - BASIC CRITERIA - SHIP SURVEY - BULK CARRIER (GEI	NERAL	. CA	RG	O C	ARR	RIER	() - <b>\</b>	/ER	SIO	N 2	023						
Revision Code	Norm item	BASIC Ship - BBU (GCC)	MASTER	Doc. & Impl.	CHIEF OFFICER	Doc. & Impl.	DECK OFFICER	Doc. & Impl.	DECK RATING	Doc. & Impl.	CHIEF ENGINEER	Doc. & Impl.	ENGINEER OFFICER	Doc. & Impl.	ENGINEER RATING	Doc. & Impl.	CATERING PERSONNEL	Doc. & Impl.	NOT APPLICABLE
	112	COMPANY VERIFICATION, REVIEW AND EVALUATION	0		0						0								
	112.1	Are internal audits carried out to verify whether safety and pollution-prevention activities and other procedures comply with the MS?				•													
	112.4	Are results of the audits and reviews brought to the attention of all shipboard personnel having responsibility in the area involved?																	
		IMO ELEMENTS								•									
	200	SOLAS 1974																	
	201	SOLAS General Provisions	0								0								
	201.1	Compliance with General Provisions		•							•					ĺ			
	211	Enhanced Surveys	0								0								
	211.1	(N/A for General Cargo Carriers) Is an enhanced survey performed and endorsed by a Classification Society?																	na
	213	Certificates and documents on board	0								0								
	213.1	Are all regulatory certificates valid ?																	
	200	SOLAS 1974																	
	215	Additional Safety Measures for Bulk Carriers	0		0														
	215.1	(N/A for General Cargo Carriers)  Does the bulk carrier comply with the requirements of Ch. XII?																	na
	216	Maritime security	0																
	216.1	Does the ship have a valid (interim) International Ship Security Certificate?																	
	216.2	Is the ship's crew familiarised in general with the principles of the ISPS Code (ship related) ?																	

		CHECKLIST - BASIC CRITERIA - SHIP SURVEY - BULK CARRIER (GENEF	RAL	CA	RG	O C	ARR	RIER	R) - V	VER	SIO	N 20	023					
Revision Code	Norm item	BASIC Ship - BBU (GCC)	MASTER	Doc. & Impl.	CHIEF OFFICER	Doc. & Impl.	DECK OFFICER	Doc. & Impl.	DECK RATING	Doc. & Impl.	CHIEF ENGINEER	Doc. & Impl.	ENGINEER OFFICER	Doc. & Impl.	ENGINEER RATING	CATERING PERSONNEL	Doc. & Impl.	NOTAPPLICABLE
	217	Safety of Navigation / SOLAS chart carriage requirements	0				0											
		Alternative 1 (217.1 - 217.4): Compulsory carriage of ECDIS, with full official ENC coverage																
	217.1	Is the ECDIS type-approved according to Res A 817(19) as amended by MSC 64 (67) and MSC 86 (70) or MSC.232(82)?																
	217.3	Is an acceptable back-up arrangement in place? (an independent type-approved ECDIS with an independent position fixing system using official Electronic Navigational Charts (ENC's), or a full / reduced folio of up-to-date paper charts as relevant to the ship's voyage)																
	217.4	Are all official ENCs up-to-date?													_			
		Alternative 2 (217.1 - 217.4): Compulsory carriage of ECDIS, Navigation with official ENCs where available and official RNCs where ENCs are not available																
	217.1	Is the ECDIS type-approved according to Res A817 (19) as amended by MSC 64 (67) and MSC 86 (70) or MSC.232(82)?																
	217.2	Is the supplementary folio of paper charts acceptable for that part of the voyage where official RNCs are used ?																
	217.3	Is an acceptable back-up arrangement in place? (an independent type-approved ECDIS with an independent position fixing system using official ENCs and Raster Navigational Charts where needed, or a full / reduced folio of up-to-date paper charts, as relevant to the ship's voyage)																
	217.4	Are all official ENCs and RNCs up-to-date?																
		Training & Onboard Use of ECDIS (Compulsory carriage of ECDIS)																
	217.5	Have all deck officers and the master completed generic training in the use of ECDIS based on the IMO model course 1.27?																
	217.7	Is a risk assessment carried out for the operation of ECDIS which identifies and controls the hazards when using ENCs and (if used) when ECDIS is in RCDS mode?																
	217.8	Are results from the assessment evident in the onboard procedures + instructions for ECDIS?																
	217.9	Is the risk assessment and relevant onboard procedures + instructions reviewed on a regular basis (at least once a year or if circumstances require a review) ?																
	218	Noise Levels On Board Ships																
		(Only applicable to new ships (ships contracted to build on or after 1st July 2014) of a gross tonnage of 1,600 and above.)																
	218.1	Is the noise survey report available onboard?																
	218.2	Are noise areas marked by placing relevant visible warning notices at the entrance to these areas? (IMO noise symbols)																

		CHECKLIST - BASIC CRITERIA - SHIP SURVEY - BULK CARRIER (GENE	RAL	CA	RG	) C	ARR	IER	() - V	VER	SIO	N 2	023					
Revision Code	Norm item	BASIC Ship - BBU (GCC)	MASTER	Doc. & Impl.	CHIEF OFFICER	Doc. & Impl.	DECK OFFICER	Doc. & Impl.	DECK RATING	Doc. & Impl.	CHIEF ENGINEER	Doc. & Impl.	ENGINEER OFFICER	Doc. & Impl.	ENGINEER RATING	Doc. & Impl.		NOT APPLICABLE
	300	MARPOL 73/78																
	301	Provisions concerning Reports on Incidents Involving Harmful Substances (Protocol 1)	0		0													
	301.1	Does the Master have a procedure in order to report an incident to the nearest coastal state?																
	310	Prevention of pollution by oil	0		0		0		0		0		0		0	•	0	
	310.2	Is the shipboard oil pollution emergency plan maintained and updated?																
	310.5	Are updated contact lists of coastal States, port contacts and ship interest contacts available?																
	310.6	Does the company have a policy concerning the retention and disposal of oil residues (sludge)?																
	310.8	Are actions and responsibilities of the shipboard personnel clearly described in the SOPEP?																
	310.9	Does the plan provide procedures for the removal of oil spilled and contained on deck?																
	310.10	Does the plan provide guidance to ensure proper disposal of removed oil and clean-up materials?																
	310.11	Does the plan include a list of information required for making damage stability and damage longitudinal strength assessments?																
	350	Prevention of pollution by garbage	0		0		0		0		0		0		0		0	
	350.2	Does the vessel have a ship specific garbage management plan detailing the specific ship's equipment, arrangements and procedures for the handling of garbage?																
· ·	350.3	Are records kept according to the garbage management plan?																

# **APPENDIX 4**

CHECKLIST - RANKING CRITERIA - SURVEY - BULK CARRIER (GENERAL CARGO CARRIER)

(GMC-09)

		CHECKLIST - RANKING CRITERIA - SHIP SURVEY - BULK CARRIER (GENER	AL	CA	RGO	CA	RRII	ER) ·	VEF	RSIO	N 20	23					
Revision Code	Norm item	RANKING Ship - BBU (GCC)	MASTER	Doc. & Impl.	SER		DECK OFFICER	J.		CHIEF ENGINEER	OFFICER		ENGINEER RATING Doc. & Impl.	CATERING PERSONNEL	Doc. & Impl. NOT APPLICABLE	RANKING SCORE	RANKING MAX. SCORE
	1000	GENERAL	_	_													
	1200	Enclosed Space Entry & Hot Work			0		0	0		0	0						
	1200.1	Is there an Enclosed Space Entry and Hot Work permit to work system, taking account of IMO and industry guidelines and where relevant local port / terminal requirements?								<u> </u>						0	10
	1200.6	Is company approval of the Hot Work permit required before work can begin?														0	10
	1200.7	Does the Hot Work permit show the appropriate safety precautions to be taken relevant to the location of work?														0	5
	1200.2	Is crew on board provided with suitable personal protective equipment and suitable equipment for testing the atmosphere of an enclosed space? (e.g. breathing apparatus, protective clothing and approved + calibrated atmosphere testing equipment)														0	5
	1200.8	Are all personnel entering an enclosed space provided with a personal gas detector which can measure HC, oxygen and relevant toxic vapours?														0	10
	1200.9	Is a safety meeting, attended by all personnel involved, held prior to entering the space or commencement of hot work in order to review procedures and PPE (including those specific for the intended work)?														0	10
	1200.10	Is a responsible officer designated for all aspects of the operation?														0	5
	1200.3	Is ship's crew trained and drilled periodically according to enclosed space entry procedures?														0	5
	1200.4	Does training also include rescue and first aid?														0	5
	1200.11	Is a rescue / back-up team assigned and ready for immediate action upon call?														0	5
					Minin	num i	rankin	a scor		al score		ent 12	200 = 70			0	70
	1300	Compressor for the refilling of air cylinders for breathing apparatus or alternative, Additional Green Award								0							
	1300.1	Does the vessel have a compressor for the refilling of air cylinders for breathing apparatus?														0	20
	1300.2	Alternative for 1300.1: sufficient number of air cylinders for the sole purpose of safety drills.														0	10
					Minin	num :	rankin	a coc.		al score		ont 45	300 = 10			0	20
	1400	Control of drugs & alcohol onboard	0		WIIIIII	nam I	alikin	g scor		iii eu ioi	elem		300 = 10	0			
	1400.2	Is evidence of an unannounced alcohol testing initiated by the office available on board? (Approved test equipment to be available on board)														0	10
	1400.1	Have all current crew members been subjected to shore-based drug and alcohol testing at least once in last 12 months?														0	15
	1400.5	Has the vessel been subjected to unannounced drug and alcohol testing at least once every year (not exceeding 18 months between two consecutive tests) by an external organisation?														0	10
	1400.6	Alternative to 1400.1 & 1400.5: In case crew members are not subject to shore-based drug and alcohol testing at least once in last 12 months, has the vessel been subjected to unannounced drug and alcohol testing at least twice in 12 months by an external organisation?														0	25
					laar :					al score						0	35
			<u> </u>		Minin	num ı	rankin	g sco	e requ	ired for	elem	ent 14	400 = 20				

		CHECKLIST - RANKING CRITERIA - SHIP SURVEY - BULK CARRIER (GENER	AL	CA	RG	o C	ARR	RIER	) - VE	RSI	ON	202	23					·	,
Revision Code	Norm item	RANKING Ship - BBU (GCC)	MASTER	Doc. & Impl.	CHIEF OFFICER	Doc. & Impl.	ER		Deck Rating	CHIEF ENGINEER		ENGINEER OFFICER	Doc. & Impl.	ENGINEER RATING	Doc. & Impl.	CATERING PERSONNEL	Doc. & Impl. NOT APPLICABLE	RANKING SCORE	RANKING MAX. SCORE
	1500	Emergency Response System	0		0		0			0		0							
	1500.4	Is the vessel in receipt of evaluation reports of the annual ERS drill(s) between company, (class) and vessel?																0	5
	1500.11	Is the evaluation report of the annual ERS drill discussed in a safety meeting?																0	10
	1500.5	Is an annual drill performed on board which includes ERS-procedures?																0	15
										otal sc								0	30
					Min	imum	rank	ing so	ore rec	quired	for e	leme	nt 15	00 = 1	0				
	1510	Emergency Oil Recovery																	
	1510.1	Is the vessel equipped with a system providing emergency access to cargo tanks and bunker tanks (for example, from the vessel deck), should the vessel be submerged?																0	5
	1510.2	Does the ship carry an oil skimmer or a similar device that can be used in an emergency situation of oil spill overboard?																0	5
										otal sc							•	0	10
					Min	imum	rank	ing so	ore rec	•	for e	leme	nt 15	510 = 0	)				
	1600	Computer Systems, Networks, Data Security and Training	0							0									
	1600.1	Are arrangements for vessel systems documented ? (configuration scheme)																0	10
	1600.7	Are adequate system back-up's for vessel computer-based systems made (where applicable) and are procedures for this documented ?																0	5
	1600.8	Are adequate back-ups for administrative PC systems made and are procedures for this documented ?																0	5
	1600.3	Is training provided at a level required to effectively operate and maintain the system and cover normal, abnormal and emergency conditions?																0	10
	1600.4	Is the internal audit scheme applicable to the IT elements and vessel computer-based systems?																0	10
	1600.5	Are computer systems, in relation to IMO MSC/Circ.891, certified by a recognised organisation?																0	10
	1600.6	Is a system administrator designated onboard for administrative PC systems on the ship?																0	10
								- 1		otal sc		•					-	0	60
					Min	imum	rank	ing so	ore rec	quired	for e	leme	nt 16	300 <b>=</b> 3	30				

		Sing Harrie.															Date	- 1 -	
		CHECKLIST - RANKING CRITERIA - SHIP SURVEY - BULK CARRIER (GENER	AL	CAI	RG	) C	ARF	RIEF	₹) - \	ERS	ION	20	23						
Revision Code	Norm item	RANKING Ship - BBU (GCC)	MASTER	Doc. & Impl.	CHIEF OFFICER	Doc. & Impl.	DECK OFFICER	Doc. & Impl.	DECK RATING	Doc. & Impl. CHIEF ENGINEER	Doc. & Impl.	ENGINEER OFFICER	Doc. & Impl.	ENGINEER RATING	Doc. & Impl.	CATERING PERSONNEL	NOT APPLICABLE	RANKING SCORE	RANKING MAX. SCORE
	1610	Cyber Risk Management		_			_												
	1610.1	Is shipboard crew aware of plans and procedures of cyber risk management (as described in SMS) and their implementation on board?																0	10
	1610.4	Does the cyber risk policy focus on elements such as third-party access and bring your own device (BYOD) in the office?																0	5
	1610.5	Is there a designated shipboard crew member on board appropriately trained to identify and respond to cyber threats to the ship's information and operational technology systems?																0	5
	1610.8	Does the vessel undergo cyber risk assessment (at an interval deemed suitable by the company) by means of either of the following: - self-assessment followed by third party risk assessment - penetration tests of critical IT and OT infrastructure performed by external experts simulating cyber attacks?																0	5
	1610.9	Does the vessel have access to contingency plans and related information in a non-electronic form that need to be followed in the event of a cyber attack?																0	5
	1610.12	Are on-board systems forbidden to be remotely accessed by technicians and manufacturers without authorization by the vessel's senior leadership team (For example, by following a two-step digital authorization process)?																0	5
					Mini	mum	rani	kina s		Total s		olom	ont 1	S10 = 1	1.5			0	35
	1700	Noise and Vibration Management			IVIIII	liiuiii	liani	king s	SCOIE I	equire	u ioi		CIII I	10 - 1					
		Noise/Vibration Monitoring and Measures																	
					Г							Т						1	_
	1700.2	Is the crew wearing hearing protectors which meet the requirements of the HML(High-Medium-Low) method (ISO 4869-2:1994) when entering spaces where noise levels exceed 85db(a)?															na	0	0
	1700.2 1700.3	Is the crew wearing hearing protectors which meet the requirements of the HML(High-Medium-Low) method (ISO 4869-															na	0	5
		Is the crew wearing hearing protectors which meet the requirements of the HML(High-Medium-Low) method (ISO 4869-2:1994) when entering spaces where noise levels exceed 85db(a)?  Does the PMS have the routine to inspect and rectify any abnormalities in terms of noise and vibration from a machinery															na		
	1700.3	Is the crew wearing hearing protectors which meet the requirements of the HML(High-Medium-Low) method (ISO 4869-2:1994) when entering spaces where noise levels exceed 85db(a)?  Does the PMS have the routine to inspect and rectify any abnormalities in terms of noise and vibration from a machinery equipment?  Are appropriated measures implemented onboard in order to protect the crew from cargo handling equipment noise if the															na	0	5
	1700.3	Is the crew wearing hearing protectors which meet the requirements of the HML(High-Medium-Low) method (ISO 4869-2:1994) when entering spaces where noise levels exceed 85db(a)?  Does the PMS have the routine to inspect and rectify any abnormalities in terms of noise and vibration from a machinery equipment?  Are appropriated measures implemented onboard in order to protect the crew from cargo handling equipment noise if the noise exceeds 85db(a) (by taking into account technical solutions and/or exposure limits)?															na	0	5
	1700.3 1700.4	Is the crew wearing hearing protectors which meet the requirements of the HML(High-Medium-Low) method (ISO 4869-2:1994) when entering spaces where noise levels exceed 85db(a)?  Does the PMS have the routine to inspect and rectify any abnormalities in terms of noise and vibration from a machinery equipment?  Are appropriated measures implemented onboard in order to protect the crew from cargo handling equipment noise if the noise exceeds 85db(a) (by taking into account technical solutions and/or exposure limits)?  Noise Mitigation and Health Hazards								 							na	0	5 10
	1700.3 1700.4 1700.8	Is the crew wearing hearing protectors which meet the requirements of the HML(High-Medium-Low) method (ISO 4869-2:1994) when entering spaces where noise levels exceed 85db(a)?  Does the PMS have the routine to inspect and rectify any abnormalities in terms of noise and vibration from a machinery equipment?  Are appropriated measures implemented onboard in order to protect the crew from cargo handling equipment noise if the noise exceeds 85db(a) (by taking into account technical solutions and/or exposure limits)?  Noise Mitigation and Health Hazards  Is the noise exposure limit of each rating/officer recorded and available onboard?								<u> </u>							na	0 0	5 10 5
	1700.3 1700.4 1700.8 1700.9	Is the crew wearing hearing protectors which meet the requirements of the HML(High-Medium-Low) method (ISO 4869-2:1994) when entering spaces where noise levels exceed 85db(a)?  Does the PMS have the routine to inspect and rectify any abnormalities in terms of noise and vibration from a machinery equipment?  Are appropriated measures implemented onboard in order to protect the crew from cargo handling equipment noise if the noise exceeds 85db(a) (by taking into account technical solutions and/or exposure limits)?  Noise Mitigation and Health Hazards  Is the noise exposure limit of each rating/officer recorded and available onboard?  Is the crew restricted towards prolonged exposure in spaces where noise limits exceed 110 db(a)?															na	0 0 0	5 10 5 5 5
	1700.3 1700.4 1700.8 1700.9 1700.10	Is the crew wearing hearing protectors which meet the requirements of the HML(High-Medium-Low) method (ISO 4869-2:1994) when entering spaces where noise levels exceed 85db(a)?  Does the PMS have the routine to inspect and rectify any abnormalities in terms of noise and vibration from a machinery equipment?  Are appropriated measures implemented onboard in order to protect the crew from cargo handling equipment noise if the noise exceeds 85db(a) (by taking into account technical solutions and/or exposure limits)?  Noise Mitigation and Health Hazards  Is the noise exposure limit of each rating/officer recorded and available onboard?  Is the crew restricted towards prolonged exposure in spaces where noise limits exceed 110 db(a)?  Are all engine exhaust pipes insulated with ship specific suitable silencers to attenuate noise?  Is the ship installed with noise cancelling equipment such as active mufflers/mounts, resilient mounts, vibration dampers															na	0 0 0 0	5 10 5 5 5 10
	1700.3 1700.4 1700.8 1700.9 1700.10 1700.11	Is the crew wearing hearing protectors which meet the requirements of the HML(High-Medium-Low) method (ISO 4869-2:1994) when entering spaces where noise levels exceed 85db(a)?  Does the PMS have the routine to inspect and rectify any abnormalities in terms of noise and vibration from a machinery equipment?  Are appropriated measures implemented onboard in order to protect the crew from cargo handling equipment noise if the noise exceeds 85db(a) (by taking into account technical solutions and/or exposure limits)?  Noise Mitigation and Health Hazards  Is the noise exposure limit of each rating/officer recorded and available onboard?  Is the crew restricted towards prolonged exposure in spaces where noise limits exceed 110 db(a)?  Are all engine exhaust pipes insulated with ship specific suitable silencers to attenuate noise?  Is the ship installed with noise cancelling equipment such as active mufflers/mounts, resilient mounts, vibration dampers where practically possible?  Are noise cancelling measures such as mineral wool/silencers being installed in the ventilation ducts or fan rooms to			Mini		rank	kings		Total s		elem	ent 1	700 = 1	15		na	0 0 0 0 0 0	5 10 5 5 5 5
	1700.3 1700.4 1700.8 1700.9 1700.10 1700.11	Is the crew wearing hearing protectors which meet the requirements of the HML(High-Medium-Low) method (ISO 4869-2:1994) when entering spaces where noise levels exceed 85db(a)?  Does the PMS have the routine to inspect and rectify any abnormalities in terms of noise and vibration from a machinery equipment?  Are appropriated measures implemented onboard in order to protect the crew from cargo handling equipment noise if the noise exceeds 85db(a) (by taking into account technical solutions and/or exposure limits)?  Noise Mitigation and Health Hazards  Is the noise exposure limit of each rating/officer recorded and available onboard?  Is the crew restricted towards prolonged exposure in spaces where noise limits exceed 110 db(a)?  Are all engine exhaust pipes insulated with ship specific suitable silencers to attenuate noise?  Is the ship installed with noise cancelling equipment such as active mufflers/mounts, resilient mounts, vibration dampers where practically possible?  Are noise cancelling measures such as mineral wool/silencers being installed in the ventilation ducts or fan rooms to reduce the noise level?			Mini	imum	n rank	king s		Total s		elem	ent 1	700 = 1	15		na	0 0 0 0 0 0	5 10 5 5 5 10
	1700.3 1700.4 1700.8 1700.9 1700.10 1700.11 1700.12	Is the crew wearing hearing protectors which meet the requirements of the HML(High-Medium-Low) method (ISO 4869-2:1994) when entering spaces where noise levels exceed 85db(a)?  Does the PMS have the routine to inspect and rectify any abnormalities in terms of noise and vibration from a machinery equipment?  Are appropriated measures implemented onboard in order to protect the crew from cargo handling equipment noise if the noise exceeds 85db(a) (by taking into account technical solutions and/or exposure limits)?  Noise Mitigation and Health Hazards  Is the noise exposure limit of each rating/officer recorded and available onboard?  Is the crew restricted towards prolonged exposure in spaces where noise limits exceed 110 db(a)?  Are all engine exhaust pipes insulated with ship specific suitable silencers to attenuate noise?  Is the ship installed with noise cancelling equipment such as active mufflers/mounts, resilient mounts, vibration dampers where practically possible?  Are noise cancelling measures such as mineral wool/silencers being installed in the ventilation ducts or fan rooms to reduce the noise level?  Underwater Noise and Vibration Management			Mini	mum	rank	king s				elem	ent 1	7700 = 1	15		na	0 0 0 0 0 0	5 10 5 5 5 10 10
	1700.3 1700.4 1700.8 1700.9 1700.10 1700.11	Is the crew wearing hearing protectors which meet the requirements of the HML(High-Medium-Low) method (ISO 4869-2:1994) when entering spaces where noise levels exceed 85db(a)?  Does the PMS have the routine to inspect and rectify any abnormalities in terms of noise and vibration from a machinery equipment?  Are appropriated measures implemented onboard in order to protect the crew from cargo handling equipment noise if the noise exceeds 85db(a) (by taking into account technical solutions and/or exposure limits)?  Noise Mitigation and Health Hazards  Is the noise exposure limit of each rating/officer recorded and available onboard?  Is the crew restricted towards prolonged exposure in spaces where noise limits exceed 110 db(a)?  Are all engine exhaust pipes insulated with ship specific suitable silencers to attenuate noise?  Is the ship installed with noise cancelling equipment such as active mufflers/mounts, resilient mounts, vibration dampers where practically possible?  Are noise cancelling measures such as mineral wool/silencers being installed in the ventilation ducts or fan rooms to reduce the noise level?			Mini	imum	ı rank	king s	score I		d for	elem	ent 1	7700 = 1	15		na	0 0 0 0 0 0 0 0 0	5 10 5 5 5 10

		CHECKLIST DANKING CRITERIA CHIR CHRISTY DULK CARRIER (CENER	A I	C A I		<u> </u>	4 D F	\	1 1/		101	200	12						
		CHECKLIST - RANKING CRITERIA - SHIP SURVEY - BULK CARRIER (GENER	AL	CA	RG	U C	AKI	KIEK	() - V	ERS	ION	202	23				_		
Kevision Code	Norm item	RANKING Ship - BBU (GCC)	MASTER	Doc. & Impl.	CHIEF OFFICER	Doc. & Impl.	DECK OFFICER	Doc. & Impl.	DECK RATING	CHIEF ENGINEER	Doc. & Impl.	ENGINEER OFFICER	Doc. & Impl.	ENGINEER RATING	Doc. & Impl.	CATERING PERSONNEL	Doc. & Impl. NOT APPLICABLE	RANKING SCORE	RANKING MAX. SCORE
1	800	Social Dimension / Sustainability																	
		A. Good Health & Well-Being																	
1	800.1	Does the vessel have an ITF or similar agreement in place?																0	10
1	800.3	Is an electronic device available on board specifically to access digital platform (web or app) subscribed by the company for seeking medical advice?																0	5
1	800.4	Has the shipboard staff been familiarized with platforms (online/offline) providing access to emotional support networks to tackle mental health issues?																0	5
1	800.5	Do all shipboard personnel have access to the internet at all times?																0	5
		B. Reduced Inequalities / Equal Opportunities / Diversity																	
		B.1 General																	
1	800.7	Have all ship board personnel been made aware of confidential reporting procedures to report harassment & discrimination?																0	5
1	800.8	Have steps been taken to create awareness among shipboard staff and to ensure effective implementation of policies focusing on subjects such as equal opportunities, equality and diversity, inclusion, anti-discrimination, anti-harassment, etc.?																0	5
		B.2 Gender-specific											'				-		
1	800.10	Does the vessel have women seafarer(s) working either as officers or ratings?																0	10
1	800.11	Is the ship equipped with the following specific facilities for women seafarers:  - feminine hygiene items (in bonded stores) & separate disposal facilities  - separate washrooms with sanitary facilities  - suitable sized (gender specific) safety and protective clothing  - access to medical supplies without having to consult male colleagues																0	5
										otal s								0	50
丄					Min	ımun	ı rank	ung s	core re	equire	d for (	eleme	ent 18	800 =	10				

JA COU	16.	Stilp frame.															Date 0	Sillp S	uivey.
		CHECKLIST - RANKING CRITERIA - SHIP SURVEY - BULK CARRIER (GENE	RAL	_CA	RG	O C	ARF	RIER	?) -	VEF	RSIC	ON 20	)23						
Revision Code	Norm item	RANKING Ship - BBU (GCC)	MASTER	Doc. & Impl.	CHIEF OFFICER	Doc. & Impl.	DECK OFFICER	Doc. & Impl.	DECK RATING	Doc. & Impl.	CHIEF ENGINEER	Doc. & Impl.	Doc. & Impl.	ENGINEER RATING	Doc. & Impl.	CATERING PERSONNEL	NOT APPLICABLE	RANKING SCORE	RANKING MAX. SCORE
	2000	NAVIGATION / BRIDGE OPERATIONS																	
	2100	Navigation	0		0		0												
	2100.3	Does the voyage or passage plan include contingency planning?																0	10
	2100.6	Is the vessel automatically supplied with new hydrographic publications?																0	10
	2100.7	Is the vessel electronically updated for hydrographic publications? (eg. Temporary and Preliminary NtM)																0	10
	2100.8	Is navigational equipment included in the electronic Planned Maintenance System?																0	10
	2100.9	Are masters entitled to use non-compulsory pilot services? (must be stated in a company procedure)																0	20
	2100.13	Is the vessel using weather routing services while on long haul voyage?																0	10
	2100.18	Is the vessel enrolled in a meteorological & oceanographic service in a form of a software application?																0	10
	2100.19	Alternative to 2100.18: Does the vessel have a capability to receive comprehensive weather information from the office or from coastal stations / platforms?	е															0	5
	2100.15	Is the vessel equipped with the multi constellation GNSS receiver?																0	10
	2100.16	Is the vessel equipped with the eLoran receiver?																0	10
	2100.17	Is the position for all stages of voyage compared with a different method of positioning than GPS?																0	20
			┢		Min	imum	rank	ring c	coro		al sco	ore for eler	nont 2	2100 -	- 40			0	120
	2110	Electronic chart display & information systems / ECDIS	0		0		0	ung s	COIE	requ	iii eu i	or elei	nent 2	100 =	40				
		Only applicable to ships for which implementation date is still in the future and which do <u>NOT</u> use ECDIS as primary means of navigation	Ī																
	2110.1	Is the ship equipped with ECDIS (type approved, using only official ENCs, and/or RNCs, master & all navigating officers shall have completed generic training & have been familiarized with ECDIS unit(s) installed onboard according to the Industry Recommendations for ECDIS Familiarisation?															na	0	0
	2110.2	Are master & all navigating officers part of the introduction programme for usage of ECDIS?															na	0	0
					DA:						al sco			2440	^			0	0
					Min	ımum	ı rank	ung s	core	requ	ired f	or eler	nent 2	2110 =	= 0				

																		_
		CHECKLIST - RANKING CRITERIA - SHIP SURVEY - BULK CARRIER (GENER	RAL	CA	RGO	CA	RRIE	ER) -	VERS	SION	202	23						
Revision Code	Norm item	RANKING Ship - BBU (GCC)	MASTER	Doc. & Impl.	CHIEF OFFICER	Doc. & Impl.	DECK OFFICER Doc. & Impl.	DECK RATING	Doc. & Impl.	Doc. & Impl.	ENGINEER OFFICER	Doc. & Impl.	ENGINEER RATING	CATERING PERSONNEL	Doc. & Impl.	NOT APPLICABLE RANKING SCORE	RANKING MAX. SCORE	
	2111	Electronic chart display & information systems / ECDIS																
		Applicable to ships for which carriage of ECDIS is compulsory and Bulk Carriers which choose to use ECDIS as primary means of navigation on voluntary basis											'					
	2111.4	Is ECDIS hardware maintained and software updated?														0	5	5
	2111.5	Is ECDIS tested according to the IHO ECDIS data presentation and performance check with a use of test data set after every update of the software (including back up)?														0	5	5
	2111.6	Is the crew regardless of the generic training familiarized with the ECDIS unit(s) installed onboard according to the Industry Recommendations for ECDIS Familiarisation?														0	1	15
	2111.7	Have all the officers completed structured ECDIS training(s) on top of the generic training (besides the familiarization onboard in R2111.6)?														0	5	5
	2111.10	Does the voyage planning include checking if all needed charts are up-to-date (latest edition official chart updated an corrected to the latest available updates and NtM)?														0	5	5
	2111.11	Does the ECDIS procedure suggest display settings (layers) of ECDIS for various navigation conditions (arrival / departure - coastal - deep sea)?														0	10	0
	2111.12	Does the vessel have a basic folio of paper charts (in case second ECDIS is a back up system)?														0	10	_
			-		Minin	num r	ankin	score	Total		eleme	ent 21	111 = 30	)		0	5	5
	2120	Fuel Change Over / Ballast Water Exchange	0		0		0											
	2120.1	Does the voyage plan (checklist) include when fuel change over should be carried out?														0	10	0
	2120.2	Does the voyage plan (checklist) include when ballast water exchange can be carried out?														0	10	0
									Total							0	2	<u>:0</u>
	2200	Halisanten / Chin Onevetions			Minin		anking O	_	require	ed for	eleme	ent 21	120 = 20	<u> </u>				
	2200	Helicopter / Ship Operations				_	U	0						_			-	
	2200.1 2200.2	Are crew members who are involved in helicopter/ship operations trained in standards and procedures?  Is an action plan in case of a helicopter accident available?									1			-		0	10	
	2200.2	is an action plan in case of a helicopter accident available?							Total	score						0	2	
					Minin	num r	anking	score			eleme	ent 22	200 = 20	)				
	2300	Mooring Operations	0		0			0										
	2300.1	Does the company give procedures/instructions for mooring/unmooring operations?														0	10	0
	2300.2	Is new crew familiar with the operation and capabilities of the ship's mooring equipment?														0	10	0
	2300.3	Are specific mooring plans, which have been used at certain terminals, recorded?														0	20	<b>:</b> 0
	2300.4	Is a drawing of the mooring arrangement readily available on the bridge?														0	10	_
									Total	score						0	5	50

GA Coa	ð.	Snip name:													Date	of Snip S	urvey:
		CHECKLIST - RANKING CRITERIA - SHIP SURVEY - BULK CARRIER (GENEI	RAL	CA	RGO	CAF	RRIE	R) - V	'ERSI	ION	202	3					
Revision Code	Norm item	RANKING Ship - BBU (GCC)	MASTER	Doc. & Impl.	CHIEF OFFICER	Doc. & Impl.	Doc. & Impl.	DECK RATING	Doc. & Impl.  CHIEF ENGINEER	Doc. & Impl.	ENGINEER OFFICER	Doc. & Impl.	ENGINEER RATING Doc. & Impl.	CATERING PERSONNEL	Doc. & Impl. NOT APPLICABLE	RANKING SCORE	RANKING MAX. SCORE
	3000	MACHINERY / ENGINE OPERATIONS															
	3100	Bunker Operations				(			0		0		0				
	3100.1	Does the company MS specify a safe-maximum percentage fill for bunker tanks? (max. limit 95%)														0	10
	3100.2	Is a checklist used for bunker operations (company format) ?														0	10
	3100.3	Does the bunker procedure include a bunker plan (company format) ?														0	10
	3100.4	Are there procedures/instructions for the internal transfer of fuel oil between main storage tanks?														0	10
	3100.5	Is there an instruction that all persons involved are to be familiar with the intended bunker operation and/or internal transfer operation and their duties?														0	10
					Minim	um ra	nkina	score r	Total so		olomo	nt 210	00 – 50			0	50
	3101	Bunker Operations - LNG				iuiii ra	likilig	Score	equirec	1101 6	leine	111. 310	00 = 30				
	3101.1	Is the ship mandated to use only a relevant IAPH LNG bunkering checklist - either by company SMS or by instructions from charterer / port authority?														0	10
	3101.2	Do shipboard personnel make use of LNG specific PPEs such as protective cryogenic gloves and safety goggles with side protection during LNG bunkering operations?														0	10
	3101.3	Are ship's LNG bunker stations equipped with CCTV for the purpose of observing the bunkering operation from the bridge or operation control room?														0	10
	3101.4	Does a designated shipboard personnel provide a dedicated watch (from a safe location) on bunker station during the entire duration of the LNG bunkering?														0	5
	3101.5	Does the ship use thermal imaging camera/equipment for leakage detection of LNG during bunkering?														0	5
	3101.6	Have relevant shipboard personnel completed a shore-based training on LNG bunkering?														0	10
					Batter from		alda -		Total so		.1		04 05			0	50
		I			winim	ium ra	nking	score r	equirec	i ior e	eieme	nt 310	U1 = 25				

				-														, .
		CHECKLIST - RANKING CRITERIA - SHIP SURVEY - BULK CARRIER (GENER	AL	CAI	RGO	CA	RRI	IER)	- VE	RSI	ON :	2023	3					
Revision Code	Norm item	RANKING Ship - BBU (GCC)	MASTER	Doc. & Impl.	CHIEF OFFICER	Doc. & Impl.	DECK OFFICER	Doc. & Impl.	Doc. & Impl.	CHIEF ENGINEER	Doc. & Impl.	ENGINEER OFFICER	Doc. & Impl.	ENGINEER RATING Doc. & Impl.	CATERING PERSONNEL	DOC. & IMPL NOT APPLICABLE	RANKING SCORE	RANKING MAX. SCORE
	3200	Fuel oil management																
		B.Sampling & Testing																
		B.1 MARPOL delivered fuel oil sampling																
	3200.11	Is all fuel oil sampling (during bunkering) carried out using an automatic sampler (time or flow proportional) in accordance with MARPOL Annex VI?															0	10
		B.2 In-use fuel oil sampling				-				_	_		-		_		-	_
	3200.16	Are fuel oil samples drawn from the following designated sampling points at least once every four months for testing of catalytic fines & separator efficiency at a recognized fuel analysis organization ashore?  1. at engine inlet  2. before separator  3. after separator															0	10
		B.3 Testing						_			_							
	3200.1	Is bunkered fuel oil <b>always</b> tested (before use onboard) by a recognized fuel analysis organization ashore in accordance with the requirements of ISO 8217 standard?															0	40
		C. Operational procedures						_										
	3200.17	Is the commingling of two different bunkers (even of the same grade of fuel) prohibited?															0	10
	3200.18	For the situations where commingling of two different fuels is unavoidable, does the relevant ship crew implement the company prescribed <b>commingling procedure</b> to determine the compatibility of two bunkers (including the reference test methods)?															0	5
		D. Additional questions																
	3200.19	Are the copies of valid certificate of quality (COQ) and associated laboratory analysis reports for the recently bunkered fuel oil available on board?															0	5
					Minim		ronk!:	2000		tal sc		lome:	4 220	00 = 40			0	80
	3300	On-shore Power Supply	0		O	num i	I di iKil	ng sco		lan ea	ioi e	iemen	11 320	00 = 40				
	3300.1	Is the vessel fitted with On-shore Power Supply equipment?															0	20
	3300.2	Is the crew familiarised with the operation and safety aspects of On-shore Power Supply?															0	5
		and a management of the second								tal sc							0	25
					Minin	num	rankiı	ng sco	re rec	quired	for e	lemen	nt 330	00 = 0				

4 000	·	Stilp traine.																Date	or Strip C	ui voy.
		CHECKLIST - RANKING CRITERIA - SHIP SURVEY - BULK CARRIER (GENER	AL	CAI	RGC	) CA	RR	IER	() - <b>\</b>	/ER	1018	N 2	023							
Revision Code	Norm item	RANKING Ship - BBU (GCC)	MASTER	Doc. & Impl.	CHIEF OFFICER	Doc. & Impl.	DECK OFFICER	Doc. & Impl.	DECK RATING	Doc. & Impl.	Doc. & Impl.		ENGINEER OFFICER	Doc. & Impl.	ENGINEER RATING	de: &bi:	CATERING PERSONNEL	NOT APPLICABLE	RANKING SCORE	RANKING MAX. SCORE
	4000	CARGO OPERATIONS																		
	4500	Hull Stress Monitoring System	0		0															
	4500.1	Does the vessel have a hull stress monitoring system which provides real-time information with readouts both in the CCR and on the bridge?																	0	20
					a a tracti					Total				450					0	20
	4601	Preparation of loading / unloading plan	0		VIIII	mum I	rank	ing s	core	requir	ea toi	rele	ment	450	0 = 0					
	4601.1	Does the company distribute relevant cargo instructions to the vessel? (e.g. is ship compatible for intended cargo)	•		•							+		+					0	20
	4601.2	Does the master receive clear instructions about identity of charterer with respect to reporting and consultation?								-		+		+					0	10
	4601.3	Does the shipbroker (or head office staff) contact the master to request his confirmation that a cargo can be safely carried and his calculations of the tonnage that the ship can carry between specified ports?																	0	20
	4601.4	Is the ship provided with information about the terminal in order to plan the loading and unloading plan?												T					0	10
	4601.5	Has the master received the details of the nature of the cargo from the shipper of the intended cargo?																	0	10
	4601.6	Is the master provided with information on the strength of the hull girder system for representative scenarios of loading and discharging of intended loading conditions?																	0	20
		(For General Cargo Carriers) 4601.7 to 4601.10 are alternatives to 4601.6																		
		Does the "trim & stability booklet" provide information on maximum allowable cargo-load per hold / per tank top unit surface ( m² or ft² ).																	0	5
		Does the "trim & stability booklet" provide information on any restrictions during loading / discharging or voyage reference cargo-loads.						Ì											0	5
	4601.9	Does the "trim & stability booklet" provide information on maximum permissible forces and moments on the ship's hull during loading / discharging and voyage.																	0	5
	4601.10	Is the vessel provided with a loadicator which includes the information as required by 4601.9?																	0	5
_					B.B.L. C					Total				400	4 70	_			0	90
					wini	mum I	rank	ıng s	core	requir	ea toi	r ele	ment	460	1 = 70	j				

GA COC		OUTOWART DANIEND ODITEDIA OUID OUDVEY DULK CARDIED (OFNED							\/-	-00	1011	000	_				Ji Silip S	
	•	CHECKLIST - RANKING CRITERIA - SHIP SURVEY - BULK CARRIER (GENER	KAL	CA	RGC	) C	AKK	IEK)	- VE	-RSI	ION	202	3				ı	
Revision Code	Norm item	RANKING Ship - BBU (GCC)	MASTER	Doc. & Impl.	CHIEF OFFICER	Doc. & Impl.	DECK OFFICER	Doc. & Impl.	Doc. & Impl.	CHIEF ENGINEER	Doc. & Impl.	ENGINEER OFFICER	Doc. & Impl.	ENGINEER RATING Doc. & Impl.	CATERING PERSONNEL	Doc. & Impl. NOT APPLICABLE	RANKING SCORE	RANKING MAX. SCORE
	4602	Cargo handling and operations	0		0		0		0	0								
	4602.1	Is it company procedure that the ship shore safety checklist for loading or unloading dry bulk cargo carriers (MSC/Circ. 690) has to be used before loading/unloading operations?		•										•			0	20
	4602.2	Does the company give procedures/instructions in relation to the entire cargo operations?															0	20
	4602.3	Is ship's stability and loading information readily available, accurate and easy for the officers to use?															0	10
	4602.4	Is the ship's officer in charge informed about remaining amount of cargo on the conveyor belt that must be loaded after a "STOP"?															0	10
	4602.5	Is the ship's officer in charge provided with loaded cargo weight at frequent intervals & at the end of each pour?															0	10
	4602.6	Has the master received a written cargo declaration, before commencement of loading?															0	10
	4602.14	(For General Cargo Carriers) Alternative to 4602.6  Has the density of the cargo been confirmed or tested by the charterer and evidence available onboard before commencement of loading. (in the scenario of loading dry-bulk cargoes)															0	10
	4602.7	Does the company give procedures / instructions for handling of stevedores' damage?															0	10
	4602.8	Is damage to the hatch covers, hatch coamings and associated fastenings directly reported with a written notice? (in order to make the person who caused the damage more careful in avoiding further damage)															0	20
	4602.9	Is an effective deck watch in attendance on deck during cargo operations?															0	10
	4602.10	Does the master have readily accessible information on the total quantity loaded, as well as the quantities per hour?															0	10
	4602.11	Is a working procedure available with regard to deviations in the loading / unloading plan?															0	20
	4602.12	Are hatch identification numbers clearly visible to the operator of the loading or unloading equipment? (e.g. location, size and colour)															0	10
	4602.13	(N/A for General Cargo Carriers) Is it company policy that cargo which is liable to stick between frames is removed on time? (e.g. in order to prevent damage caused by pneumatic hammers, bulldozers etc.)														na	0	0
					Mini	mum	rankii	na se		otal so		lemer	nt 460	2 = 120			0	160
	4603	Safe work facilities during cargo operations	0		0		0			441130	10.0		450					
	4603.1	Are potentially hazardous objects or objects which are likely to be damaged during discharging, indicated? (e.g. adjacent fuel tanks, position and type of hold ladders, position of projecting pipes, steeply receding sloping sides)															0	10
	4603.2	Are stevedores informed about the potentially hazardous objects which are indicated?								1			T				0	10
	4603.3	Are opened hatches surrounded by a safe, sturdy rail with stanchions?															0	10
	4603.4	Is access to holds safe and well maintained? (e.g. fixed hold ladders on both sides, access to hold via enclosed shafts free of harmful gasses and with adequate ventilation, access shafts must have adequate sufficient illumination)															0	10
	4603.5	Is sufficient lighting in hold working area available?															0	10
										otal so							0	50
	1				Mini	ımum	rankii	ng sc	ore rec	quirec	d for e	lemer	nt 460	3 = 50				

		CHECKLIST - RANKING CRITERIA - SHIP SURVEY - BULK CARRIER (GENER	AL	CAF	RGC	) C/	٩RR	RIER	() - <b>(</b>	VER	SIOI	N 20	23						
Revision Code	Norm item	RANKING Ship - BBU (GCC)	MASTER	Joc. & Impl.	CHIEF OFFICER		DECK OFFICER		Š		CHIEF ENGINEER	NEER OFFICER		ENGINEER RATING	Joc. & Impl.	CATERING PERSONNEL	Joc. & Impl. NOT APPLICABLE	RANKING SCORE	RANKING MAX. SCORE
	4604	Communication during cargo operations, GA requirement for all cargoes	0		0		0												, i
	4604.1	Is the terminal representative made aware of the loading / unloading plan?															T	0	10
	4604.2	Is the terminal's representative made aware of the requirements for harmonisation between deballasting and cargo loading rates for his ship? (e.g. times at which loading may need to be suspended, etc.)																0	10
	4604.3	Are names and procedures readily available for contacting the terminal personnel or shipper's agent who have responsibility for the loading or unloading operation and with whom the master will have contact?														ļ		0	10
	4604.4	Are communication arrangements between ship and terminal capable of responding to requests for information on the loading/unloading process and prompt compliance in the event that the master orders loading/unloading to be suspended?																0	10
					Mini	mum	rank	ina c	coro		l score		ont 4	e04 -	40			0	40
	4605	Inspections during cargo operations	0		0		0	ing s	COTE	<del>-</del>	0	leien	lent 4	- 400	70				
	4605.1	Are inspections of cargo holds conducted before all loading and after all unloading operations?										T			Т		_	0	20
	4605.2	Are inspections of the cargo done in way of the hatch coaming immediately upon opening the hatches at the end of a sea voyage?																0	10
	4605.3	Is any detected damage (after completion of unloading) recorded and is this agreed on by the terminal?																0	20
	4605.4	Are damages to frames, brackets and plating recorded so that new damage can be detected? (cover plates for manholes or grating for bilge wells are not missing?)																0	20
					Mini	mum	rank	ina e	core		l score		ont A	605 -	- 40			0	70
	4606	Safety precautions during cargo operations	0		0	III	Tank	ing a	COIE	requi	reu io	leien	lent 4	005 -	Ī				
	4606.1	Does the company provide instructions / procedures to control the access of unauthorised persons on board?															+-	0	20
	4606.2	Are there procedures to ensure that a sufficient number of personnel is available in case of emergency during port stay?															+	0	10
	4606.4	Is a terminal emergency plan available on board? (Deck office)															+	0	10
											Iscore							0	40
						mum	rank	ing s	core	requi	red fo	r elem	ent 4	606 =	20		_		
	4800	Cargo Operations, Additional Green Award requirements			0												4		
	4800.1	Are list indication lights fitted and are these tested prior to loading or unloading and proved operational?								-		+			$\dashv$		—	0	10
	4800.2 4800.3	Is vessel equipped with an approved electronic system for measuring the draught with remote readouts?  Is the measuring system for bunker and ballast tanks on line with the loadicator?								-		+			$\dashv$		+	0	10
	4800.4	Is the measuring system for bunker and ballast tanks on line with the loadicator?  Is a cargo drain tank installed? (e.g. drainage of cargo moisture, calculation of cargo weight)								$\dashv$		+			$\dashv$		+	0	30
		Is the cargo drain tank provided with an approved filter system between tank and sea valve? (e.g. to prevent pumping										+			$\dashv$		+	0	10
	4800.5	overboard of cargo residues during stay in ports)						ı							Į	.!!		•	10

Revision Code	Norm item	GREEN AWARD		MASTER	Doc. & Impl.	CHIEF OFFICER	Doc. & Impl.	Doc. & Impl.	DECK RATING	Doc. & Impl.  CHIEF ENGINEER	Doc. & Impl.	ENGINEER OFFICER	- 0∠			Doc. & Impl. NOT APPLICABLE	RANKING SCORE	RANKING MAX. SCORE
	5000	PREVENTION OF POLLUTION																
	5100	Biofouling Management																
RANKING Ship - BBU (GCC)  Source PREVENTION OF POLLUTION  Sino. Biofouling Management  Source Procedures/instructions (according to IMO guidelines) for the control and management of ship's biofouling to minimize the transfer of invasive aquatic species?  Source Prevention of Pollution on the procedures/instructions and proactive hull cleanings as per the frequency and timing defined in consultation with coatings manufacturer and/or coatings consultant?  Source Prevention of Pollution on the procedures/instructions (according to IMO guidelines) for the control and management of ship's biofouling to minimize the transfer of invasive aquatic species?  Source Prevention of Pollution on the procedures/instructions (according to IMO guidelines) for the control and management of ship's biofouling to minimize the transfer of invasive aquatic species?  Source Prevention of Pollution on the procedures/instructions (according to IMO guidelines) for the control and management of ship's biofouling to minimize the transfer of invasive aquatic species?  Source Prevention of Pollution on the procedures/instructions (according to IMO guidelines) for the control and management of ship's biofouling to minimize the transfer of invasive aquatic species?  Source Prevention of Pollution on the prevention of th									0	10								
	5100.6																0	5
	5100.7																0	5
	RANKING Ship - BBU (GCC)  Source PREVENTION OF POLLUTION  Siofouling Management  Sino.5 Are there ship-specific procedures/instructions (according to IMO guidelines) for the control and management of ship's biofouling to minimize the transfer of invasive aquatic species?  Sioo.5 Does the ship undergo in-water inspections and proactive hull cleanings as per the frequency and timing defined in consultation with coatings manufacturer and/or coatings consultant?  Sioo.9 Does the ship communicate to the office data points that are pre-defined as indicators for reactive hull cleaning (For example, based on performance monitoring or other relevant datasets such as increased friction)?  Sino.9 Is the vessel's hull coated with non-toxic hard coating to mitigate bio-fouling?  Total score							0	10									
																	0	30
						Minin	num ra	ınking	score	required	for e	lemen	t 5100	= 5				

		CHECKLIST - RANKING CRITERIA - SHIP SURVEY - BULK CARRIER (GENER	AL	CAI	RGC	) CA	ARR	IER)	) - VE	RSI	ON	2023	3					
Revision Code	Norm item	RANKING Ship - BBU (GCC)	MASTER	Doc. & Impl.	CHIEF OFFICER		ËR		DECK RATING Doc. & Impl.	NEER		OFFICER		ENGINEER RATING Doc. & Impl.	CATERING PERSONNEL	Doc. & Impl. NOT APPLICABLE	RANKING SCORE	RANKING MAX. SCORE
	5200	Waste Management / Garbage Handling Onboard			0					0					0			
		A. General procedures				•		•								•		
	5200.31	Are all collection garbage receptacles for all categories of garbage labelled/marked and color coded?															0	5
	5200.9	Is there a designated space for long term stowage of garbage (except food waste)?															0	10
	5200.4	Is the vessel equipped with compactor to reduce the volume of garbage?															0	5
	5200.37	Is the vessel equipped with a waste shredder?															0	5
M	5200.22	Are all recyclable material such as paper, plastic, metal (for example, tin cans), glass, bottles, crockery & similar refuse, and dunnage always delivered to the port reception facilities?															0	5
		B. Garbage types																
		B.1 Food waste																
	5200.11	Is the vessel equipped with grinder/comminutor for food waste?															0	5
	5200.32	Is the grinder / comminutor also used beyond 12 nautical miles (and operating outside special areas) from the nearest shore as they hasten assimilation into the marine environment?															0	10
	5200.33	Is the discharge from comminutors directed to a dedicated holding tank while the vessel is operating in special areas?															0	5
	5200.34	Is the vessel equipped with a refrigerated sack compactor or freezer space for food waste storage?															0	5
	5200.35	Is the vessel equipped with a grease interceptors (grease traps)?															0	5
		B.2 Cargo residue																
	5200.29	Are there verifiable efforts made onboard to minimize the amount and proper treatment of cargo residues?															0	10
	5200.26	Are cargo residues delivered to the reception facility as appropriate? (where reception facilities are available)															0	10
		B.3 Ashes and clinkers									-							1
	5200.25	Are all incinerated ashes and clinkers always delivered to the port reception facilities?															0	10
		B.4 Cleaning agents & additives								1					1	-	1	1
	5200.27	Are non harmful (MARPOL Annex V compliant) cleaning agents and additives used for cleaning the cargo holds?				_		_		1			_		1	_	0	10
	5200.28	Are <u>non harmful</u> (MARPOL Annex V compliant) cleaning agents and additives used for cleaning the deck / external surfaces?													<u> </u>		0	10
		B.5 Plastics	-		ı	- 1		1		1	1		ı		1	-	1 _	T
	5200.20	Are the crew aware that plastic should not be incinerated?								1			-		1-		0	10
	5200.39	Are plastic cutlery, dishes & straws banned on board?  Are beyong as and minoral water battles in boarded store replaced by better sustainable alternatives such as beyong as								1			-		1-		0	5
	5200.40	Are beverages and mineral water bottles in bonded store replaced by better sustainable alternatives such as beverages in tin cans and large water barrels in a dispenser?															0	5
	5200.41	Are single food servings in small plastic pots not used on board (for example, small yoghurt pots are replaced with decanted supplies in large containers)?						1									0	5
	5200.42	Is fine filtering mesh installed to the ship's washing machine's outlets to prevent micro-plastic fibres reaching the ocean?						1					_				0	5
М	5200.43	Is the crew <u>aware</u> that old ropes and mooring lines are forbidden to be dumped at sea and must be retained on board until landed ashore for correct disposal?															0	5
		C. Additional questions			1					1								
	5200.16	Has the crew completed training / education programme in relation to garbage management?	$ldsymbol{ldsymbol{ldsymbol{eta}}}$					$\perp$		<u> </u>					1		0	5
			•						To	tal sc	ore						0	150

		OUTOW IOT DANIVING ODITION OF SUBVEY BUT VOLUME	A !	<u> </u>			DD:-		\/-	DOL	<b></b>	000	^						
	-	CHECKLIST - RANKING CRITERIA - SHIP SURVEY - BULK CARRIER (GENER	AL (	CAF	₹GO	CA	KRIE	:R) -	VE	KSIC	NC	202	3			1		-	
Revision Code	Norm item	RANKING Ship - BBU (GCC)	MASTER	Doc. & Impl.	CHIEF OFFICER	Doc. & Impl.	DECK OFFICER Doc. & Impl.	DECK RATING	Doc. & Impl.	CHIEF ENGINEER	Doc. & Impl.	ENGINEER OFFICER	Doc. & Impl.	ENGINEER RATING	CATERING PERSONNEL	Doc. & Impl.	NOT APPLICABLE	RANKING SCORE	RANKING MAX. SCORE
541	10	NOx Emissions	_	П	Ĭ				_	0		_		_				_	
		A. Emission Monitoring																	
541	10.10	Does the ship use a continuous emission monitoring system (in-situ or extractive) for monitoring and recording NOx emissions?																0	10
		B. Emission Reduction																	
		For ships keel laid between 01-01-2000 and 31-12-2010 (Tier I mandatory ships)																	
541	10.11	Does the ship reach the NOx tier 2 limits on the main engines?																0	10
541	10.12	Does the ship reach the NOx tier 2 limits on the <u>auxiliary engines</u> ?																0	10
		For ships keel laid on / after 01-01-2011 (5410.13 - 5410.18)																	
541	10.13	Does the ship reach NOx emissions 15% below the tier 2 limits on their main engine?																0	5
541	10.15	ALTERNATIVE 1 to 5410.13  Does the ship reach NOx emissions 30% below the tier 2 limits on their main engine?																0	10
541	10.17	ALTERNATIVE 2 to 5410.13  Does the ship reach NOx emissions 50% below the tier 2 limits on their main engine?																0	15
541	10.14	Does the ship reach NOx emissions 15% below the tier 2 limits on their <u>auxiliary engine</u> ?																0	5
541	10.16	ALTERNATIVE 1 to 5410.14  Does the ship reach NOx emissions 30% below the tier 2 limits on their auxiliary engine?																0	10
541	10.18	ALTERNATIVE 2 to 5410.14  Does the ship reach NOx emissions 50% below the tier 2 limits on their <u>auxiliary engine</u> ?																0	15
		For ALL ships (5410.19)																	
541	10.19	Do all the ship's engines (main and auxiliary) <u>ALWAYS</u> operate at NOx Tier 3 levels in all ports and contiguous zones (24 nm from the nearest land)?																0	30
		C. Additional Questions																	
		Exhaust Gas Recirculation (EGR)																	
541	10.22	Does the ship communicate negative test results from the continuous monitoring of exhaust gas recirculation bleed-off discharge water to the company?  * The guidelines set out in MEPC.259 (68) are applicable to EGR bleed-off discharge water as well.																0	10
541	10.23	Is the treated wash water discharged from the EGR unit as bleed-off water collected for sampling periodically and communicated communication made to the company for the below parameters?  1. Heavy metals  2. Wash water additives.  *Above two values are on top of the mandatory monitoring of pH, PAH, turbidity values set by IMO.																0	15
541	10.24	Is appropriate PPE being used by the crew during the handling of caustic soda which is used as an additive for EGR?																0	5
		Selective Catalytic Reduction (SCR)						-							-				
541	10.26	Does the shipboard crew monitor the catalyst condition continuously to make sure injected urea is fully utilized to avoid ammonia slip?																0	20
					NATion In					tal sco		law:		40 0				0	140
					Minim	num ra	anking	scor	e req	uired	tor e	iemei	nt 54	10 = 35	ı				

RANKING Ship - BBU (GCC)    Sox Emissions   A. Emission Monitoring   Base   Bas			CHECKLIST - RANKING CRITERIA - SHIP SURVEY - BULK CARRIER (GENER	AL	CAF	RGO	CAF	RRIE	R) - V	/ERSI	ION	202	23						
A Emission Monitoring  Does the ship use a continuous emission monitoring system (in-situ or extractive) for monitoring and recording SOX emissions?  B. Emission Reduction  Main and auxiliary engines: Does the ship voluntarily burn low sulphur fuel (max. 0.10% sulphur) or use equivalent methodology during the ship's stay at every port?  If exhaust gas cleaning system is used, sulphur content is measured with SO2-CO2 ratio. Ratio of max 4.3 is equal to 0.10% sulphur content)  C. Additional Questions  Exhaust Gas Cleaning System (EGCS)  Is the ship lifted with an EGC system which is tested, surveyed, certified and verified under the requirements of Scheme B' (continuous emission monitoring with parameter checks)?  S420.13  State Ship the So2 we missions compliance plan (SECP) should present how the continuous monitoring of ship oxhaust gas emissions will demonstrate that the total SO2(ppn)/CO2(%) ratio is comparable to the requirements of 14.1 and/or 14.4 of MAPPOL Annex &  "The ship should be in possession of EGC technical manual, scheme B (ETM-B).  Does the ship communicate negative test results from the continuous monitoring of wash water discharge to the company?  "The wash water discharge criteria have been set out in MEPC-259 (8)."  Is the treated wash water discharge from the EGC unit collected for sampling periodically and communication made to the company for the below parameters?  \$20.15  \$420.15  **LHeavy metals**  \$20.25  \$420.15  **LHEAVY metals**  \$20.25  **LEXENATIVE TO 5420.18  Does the ship have an EGC unit that is capable of operating both in open and closed-loop mode.  \$420.15  \$420.16  **LEXENATIVE TO 5420.18  Does the ship have an EGC unit that is capable of operating both in open and closed-loop mode.  \$420.20  \$420.2	Revision Code	Norm item		MASTER	Doc. & Impl.	CHIEF OFFICER	Doc. & Impl.	Doc. & Impl.	DECK RATING	Doc. & Impl.  CHIEF ENGINEER	Doc. & Impl.	ENGINEER OFFICER	Doc. & Impl.	ENGINEER RATING	CATERING PERSONNEL	Doc. & Impl.	NOTAPPLICABLE	KANNING SCORE	
Does the ship use a continuous emission monitoring system (in-situ or extractive) for monitoring and recording SOx		5420	SOx Emissions							0									
B. Emission Reduction  Main and auxiliary engines: Does the ship voluntarily burn low sulphur fuel (max. 0.10% sulphur or use equivalent methodology during the ship's stay at every port? If exhaust gas cleaning system is used, sulphur content is measured with SO2:CO2 ratio. Ratio of max 4.3 is equal to 0.10% sulphur content)  C. Additional Questions  Exhaust Gas Cleaning System (EGCS)  Is the ship litted with an EGC system which is tested, surveyed, certified and verified under the requirements of Scheme B' (continuous emission monitoring with parameter checks)?  Yurder scheme B, the SOx emissions compliance plan (SECP) should present how the continuous monitoring of ship exhaust gas emissions will demonstrate that the total SO2(ppm)/CO2(%) ratio is comparable to the requirements of 14.1 and 1			A. Emission Monitoring							Ī	•						-	-	
Main and auxiliary engines:  Does the ship voluntarily burn low sulphur fuel (max. 0.10% sulphur) or use equivalent methodology during the ship's stay at every potentify full exhaust gas cleaning system is used, sulphur content is measured with SO2:CO2 ratio. Ratio of max 4.3 is equal to 0.10% sulphur content)  C. Additional Questions  Exhaust Gas Cleaning System (EGCS)  Is the ship fitted with an EGC system which is tested, surveyed, certified and verified under the requirements of Scheme B' (continuous emission monitoring with parameter checks)?  14-10-4-10-4-10-4-4-10-4-10-4-10-4-10-		5420.11																0	10
Does the ship voluntarily burn low sulphur fuel (max. 0.10% sulphur) or use equivalent methodology during the ship's stay at every port?  If exhaust gas cleaning system is used, sulphur content is measured with SO2:CO2 ratio. Ratio of max 4.3 is equal to 0.10% sulphur content)  C. Additional Questions  Exhaust Gas Cleaning System (EGCS)  Is the ship fitted with an EGC system which is tested, surveyed, certified and verified under the requirements of Scheme B (Continuous emission monitoring with parameter checks)?  **Inder scheme B, the SOx emissions compliance plan (SECP) should present how the continuous monitoring of ship exhaust gas emissions will enrorstrate that the total SO2(pm)/CO2(%) ratio is comparable to the requirements of 14.1 and/or 14.4 of MARPOL Annex 6.  **Does the ship communicate negative test results from the continuous monitoring of wash water discharge to the company?  **The wash water discharge criteria have been set out in MEPC.259 (68).  Is the treated wash water discharge from the EGC unit collected for sampling periodically and communication made to the company for the below parameters?  **Leavy metals**  2. Wash water additives  **Above two are on top of the mandatory monitoring of pH, PaH, turbidity values set by IMO.  5420.15  S420.17  **Author To S420.18  Does the ship have an EGC unit that is capable of operating only in closed-loop mode?  **Author To S420.18  Does the ship have an EGC unit that is capable of operating in zero discharge mode?*  **Applicable only for vessels fitted with EGCS capable of operating in closed-loop mode.  **S420.19  **S420.19  **Leavy metals**  S420.10  **Leavy metals**  S420.11  **Leavy metals**  S420.12  **Leavy metals**  S420.13  **Leavy metals**  S420.14  **Leavy metals**  S420.15  **Leavy metals**  S420.17  **Leavy metals**  S420.18  **Leavy metals**  S420.18  **Leavy metals**  S420.19  **			B. Emission Reduction																
Exhaust Gas Cleaning System (EGCS)  Is the ship fitted with an EGC system which is tested, surveyed, certified and verified under the requirements of Scheme B' (continuous emission monitoring with parameter checks)?  1 Under scheme B, the SOX emissions compliance plan (SECP) should present how the continuous monitoring of ship exhaust gas emissions will demonstrate that the total SO2(ppm)/CO2(%) ratio is comparable to the requirements of 14.1 and/or 14.4 of MARPOL Annex 6.  1 The ship should be in possession of EGC technical manual, scheme B (ETM-B).  Does the ship communicate negative test results from the continuous monitoring of wash water discharge to the company?  1 The wash water discharge criteria have been set out in MEPC.259 (68).  Is the treated wash water discharge drom the EGC unit collected for sampling periodically and communication made to the company for the below parameters?  1 Heavy metals 2 LWash water additives  1 Above two are on top of the mandatory monitoring of pH, PaH, turbidity values set by IMC.  1 ALTERNATIVE TO 5420.18  Does the ship have an EGC unit that is capable of operating both in open and closed-loop mode (hybrid)?  1 Status of the EGC unit capable of operating in zero discharge mode?  2 Status only for vessels fitted with EGCS capable of operating in closed-loop mode.  3 Status only for vessels fitted with EGCS capable of operating in closed-loop mode.  4 Status only for vessels fitted with EGCS capable of operating in closed-loop mode.  5 Status only for vessels fitted with EGCS capable of operating in closed-loop mode.  5 Status only for vessels fitted with EGCS capable of operating in closed-loop mode.  5 Status only for vessels fitted with EGCS capable of operating in closed-loop mode.  5 Status only for vessels fitted with EGCS capable of operating in closed-loop mode.  5 Status only for vessels fitted with EGCS capable of operating in closed-loop mode.  5 Status only for vessels fitted with EGCS capable of operating in closed-loop mode.  5 Status only for the manufacto		5420.12	Does the ship voluntarily burn low sulphur fuel (max. 0.10% sulphur) or use equivalent methodology during the ship's stay at every port?  (If exhaust gas cleaning system is used, sulphur content is measured with SO2:CO2 ratio. Ratio of max 4.3 is equal to															0	30
Is the ship fitted with an EGC system which is tested, surveyed, certified and verified under the requirements of Scheme B* (continuous emission monitoring with parameter checks)?  5420.13  5420.13  5420.13  10  10  10  10  10  10  10  10  10			C. Additional Questions										-		-	_			
B* (continuous emission monitoring with parameter checks)?  **Under scheme B, the SOx emissions compliance plan (SECP) should present how the continuous monitoring of ship exhaust gas emissions will demonstrate that the total SO2(ppm)/CO2(%) ratio is comparable to the requirements of 14.1 and/or 14.4 of MARPOL Annex 6.  **The ship should be in possession of EGC technical manual, scheme B (ETM-B).  Does the ship communicate negative test results from the continuous monitoring of wash water discharge to the company?  **The wash water discharge criteria have been set out in MEPC.259 (68).  Is the treated wash water discharged from the EGC unit collected for sampling periodically and communication made to the company for the below parameters?  1. Heavy metals  2. Wash water additives  **Above two are on top of the mandatory monitoring of pH, PaH, turbidity values set by IMO.  5420.18  Does the ship have an EGC unit that is capable of operating both in open and closed-loop mode (hybrid)?  S420.19  ALTERNATIVE TO 5420.18  Does the ship have an EGC unit that is capable of operating both in open and closed-loop mode.  S420.20  Is appropriate PPE being used by the crew during handling of caustic soda which is used as an additive for closed-loop scrubbers?  Total score  Total score  Total score			Exhaust Gas Cleaning System (EGCS)																
5420.14 company?  'The wash water discharge criteria have been set out in MEPC.259 (68).  Is the treated wash water discharged from the EGC unit collected for sampling periodically and communication made to the company for the below parameters?  1. Heavy metals 2. Wash water additives  *Above two are on top of the mandatory monitoring of pH, PaH, turbidity values set by IMO.  5420.18 Does the ship have an EGC unit that is capable of operating only in closed-loop mode?  5420.17 Does the ship have an EGC unit that is capable of operating both in open and closed-loop mode (hybrid)?  5420.19 Is the EGC unit capable of operating in zero discharge mode*?  *Applicable only for vessels fitted with EGCS capable of operating in closed-loop mode.  5420.20 Is appropriate PPE being used by the crew during handling of caustic soda which is used as an additive for closed-loop scrubbers?  Total score  10 10  15  16  17  18  10 10  10 10  11 10  11 10  12 11 11 11 11 11 11 11 11 11 11 11 11 1		5420.13	B* (continuous emission monitoring with parameter checks)?  * Under scheme B, the SOx emissions compliance plan (SECP) should present how the continuous monitoring of ship exhaust gas emissions will demonstrate that the total SO2(ppm)/CO2(%) ratio is comparable to the requirements of 14.1 and/or 14.4 of MARPOL Annex 6.															0	10
the company for the below parameters?  1. Heavy metals 2. Wash water additives *Above two are on top of the mandatory monitoring of pH, PaH, turbidity values set by IMO.  5420.18  Does the ship have an EGC unit that is capable of operating only in closed-loop mode?  5420.17  ALTERNATIVE TO 5420.18  Does the ship have an EGC unit that is capable of operating both in open and closed-loop mode (hybrid)?  1 st he EGC unit capable of operating in zero discharge mode*? *Applicable only for vessels fitted with EGCS capable of operating in closed-loop mode.  1 sappropriate PPE being used by the crew during handling of caustic soda which is used as an additive for closed-loop scrubbers?  Total score  1 o 15  Total score		5420.14	company?															0	10
5420.17 ALTERNATIVE TO 5420.18 Does the ship have an EGC unit that is capable of operating both in open and closed-loop mode (hybrid)?  5420.19 Is the EGC unit capable of operating in zero discharge mode*? *Applicable only for vessels fitted with EGCS capable of operating in closed-loop mode.  5420.20 Is appropriate PPE being used by the crew during handling of caustic soda which is used as an additive for closed-loop scrubbers?  Total score  Total score  0 105		5420.15	the company for the below parameters?  1.Heavy metals  2.Wash water additives															0	15
5420.17 Does the ship have an EGC unit that is capable of operating both in open and closed-loop mode (hybrid)?  15420.19 Is the EGC unit capable of operating in zero discharge mode*?  *Applicable only for vessels fitted with EGCS capable of operating in closed-loop mode.  15420.20 Is appropriate PPE being used by the crew during handling of caustic soda which is used as an additive for closed-loop scrubbers?  16		5420.18	Does the ship have an EGC unit that is capable of operating only in closed-loop mode?															0	10
*Applicable only for vessels fitted with EGCS capable of operating in closed-loop mode.  10 15  15  15  16  17  18  18  19  19  19  19  19  19  19  19		5420.17	Does the ship have an EGC unit that is capable of operating both in open and closed-loop mode (hybrid)?															0	5
542U.20 scrubbers?		5420.19																0	15
		5420.20																0	5
								-1.5-										0 1	105

		CHECKLIST - RANKING CRITERIA - SHIP SURVEY - BULK CARRIER (GENER	PΔI	CA	RGC	) CA	RRI	FR)	- VFI	RSIO	N 20	123				_ 310	or only o	
Revision Code	Norm item	RANKING Ship - BBU (GCC)	MASTER	Doc. & Impl.	CHIEF OFFICER		CER	Doc. & Impl.  DECK RATING		NEER	Doc. & Impl.		Z	Doc. & Impl.	CATERING PERSONNEL	Doc. & Impl. NOT APPLICABLE	RANKING SCORE	RANKING MAX. SCORE
	5421	Ships required to carry out Fuel Change Over to low sulphur Marine Diesel Oil or low sulphur Marine Gas Oil (low sulphur Distillates)								0	•							
	5421.1	Has the company carried out a <b>safety assessment</b> with respective manufacturers, for any necessary modifications to the vessel's boilers & each fuel system onboard? (modifications should be class approved)															0	20
	5421.2	Are <b>updated</b> fuel change over procedures (company-approved) available for the main engine, auxiliary engines & boilers? (procedures should be available for each fuel type used onboard)															0	10
	5421.3	Are crew familiarised with updated fuel change over procedures?															0	10
	5421.4	If modifications to fuel system are required, are <b>updated</b> detailed fuel system diagrams for fuel change over available?															0	10
	5421.5	Is an additional inspection carried out according to documented instructions, to check for leakages during distillate fuel operation?															0	10
	5421.6	is there an agreed procedure to manage related problem areas? (e.g. spares, maintenance due wear & tear)															0	10
	5421.7	For cases where the vessel must use low sulphur fuel for a prolonged period Are there instructions from the engine manufacturer, for use of appropriate (cylinder) lube oil for main & auxiliary engines?															0	5
					Mini	mum r	rankin	) a coo		al scor		nont F	5424 -	55			0	75
	5430	Particulate Matter (PM) Emissions	0				MINII	19 3001	io requ	O	, elei	nent c	,-7 <u>2</u> 1 =	33				
	5430.7	Does the ship have a Diesel Particulate Filter (DPF) for both main and auxiliary engines?															0	10
	5430.8	Does the ship have a Diesel Oxidation Catalyst (DOC) for both main and auxiliary engines?															0	10
	5430.9	Does the ship have an Electrostatic Precipitator (ESP) for both main and auxiliary engines?	1														0	10
		(-5),	T		-				Tot	al scor	e		-!		<u> </u>	_!	0	30
					Mini	mum r	rankin	ng sco	re requ	uired fo	or eler	nent 5	5430 =	0				

		CHECKLIST - RANKING CRITERIA - SHIP SURVEY - BULK CARRIER (GENEI	RAL	CA	RG	0 C/	ARF	RIER)	- VE	RSI	ON	202	3										
Revision Code	Norm item	RANKING Ship - BBU (GCC)	MASTER	Doc. & Impl.	CHIEF OFFICER	Doc. & Impl.	DECK OFFICER	Doc. & Impl.	DECK RATING Doc. & Impl.	CHIEF ENGINEER	Doc. & Impl.	ENGINEER OFFICER	Doc. & Impl.	ENGINEER RATING	Doc. & Impl.	CATERING PERSONNEL	NOT APPLICABLE	RANKING SCORE	RANKING MAX. SCORE				
	5440	Greenhouse Gas (GHG) Emissions - CO <sub>2</sub> Emissions								0													
		A. Emission Monitoring																					
	5440.10	Does the ship use flow meters for monitoring and recording of fuel consumption? (Flow meter is to be calibrated and certified by for example a classification society)																0	10				
	5440.11	Applicable to ships contracted for building on or after 1st January 2013, or delivered on or after 1st July 2015:  Is the "attained EEDI" data for the ship available onboard?																0	5				
		Attained EEDI of the ship	-					•															
	5440.14	Does the ship use a ship performance monitoring software to monitor and reduce energy consumption by operational measures on-board?																0	5				
		B. Emission Reduction						•															
		Short term goals (CO₂ reduction through energy efficiency measures)																					
	5440.15	(Design and operational based measures) Energy efficiency measures implemented on-board the vessel?																0	20				
		For ease of use, measures are grouped according to the GLOMEEP Energy efficiency technologies information portal.	lf Y	If YES, choose from below options and fill-in supplement CO <sub>2</sub> - GloMEEP tab																			
		Measures related to Machinery																					
		Measures related to Propulsion and Hull Improvements																					
		Measures related to Energy Consumers																					
		Measures related to Energy Recovery													_		ر إ						
		Measures related to Technical Solutions for optimizing the operations									l						$\angle$						

		CHECKLIST - RANKING CRITERIA - SHIP SURVEY - BULK CARRIER (GENE	RAL CARGO CARRIER) - VERSION 2023
Revision Code	Norm item	RANKING Ship - BBU (GCC)	MASTER Doc. & Impl. CHIEF OFFICER Doc. & Impl. DECK OFFICER Doc. & Impl. DECK RATING Doc. & Impl. CHIEF ENGINEER Doc. & Impl. CATERING PERSONNEL Doc. & Impl. MOT APPLICABLE RANKING SCORE RANKING SCORE
		Mid term goals (CO <sub>2</sub> reduction through the use of low carbon fuels)	
	5440.18	Main engines: Does the ship burn low carbon fuels such as:	0 19
		Low carbon fuels	If YES, choose from below options
		LNG (Liquefied Natural Gas)	
		LPG (Liquefied Petroleum Gas)	
		GTL (Gas to liquid fuel)	
		Bio-diesel Sio-diesel	
		Bio-LNG (Bio-methane)	
		Methanol	
		Ethanol	
		Dimethyl Ether	
		Other: *fill during survey*	
		If Other	r= /
	5440.19	Auxiliary engines:  Does the ship burn low carbon fuels such as:	0 11
		Low carbon fuels	If YES, choose from below options
		LNG (Liquefied Natural Gas)	
		LPG (Liquefied Petroleum Gas)	
		GTL (Gas to liquid fuel)	
		Bio-diesel	
		Bio-LNG (Bio-methane)	
		Methanol	
		Ethanol	
		Dimethyl Ether	
		Other: *fill during survey*	/
		If Other	r=

		CHECKLIST - RANKING CRITERIA - SHIP SURVEY - BULK CARRIER (GENE	RAL	CA	ARG	ОС	ARI	RIEI	R) -	VEF	RSIO	N 2	2023				<b>Date</b> 0.	Ship Si	
Revision Code	Norm item	RANKING Ship - BBU (GCC)	MASTER	10	CER		ER		DECK RATING		LEER		ENGINEER OFFICER Doc. & Impl.	ENGINEER RATING	Doc. & Impl.	CATERING PERSONNEL	NOT APPLICABLE	RANKING SCORE	RANKING MAX. SCORE
		Long term goals (CO₂ neutral operation through zero carbon fuels)																	
	5440.20	Main engines: Does the ship use zero carbon fuels such as:																0	25
		Zero carbon fuels	lf Y	ΈS,	, cho	ose 1	from	belo	w o	ption	าร						1 1		
		Anhydrous Ammonia			Ī				<u> </u>								I		
-		Hydrogen																	
		Fuel Cells (Powered by ammonia or hydrogen)										T					1	,	/
		Batteries																	
		Nuclear																	
		Other: *fill during survey*															] /	,	
		If Other	=														V.		
	5440.21	Auxiliary engines:  Does the ship use zero carbon fuels such as:																0	25
		Zero carbon fuels	lf Y	ΈS,	, cho	ose	from	belo	ow o	ption	ıs								
		Anhydrous Ammonia																	
		Hydrogen																	
		Fuel Cells (Powered by ammonia or hydrogen)																/	/
		Batteries																	
		Nuclear																	
		Other: *fill during survey*															1/		
		If Other	=						I	- 1				1			⊬.		
	5440.22	Does the ship use renewable energy sources for energy production such as:	JE 34	/E^	<u> </u>	00-	[ fra :	hal-	<u> </u>	n4! - :		L		1				0	25
		Renewable Energy source	IIT Y	<b>⊏</b> 5,	, cho I	ose 1	irom	Deic	ow o∣ I	ption	ıs	_							
		Wind: *fill during survey* Solar										+		-			-		
		Other: *fill during survey*	+				1					+		+			-	/	/
		Other. Illi during survey Wind	_				I		<b>I</b>			L		1			1		
		If Other	+-														1/	•	
		C. Additional Questions															<i>V</i>		
	5440.23	Have shipboard personnel received training for energy efficiency measures and related monitoring systems on board?	1				I							I				0	10
											al scor			1				0	155
					Mir	nimun	n ran	king :	score	requ	iired fo	r ele	ement !	5440 =	: 15				

		CHECKLIST - RANKING CRITERIA - SHIP SURVEY - BULK CARRIER (GENER	AL	CA	RGO	O CA	ARR	IER)	- VE	RSI	ON	202	3						
Revision Code	Norm item	RANKING Ship - BBU (GCC)	MASTER	Doc. & Impl.	CHIEF OFFICER	Doc. & Impl.	DECK OFFICER	Doc. & Impl.	Doc. & Impl.	CHIEF ENGINEER	Doc. & Impl.	ENGINEER OFFICER	Doc. & Impl.	ENGINEER RATING	Doc. & Impl.	CATERING PERSONNEL Doc. & Impl.	NOTAPPLICABLE	RANKING SCORE	RANKING MAX. SCORE
	5441	Greenhouse Gas (GHG) Emissions - Methane (CH <sub>4</sub> ) Emissions - Main Propulsion																	
		B. Emission Reduction																	
		Alternative 1 - Gas Turbine or High Pressure Dual Fuel Engine																	
	5441.2	Is the ship powered by low (or no) Methane Slip technology, for example, Gas Turbine or High Pressure Dual Fuel (HPDF) Engine?																0	20
		Alternative 2 - Other Engine Types			_					_					_				
	5441.3	Has the ship achieved annual reduction in Methane Slip on its LNG-fuelled engines?																0	10
		A. Emission Monitoring																	
	5441.1	Does the ship use a continuous emission monitoring system (in-situ or extractive) for monitoring and recording Methane Slip?																0	10
		C. Additional questions																	
	5441.4	Have shipboard personnel received awareness training on methane emissions from LNG-fuelled engines?																0	5
					Mini	mum	ranki	ng sco		tal sc		leme	nt 54	41 = 0				0	35
	5460	Environmental Ship Index (ESI)								0									
	5460.2	Does the ship participate in the Environmental Ship Index (ESI) and are ESI points above 30?													1		П	0	20
	5460.3	Does the ship participate in the Environmental Ship Index (ESI) and are ESI points above 40?								l								0	20
	5460.4	Does the ship participate in the Environmental Ship Index (ESI) and are ESI points above 50?																0	20
			,,,,,,,,,,		a					tal sc								0	60
	5500	Sewage Management			Mini	mum	rankı	ng sco	re rec	uired	tor e	leme	nt 54	60 = 0					
	5500	Sewage Treatment Plant																	
	5500.1	Is the sewage treated with a sewage treatment plant which uses minimal or no harmful chemicals?								l l					1			0	10
	5500.1	Are samples of treated discharged effluent from the sewage treatment plant collected periodically (at least annually) for lab testing ashore to check the compliance with relevant MEPC standards?																0	10
	5500.3	Is the ship in possession of the periodical sample testing report/certificate from a laboratory ashore confirming the compliance with the relevant MEPC standards?															П	0	10
	5500.8	Is the sewage treatment plant regularly checked and maintained as per manufacturer's guidelines?																0	5
N	5500.10	Alternative for 5500.1, 5500.2, 5500.3 & 5500.8 (applicable ONLY for short-haul vessels)  Does the ship deliver all its sewage / sewage sludge (regardless of treated or untreated) to port reception facilities (where available)?																0	35
		For all ships: Sewage Holding Tank																	
	5500.7	Is the sewage holding tank regularly checked and maintained?																0	20
			⊢		Mini	mum	ranki	ng sco		tal sc		leme	nt 55	00 = 2	0			0	55
	5510	Grey Water Management					· uriki	g 300		ian eu	,5, 6		33		Ĭ				
	5510.1	Is the sewage treatment plant capable of treating grey water before being discharged?													1			0	15
	5510.2	Is the grey water never discharged within the coastal and port areas?	l															0	10
		· · · · · · · · · · · · · · · · · · ·			_					tal sc								0	25
					Mini	mum	ranki	ng sco	re rec	uired	for e	leme	nt 55	10 = 0					

		CHECKLIST - RANKING CRITERIA - SHIP SURVEY - BULK CARRIER (GENER	AL	CAI	RGC	) C	ARF	RIER	R) - V	/ER	SIOI	N 20	023							
Revision Code	Norm item	RANKING Ship - BBU (GCC)	MASTER	Doc. & Impl.	CHIEF OFFICER	Doc. & Impl.	DECK OFFICER	Doc. & Impl.	DECK RATING	Doc. & Impl.	Ope. & Impl.	ENGINEER OFFICER	Doc. & Impl.	COC: CHIPP:	ENGINEER RAIING Doc. & Impl.	CATERING PERSONNEL	Doc. & Impl.	NOT APPLICABLE	RANKING SCORE	RANKING MAX. SCORE
	5700	Ballast Water Management (BWM)	0		0		0													
		For ships required to follow D-1 standard (as per International Ballast Water Management Certificate (IBWMC))																		
	5700.5	Are tasks & responsibilities of shipboard personnel assigned to ballast water exchange operations defined, documented & controlled?																	0	5
	5700.6	Is the master aware of cases where the ship cannot reasonably be expected to carry out ballast water exchange?												T					0	5
	5700.10	Does the ship voluntarily comply with D-2 ballast water management standard using a type-approved ballast water treatment system (BWTS)?																	0	10
		For ships required to follow D-2 standard (as per International Ballast Water Management Certificate (IBWMC))																		
	5700.11	Does the ship carry and implement ship-specific contingency plan prepared taking into account system design limitations, for example,  - the UV-based BWTS cannot operate correctly in ports where the water is very muddy,  - when operating in low salinity ports, the crew should plan to carry enough salt water or brine in order for the electrochlorination BWTS to function effectively.																	0	10
	5700.12	Does the ship undertake (both of) the following in order to keep the BWTS in operable condition:  - maintain full inventory of manufacturer recommended spare parts list  - maintain safe-margin stock of consumables (such as chemicals with short shelf-life, UV lamps, etc. as required by the installed system)																	0	5
	5700.13	Does relevant shipboard personnel make use of suitable personal protective equipment (PPE) for handling chemicals used to operate BWTS?																	0	10
	5700.14	Is relevant crew trained to operate specific BWT system installed on board, for example, by means of computer-based training, training at the makers facilities or on a simulation BWMS that mimics real BWTS operations?																	0	10
	5700.15	Is the relevant crew familiarized with the operation of the BWTS installed on board?																	0	10
		For all ships																		
	5700.7	Are sediment volumes monitored & recorded ?																	0	10
	5700.8	Does sediment disposal take place in port (to sediment reception facility) or at sea (more than 200nm from land and at depth greater than 200m)?																	0	10
					Mini	mum	rank	ina e		Total			ment	5700	0 = 50				0	85
	5800	Accidental Bunker Oil Pollution Prevention Measures (overflow prevention systems)				liiuiii	Tank	ang s	COLE		<b>D</b>		Herit	1	0 = 30					
	5800.5	Are all fuel oil bunker tanks fitted with a high-high level alarm?																	0	15
	5800.6	Are all fuel oil bunker tanks fitted with an overflow line that is connected to an overflow tank?	l							-		1		$\dagger$					0	5
	5800.7	Are overflow lines of all fuel oil bunker tanks arranged with a flow alarm?	l							-		1		$\dagger$					0	5
	5800.8	Are high level alarms and/or (over) flow alarms given on the location where the person in charge of the bunkering or transfer operation will normally be located?																	0	5
-					last			la e		Total				FOO	0 5				0	30
	5801	Protection of fuel oil tanks, lube oil tanks and hull			wini	inum	rank	ing s	core	requir	ed for	elei	nent	<b>380</b> (	υ = 5					
	5801.1	Are any tanks intended for fuel-oil or other substances, with a minimum capacity of 20m³, constructed at least B/15 or 2 metres above the keel level?								+							1		0	10
	5801.2	Thetres above the keen level?  Are tanks for fuel oil protected by a double side? (for ships below 20,000gt, width of double side to be at least 0.76m; for 20,000gt and above, width to be at least 2 metres)																	0	40
	5801.3	Are all lubrication oil tanks constructed at least 0.76 metres above the keel line ?																	0	20
	5801.4	Is the ship's hull and/or fuel tanks are built of advanced shipbuilding plates (highly ductile steel) or structural features (for example, sandwich plate structure)?																	0	30
					Inn:		·	ines		Total			ma=-1	EOO	1 - 20				0	100
	I				IVIINI	ınum	rank	ang s	core	equir	ea toi	elei	nent	ებს1	1 = 20					

		CHECKLIST - RANKING CRITERIA - SHIP SURVEY - BULK CARRIER (GENER	AL	CAI	RGC	) CA	٩RR	IER)	- VI	ERS	ION	202	3						
Revision Code	Norm item	RANKING Ship - BBU (GCC)	MASTER	Doc. & Impl.	CHIEF OFFICER	Joc. & Impl.	DECK OFFICER	Joc. & Impl.	Doc. & Impl.	CHIEF ENGINEER	Doc. & Impl.	ENGINEER OFFICER	Joc. & Impl.	ENGINEER RATING	Ooc. & Impl.	CATERING PERSONNEL Doc. & Impl.	NOT APPLICABLE	RANKING MAX. SCORE	WAY. OC
		Lubrication and Use of Oils (Element nr.: 5810, 5811 & 5812)																	
	5810	Stern tube lubrication			0					0		0							
	5810.1	Is the vessel fitted with a class approved stern tube <u>water</u> lubricated system which uses <u>sea water</u> as a lubricant? (system includes water conditioning and monitoring equipment)															0	60	0
	5810.6	Alternative for 5810.1, 5810.3, 5810.4 and 5810.5  Is the vessel fitted with a class approved stern tube water lubricated system which uses fresh water as a lubricant? (system includes water conditioning and monitoring equipment)  *Additives used to maintain the condition of the water should be environmentally friendly.															0	50	0
	5810.3	Alternative for 5810.1 and 5810.6: Is the vessel fitted with a class approved stern tube lubrication system with an <u>air type</u> or <u>void space seal</u> ?															0	25	5
	5810.4	Alternative for 5810.1 and 5810.6: Does the vessel use a stern tube lubricant that is certified according to the EAL/EEL or equivalent?															0	15	5
	5810.5	Alternative for 5810.1 and 5810.6:  Is the crew aware of characteristics of the environmentally friendly stern tube lubricant (EAL/EEL certified or equivalent) with respect to maintenance & its effect on the system if needed? (e.g. condition of seals & filters, temperature & condition of oil etc.)															0	5	5
										otal s							0	60	0
		Manager and a field standard			Minir	num	ranki	ing sc	ore re	quired	for e		nt 58	310 = 15	5				
	5811	Mooring wire lubrication								0		0			#				
	5811.1	Does the vessel use a mooring wire lubricant / grease that is certified according to the EEL?								otal s	coro				丄		0		-
					Minir	num	ranki	ing sc				eleme	nt 58	311 = 0				20	<u> </u>
	5812	Deck equipment lubrication (use of oils)								0		0							
	5812.1	Does the vessel use grease that is certified according to the EEL (all deck equipment)?													$\top$		0	15	5
	5812.2	Does the vessel use gear oil that is certified according to the EEL (all deck equipment)?				j											0	10	0
	5812.3	Does the vessel use hydraulic oil that is certified according to the EEL in mooring and anchor appliances?				ı											0	10	0
	5812.4	Does the vessel use hydraulic oil that is certified according to the EEL in crane appliances?				j											0	10	0
	5812.5	Does the vessel use hydraulic oil that is certified according to the EEL in hatch closing system?				j											0	10	0
	5812.6	Is the crew aware of characteristics of environmentally friendly lubricants (EEL certified) with respect to maintenance & their effect on the applicable system if needed? (e.g. condition of seals & filters, temperature & condition of oil, prevention of humidity ingress etc.)															0	10	0
										otal s							0	65	5
	5000	Management of billion contracts and about a partition of the section of				num	_	Ť		<del>-</del>	1 for e		nt 58	312 = 0					
	5820	Management of bilge water and sludge handling onboard			0		0		0	0		0			4		4	-	4
	5820.3	Are engine room personnel familiarized with on board sludge and bilge water management procedures?				_									_		0		_
	5820.4	Are engine room personnel familiar with the system layout, drawings and manuals?								otal s							0	5 15	

		CHECKLIST - RANKING CRITERIA - SHIP SURVEY - BULK CARRIER (GENER	AL	CAI	RGC	) C	ARF	RIEF	₹) - '	VER	SIO	)N 2	2023	3						
Revision Code	Norm item	RANKING Ship - BBU (GCC)	MASTER	Doc. & Impl.	CHIEF OFFICER	Doc. & Impl.	DECK OFFICER	Doc. & Impl.	DECK RATING	Doc. & Impl.	CHIEF ENGINEER	Doc. & Impl.	ENGINEER OFFICER	Doc. & Impl.	ENGINEER RATING	CATERING PERSONNEL	Doc. & Impl.	NOT APPLICABLE  RANKING SCORE		RANKING MAX. SCORE
	5821	Outfitting of bilge water system			0		0		0		0		0							
		A. Clean Drains (Drains that are <u>normally not</u> contaminated by oil)				_								_		_				
	5821.1	Does the bilge water from the Clean drain tank (for the collection of "clean drains" As per MEPC.1/Circ.642) pass through 15 ppm oil content meter and alarm?																(	)	5
ļ	5821.17	Does the engine room logbook logs discharges from the Clean drain tank (tank used for the collection of "clean drains", as per MEPC.1/Circ.642)?																C	)	5
		B. Soot Collection Tank arrangement																		
	5821.10	Is washwater from the economizer/boilers collected in a Soot separation / collection tank?					<b>—</b>		<u> </u>	ightharpoonup		$\perp$		1				(	)	5
,	5821.18	Is soot separation / collection tank decanted, remaining water transferred to bilge holding tank and solid soot particles collected for garbage disposal (reception facility)?					<u></u>											C	)	10
ļ	5821.11	Is an independent pump arrangement available for the discharge from the Soot separation / collection tank to overboard?					<u></u>											(	)	5
	5821.2	Are management instructions regarding disposal of soot and soot-water mixtures available onboard?					L											C	)	5
		C. Oily bilge water tank arrangement														_				
,	5821.12	Is all Oily bilge water from the bilge wells/drains transferred to the Bilge Primary Tank or pre-separation system for pre- separation of oil and water?																C	)	5
į	5821.5	Is Oily bilge water from the Oily bilge water holding tank pumped through the Oily Water Separator to the Clean water tank (rather than overboard discharge)?					<u></u>											C		5
		D. Oily water separator / Oil content meter																		
ļ	5821.6	N/A for vessels keel laid after 2005 Is the oil content meter with an automatic stopping device capable of measuring the difference between emulsifying particles and oil installed, as per IMO resolution MEPC.107(49)?																0	)	5
	5821.7	Is there an equipment or a protection system (e.g. White Box) installed that stops the Oily Water Separator from discharging overboard when the Oil Content Meter is flushed/diluted with clean water to prevent illegal discharges of bilge water from machinery spaces?																(	)	10
ļ	5821.15	Is the authority for operating and maintaining the Oily Water Separator and Oil Content Meter with the master or this is automatically logged in the system?																(	)	5
:	5821.16	Alternative to 5821.15  Is the ship equipped with a system which would ensure that operation and maintenance of the Oily Water Separator and Oil Content Meter can only be started with the Master's permission (for example, Main/Master Switch on bridge)?																C	)	5
	5821.8	N/A for vessels keel laid after 2005 Is the Oily Water Separator equipped with a re-circulating facility for testing the device with the closed overboard discharge (As per IMO resolution MEPC.107(49) 6.1.1.)?																C	)	5
N	5821.19	Does the ship have in operation a Class-approved equipment that ensures that the oil content of the bilge water effluent without dilution does not exceed 5 parts per million?																(	)	10
		5821.9 is an alternative to 5821.1 - 5821.19 (all the above)			_					-						_				
	5821.9	Is all the bilge water from machinery spaces always delivered to reception facilities?																(	)	80
											al scor									80

		опр напе.															24.00	or or ip or	oy.
		CHECKLIST - RANKING CRITERIA - SHIP SURVEY - BULK CARRIER (GENER	AL	CA	RG	O CA	۱RF	RIEF	۲) - ۱	VER	SIOI	N 20	23						
Revision Code	Norm item	RANKING Ship - BBU (GCC)	MASTER	Doc. & Impl.	CHIEF OFFICER	Doc. & Impl.	DECK OFFICER	Doc. & Impl.	DECK RATING	Doc. & Impl.	CHIEF ENGINEER	ENGINEER OFFICER	Doc. & Impl.	ENGINEER RATING	Doc. & Impl.	CATERING PERSONNEL	NOT APPLICABLE	RANKING SCORE	RANKING MAX. SCORE
	5822	Outfitting of sludge handling system			0		0		0		0	0							
	5822.1	Is a sludge collecting pump installed (with the sole purpose of collecting the sludge from different ER tanks to the Oil Residue (Sludge) Tank)?																0	5
	5822.2	Is a sludge discharge pump installed with the purpose of discharging the sludge to reception facilities (with sufficient capacity to discharge the sludge within 8 hrs)													-			0	5
	5822.8	Is a tank or system installed with the sole purpose of removing large quantities of water from the sludge?																0	5
	5822.9	is a separate tank or system installed with the sole purpose of evaporating water from the sludge?																0	5
	5822.10	Is a separate tank or system installed with the purpose of mixing the sludge while incinerated (in incinerator or boiler)																0	5
	5822.6	Alternative to 5822.8 - 5822.10 Is all the ship sludge always delivered to reception facilities?													-			0	20
											score				_			0	30
					_	imum	rank	cing s	core		ired fo			822 =	: 10		_		
	5900	Ship Recycling - Inventory of Hazardous Materials	0		0						0	0					4		4
	5900.10	Does the vessel have an "Inventory of Hazardous Materials" (Part I completed)?																0	110
	5900.13	Alternative to 5900.10: Has the process been started to prepare Part I of the "Inventory of Hazardous Materials" with a target completion date?																0	40
N	5900.14	Is a software tool used to support the IHM maintenance process, for example, for the collection of Material Declarations (MDs) & SDoCs for all purchased items that fall into the scope of IHM Part I?																0	20
											score							0	130
		<u> </u>			Mini	mum	rank	ung s	core	requi	ired fo	r elem	ent 5	900 =	: 40				

		·															- 1	- 7 -
		CHECKLIST - RANKING CRITERIA - SHIP SURVEY - BULK CARRIER (GENER	RAL	CAF	RGO	CAF	RRIE	R) -	VER	SION	1 202	23						
Revision Code	Norm item	RANKING Ship - BBU (GCC)	MASTER	Doc. & Impl.	CHIEF OFFICER	Doc. & Impl.	Doc. & Impl.	DECK RATING	Doc. & Impl.	Doc. & Impl.	ENGINEER OFFICER	Doc. & Impl.	ENGINEER RATING	Doc. & Impl.	CATERING PERSONNEL Doc. & Impl.	NOT APPLICABLE	RANKING SCORE	RANKING MAX. SCORE
	6000	MAINTENANCE / SURVEYS																
	6100	Programme of Inspections & Cargo Hold Inspection / Maintenance	0						•	0								
	6100.1	Does the ship have an internal technical inspection programme?															0	10
	6100.10	(For General Cargo Carriers) Alternative to 6100.1 Has the vessel been designed for a minimum fatigue life of 25 years North Atlantic?															0	25
	6100.2	Are relevant previous survey and internal technical inspection reports available on board?															0	10
	6100.16	(For General Cargo Carriers) Alternative to 6100.2 Has the vessel been designed for a minimum fatigue life of 20 years World Wide?	L													Ш	0	10
	6100.3	Does the ship have a repair history?															0	10
	6100.11	(For General Cargo Carriers) Alternative to 6100.3  Are structural close up examination supported by thickness measurements carried out during vessel's latest special survey and reports available onboard?															0	10
	6100.4	Does the company issue procedures/instructions for hull / ship's construction condition inspections to be carried out by the ship's personnel?															0	20
	6100.17	(For General Cargo Carriers) Alternative to 6100.4  Does the company issue procedures / instructions for hull / ship's construction (WBT's,holds, void spaces and cofferdams) condition inspections to be carried out by the ship's personnel?															0	10
					B. Alice in				Total		-1		100 5	_			0	55
	6110	Critical and Stand-by Equipment	0		O		nking	score	requir	ea tor	eieme	ent 6	100 = 5	10				
	6110.5	Is a Computer Based Program installed to register failures, break downs and near misses in order to have a constant event report on the systems?															0	10
	6110.7	Is a Computer Based Program installed for spare parts management of critical equipment and stand- by equipment?						1			1						0	10
	6110.8	Is a safety stock available for critical equipment and stand-by equipment?	1														0	10
									Total								0	30
					Minin	num ra	nking	score	requir	ed for	eleme	ent 61	110 = 1	0				

		CHECKLIST - RANKING CRITERIA - SHIP SURVEY - BULK CARRIER (GENER	AL	CA	RGC	) C	ARRI	ER)	- VE	RSIC	NC	202	3						
Revision Code	Norm item	RANKING Ship - BBU (GCC)	MASTER	Doc. & Impl.	CHIEF OFFICER	Doc. & Impl.	DECK OFFICER	DECK RATING	Doc. & Impl.	CHIEF ENGINEER	Doc. & Impl.	ENGINEER OFFICER	Doc. & Impl.	ENGINEER RATING	Occ. & Impr.	Doc. & Impl.	NOT APPLICABLE	RANKING SCORE	RANKING MAX. SCORE
	6200	Mooring Equipment	0		0			•	•										
	6200.1	Are winch brake tests carried out and recorded at least once a year or after an excessive load?																0	10
	6200.2	Is a winch brake test kit on board?																0	5
	6200.3	Is an overview available with all details of mooring wires / fibre ropes, winches, inspections, maintenance, tests etc?																0	10
	6200.4	Is the ship provided with information on the design of the mooring system? (with examples to show the loads likely to be experienced under particular conditions and to illustrate those situations under which the limit of the system is likely to be reached)																0	10
	6200.5	Are inspection, maintenance and discard criteria for mooring wires and tails / fibre ropes established and carried out by a competent person? (time interval for inspection should be in the PMS)																0	10
	6200.8	Do these criteria take manufacturer's recommendations into account ?																0	10
	6200.9	Does an additional examination take place after unusual events, such as long periods of inactivity, excessive loads, heat exposure, loading/discharge at swell ports, etc?																0	5
	6200.10	Are internal inspections for wires + fibre ropes carried out & do these inspections take manufacturer's recommendations into account?																0	10
	6200.11	Are the lubricants & cleaning products compatible with the wire and approved by the wire manufacturer?																0	5
	6200.6	Is a log for "workingdays" of mooring wires and tails / fibre ropes maintained? ( to predict the point of discard & for evaluation of wire/rope performance)																0	10
	6200.7	Is an automatic wire rope lubricator in use on board?																0	10
	6200.12	Alternative for 6200.7: (for fibre ropes) Are there procedures for care of fibre ropes?																0	10
					Mini	mum	rankin	a scc		tal sco		lemer	nt 62	00 = 65				0	95
	6300	Corrosion Prevention of Seawater Ballast Tanks			0		Tankiii	9 300	ore req	O	3, 6	- Ciliei	02	00 - 00					
	6300.1	Are ballast tanks of double-hulled vessel, coated with a hard coating of a light colour?																0	20
	6300.6	Alternative to 6300.1 Are ballast tanks coated with dark epoxy maintained with a modified epoxy coating of a light colour, after safety benefit assessment is carried out?																0	10
	6300.7	Is the coating approved according to the IMO performance standard? (type approval or statement of compliance according to Res. MSC 215(82) in Coating Technical File)																0	20
	6300.2	Are ballast tanks maintained in a good condition?																0	20
	6300.3	Are manufacturer's technical product data sheets and job specifications of the coatings on board?																0	5
	6300.5	Is the corrosion prevention system, other than coating, included in the maintenance system?																0	5
										tal scc								0	70
			<u> </u>		Mini	mum	rankin	g scc	ore req	uired 1	ror e	iemer	nt 63	00 = 40	J				

		CHECKLIST - RANKING CRITERIA - SHIP SURVEY - BULK CARRIER (GENER	RAL	CA	RGC	) C	ARR	IER	) - VI	ERS	ION	2023	3						
Revision Code	Norm item	RANKING Ship - BBU (GCC)	MASTER	Doc. & Impl.	CHIEF OFFICER		CER		DECK RATING Doc. & Impl.	F ENGINEER		OFFICER		ENGINEER RATING	Doc. & Impl.	CATERING PERSONNEL Doc. & Impl.	NOT APPLICABLE	RANKING SCORE	RANKING MAX. SCORE
	6400	Condition Assessment Program, Maintenance Additional Green Award requirements	0		0					0									
	6400.1	Does the ship hold a CAP rating for <u>Hull</u> with Rating / Grade 2 as a minimum? (When the vessel reaches <u>15 years</u> of age, or by the <u>end of the 3rd special survey</u> , whichever is earlier.)																0	25
	6400.8	Does the ship hold a CAP rating for <u>Cargo Systems</u> with Rating / Grade 2 as a minimum? (When the vessel reaches <u>15 years</u> of age, or by the end of the <u>3rd special survey</u> , whichever is earlier.)																0	20
	6400.9	Does the ship hold a CAP rating for Machinery with Rating / Grade 2 as a minimum? (When the vessel reaches 15 years of age, or by the end of the 3rd special survey, whichever is earlier.)																0	20
	6400.2	(Alternative to 6400.1, 6400.8 and 6400.9 above) Is the ship less than 15 years of age or has not reached the end of the 3rd special survey yet?																0	25
	6400.3	Is it company policy that maintenance meetings are carried out on board? (e.g. each month and at (all) sections on board)																0	10
	6400.4	Is a maintenance checklist used regarding the (monthly) maintenance inspection?																0	10
	6400.5	Is an evaluation report of vessel's performance sent to the company?																0	20
	6400.6	Is an annual technical report made by the Company's superintendent?																0	15
					Mini		ronk	ina o		otal s		elemen	4 C 4 C	20 – 60	0			0	120
	6500	Certificates for Cargo Gear	0		O	illulli	Idlik	ing s	core re	quire		emen	11 040	JU = 01	T				
	6500.1	Is a register of cargo handling gear and lifting appliances issued? (CG1)	_							+								0	10
	6500.2	Is a certificate of test and thorough examination of lifting appliances issued? (CG2)	1															0	10
	6500.3	Is a certificate of test and thorough examination of loose gear issued? (CG3)																0	10
	6500.4	Is a certificate of test and thorough examination of wire rope issued? (CG4)																0	10
										otal s								0	40
					_	mum	rank	ing s	core re	<del>-</del>		elemen	t 650	00 = 40	0				
	6600	Bulk Carrier Practice			0					0	'								
	6600.1	Are sufficient spare parts for hatch covers on board? (rubber gaskets, fittings, cleats etc.)											-					0	20
	6600.2	Has the number of spare parts required increased as the ship grows older?											-		-			0	20
	6600.3	Are hold bilges tested at appropriate intervals? (suction non-return valves, high level alarms, cleanliness of bilge wells)			1			_							-		$\vdash$	0	10
	6600.4	Is weathertightness of hatches tested at appropriate intervals? (e.g. hose test, chalk test, ultrasonic test, visual)	-		<u> </u>				т	otal s	core						<del>-  </del>	0	10 60
			$\vdash$		Mini	mum	rank	ina s				elemen	t 660	00 = 30	0			U	00

	CHECKLIST - RANKING CRITERIA - SHIP SURVEY - BULK CARRIER (GENER	<del></del>	- T		T			, •	1	-						1	1	_
Norm item	RANKING Ship - BBU (GCC)	MASTER	Doc. & Impl.	CHIEF OFFICER	Doc. & Impl.	DECK OFFICER	Doc. & Impl.	DECK RATING	CHIEF ENGINEER	Doc. & Impl.	ENGINEER OFFICER	Doc. & Impl.	ENGINEER RATING	Doc. & Impl.	CATERING PERSONNEL	Doc. & Impl. NOT APPLICABLE	RANKING SCORE	RANKING MAX. SCORE
6610	Alternative Green Award requirements (SOLAS XII) (For General Cargo Carriers)			0					0	)								
6610.6	Are the damage stability scenarios of any hold flooded available onboard which indicate the status of condition of equilibrium for all loading conditions for bulk cargoes																0	20
6610.7	Are the damage stability scenarios of any hold flooded available onboard which indicate the status of strength-condition (SF's and BM's) for all loading conditions for bulk cargoes																0	20
6610.8	Is the damage stability scenario of flooding the foremost hold available onboard which indicates that the vessel will remain afloat in a satisfactory condition of equilibrium in all loading conditions for bulk cargoes																0	20
6610.9	Is evidence available onboard that the vessel is constructed to withstand the strengths of the foremost hold flooded in any loading and ballast condition.																0	20
6610.10	Does the vessel have an indication (e.g. Class Notation) that the vessel has been designed and constructed to use grabs for discharging and / or loading.																0	10
6610.11	Are bilge-alarms fitted inside holds, duct-keel and spaces located forwards of the collision bulkhead.																0	10
6610.12	Are bilge-alarms ( audible and visual ) located on the bridge																0	10
6610.13	Are holds fitted with a water-ingress alarms.																0	20
6610.14	Has the vessel been designed and constructed to sail with any designated holds empty (in the scenario of heavy bulk cargoes)																0	10
6610.15	Are the controls of pumps and valves ( designated for bilge-system and / or ballast-system located forward of the collision bulkhead ) placed in a space which is safely accessible from the bridge or engine-room.																0	20
								Т	otal s	score							0	16

GA Cou	J.	Ship flame.														Date	or Strip S	ui vey.
		CHECKLIST - RANKING CRITERIA - SHIP SURVEY - BULK CARRIER (GENER	AL	CAI	RGO	CA	RRI	ER)	- VE	RSI	ON:	2023	3					
Revision Code	Norm item	RANKING Ship - BBU (GCC)	MASTER	Doc. & Impl.	CHIEF OFFICER	Doc. & Impl.	DECK OFFICER	DECK RATING	Doc. & Impl.	CHIEF ENGINEER	Doc. & Impl.	ENGINEER OFFICER	Doc. & Impl.	ENGINEER RATING Doc. & Impl.	CATERING PERSONNEL	Doc. & Impl. NOT APPLICABLE	RANKING SCORE	RANKING MAX. SCORE
	7000	CREW																
	7200	Extra personnel, Additional Green Award Requirement	0							0								
	7200.1	Are there extra deck officers onboard in addition to what is required by minimum safe manning document?															0	10
	7200.7	Are there extra engine officers onboard in addition to what is required by minimum safe manning document?															0	10
	7200.2	Are there extra deck ratings onboard in addition to what is required by minimum safe manning document?															0	10
	7200.8	Are there extra engine ratings onboard in addition to what is required by minimum safe manning document?															0	10
	7200.3	Is there a ship administrator onboard (In addition to the standard complement and extra deck-officers and -ratings above) ?															0	10
	7200.6	Is there an electrical officer onboard in addition to the engine officers required by the safe manning document?															0	10
										tal sc							0	60
	7000	Tradicional Company of Additional Company of Additional Company Amend Development & HACAMARIA Company	0		Minin	num r	ankin	g sco	re req	uired	for e	lemen	nt 720	00 = 20				
	7300	Training / Courses for Personnel, Additional Green Award Requirements & IMO Model Courses	•														0	5
	7300.4 7300.18	Have the lower ranking deck officers completed advanced fire fighting (IMO2.03) ?  Have the lower ranking engine officers completed advanced fire fighting (IMO2.03) ?											_				0	5
	7300.18	Has the onboard management completed the onboard assessment/train the trainer course (IMO 1.30)?											-				0	5
	7300.6	Have the officers involved in cargo and ballast handling completed a simulator based training/course?															0	10
	7300.7	Have the ship personnel completed "Marine Environmental Awareness" course (IMO 1.38)?															0	5
	7300.8	Have all the deck officers completed bridge team management/bridge resource management training course (IMO 1.22)															0	5
	7300.19	Have all the engine officers completed engine room resource management training course?															0	5
	7300.20	Alternative to 7300.8 & 7300.19 Have all the officers completed maritime resource management course ?															0	10
	7300.10	Is there a cadet currently onboard or has there been any in the last 6 months?															0	10
	7300.17	Have all the officers completed Security Awareness Training?															0	5
					la arear					tal sc							0	55
					Minin	num r	ankin	g sco	re req	uired	tor e	iemen	nt 730	00 = 20				

		CHECKLIST - RANKING CRITERIA - SHIP SURVEY - BULK CARRIER (GENER	AL (	CAF	RGC	) C	ARR	IER	() - VI	ERSI	ON	202	3						
	Norm item	RANKING Ship - BBU (GCC)	MASTER	Joc. & Impl.	CHIEF OFFICER	Joc. & Impl.	DECK OFFICER	Joc. & Impl.	DECK RATING	CHIEF ENGINEER	Joc. & Impl.	ENGINEER OFFICER	Doc. & Impl.	ENGINEER RATING	Joc. & Impl.	CATERING PERSONNEL	Ooc. & Impl. NOT APPLICABLE	RANKING SCORE	RANKING MAX. SCORE
740	00	Familiarisation, Additional Green Award Requirement	0		0		0	_	0	0		0		0		0	1		
740	00.1	Have all the ship board crew after a period of absence or leave has been provided with familiarization of changes with regard to the operations/machinery which is related to their position?			•													0	20
740	00.2	Have all newly employed/engaged shipboard crew (first ship for that specific company) been provided with familiarization with regard to operations/machinery which is related to their position?																0	20
740		In those cases when junior or senior officers are transferred to another class of ship that differ considerably from where their experience lie, is an onboard specific familiarisation with previous off-signing officers implemented for a specific minimum period?																0	10
740	00.4	Are the company format handover reports from all off - signing officers available onboard?																0	10
740	00.7	Are the on-signers aware of the content of the hand-over reports?																0	10
			Total score Minimum ranking score required for element 7400 = 50							0	70								
750	00	Safe Manning and Fatigue Management	0		IVIIIII	IIIuiii	Tallki	ing st	core re	quirec	1101 6	leme	111. 74	00 = 3					
-	A. General - managing work/rest hours																		
750		Are work/rest hours performed by the individual seafarer recorded with the use of a software programme and the reports generated accessible for the office?																0	5
750	00.2	Is the master provided with instruction/procedure to monitor and address non compliance on STCW 2010 Manila amendments on work/rest hours onboard?																0	10
		B. Fatigue management											•		•				
750	00.5	Does the ship have fatigue mitigation and control strategy (or similar document) available within the Safety Management System (SMS) to ensure the health and well being of the seafarers?																0	30
750	00.9	Does the fatigue mitigation and control strategy consist of the following (both): - framework to assess the hazards associated with fatigue (hazard assessment) - strategies to mitigate the risk of fatigue (risk mitigation)																0	15
750	00.10	Does the Master implement the use of any one of the following fatigue management tools (as described in IMO MSC.1/Circ1598) by shipboard crew on board: - Sleep Diary - Self-monitoring through fatigue and sleepiness ratings - Fatigue self-assessment tool - Fatigue event reporting																0	15
		C. Additional questions - reporting, training & awareness				•		•					•						
750	00.7	Does the ship have a procedure in which crew members are able to report to a designated person on fatigue related issues without fearing any action against them for such communication?																0	5
750	00.11	Do all shipboard crew members undergo company fatigue management training and awareness campaigns on an initial and recurrent basis?																0	5
		and recurrent sacie.																	

A 00	uo.		Stilp hattie.															Date	or only o	urvoy.
		CHECKLIST - R	ANKING CRITERIA - SHIP SURVEY - BULK CARRIER (GENE	RAL	CAI	RG	O CA	4RF	RIEF	?) - '	VER	SIOI	N 20	)23						
Revision Code	Norm item	GREEN AWARD	RANKING Ship - BBU (GCC)	MASTER	Doc. & Impl.	CHIEF OFFICER	Doc. & Impl.	DECK OFFICER	Doc. & Impl.	DECK RATING	Doc. & Impl.	CHIEF ENGINEER Doc. & Impl.	ENGINEER OFFICER	Doc. & Impl.	ENGINEER RATING	Doc. & Impl.	CATERING PERSONNEL	Doc. & Impl. NOT APPLICABLE	RANKING SCORE	RANKING MAX. SCORE
	9000	REQUIREMENTS ACCORDING TO ISO STANDARDS																		
	9421	ISO Certification																		
	9421.1	Is the ship certified for the latest edition of ISO 9001 (quality management systems)?																	0	10
	9421.2	Is the ship certified for the latest edition of ISO 10015 (quality management – guidelines for competence management and people development)?																	0	10
	9421.3	Is the ship certified for the latest edition of	of ISO 14001 (environmental management systems)?																0	10
	9421.4	Is the ship certified for the latest edition of	of ISO 22301 (societal security – business continuity management systems)?																0	10
	9421.5	Is the ship certified for the latest edition of	of ISO 27001 (information security management systems)?																0	10
	9421.6	Is the ship certified for the latest edition of	of ISO 30401 (knowledge management systems – requirements)?																0	10
	9421.7	Is the ship certified for the latest edition of ISO 45001 (occupational health and safety management systems)?																	0	10
	9421.8	Is the ship certified for the latest edition of ISO 50001 (energy management systems)?																	0	10
						Min	inarrina	ronl	dina a			l score		nont	0424 -	. 0			0	80
						IVIIII	mum	Idili	ung s	core	requi	reu IOI	CICII	nent:	J421 =	. 0				

oue.					Date of Ship Si
	CHECKLIST - RANKING CRITERIA - SURVEY - BULK CARRIER (GENERAL CARGO CARRIER) - 1	/ERSION 20	023		
Norm item	TOTAL SCORE REVIEW SHIP SURVEY - BBU (GCC)	SHIP'S RANKING SCORE	MAXIMUM OBTAINABLE RANKING SCORE	MINIMUM RANKING SCORE REQUIRED	ELEMENTS WITH NO MINIMUM SCORE
1000	GENERAL	-			ı
1200	Enclosed Space Entry & Hot Work	0	70	70	
1300	Compressor for the refilling of air cylinders for breathing apparatus or alternative, Additional Green Award requirement	0	20	10	
1400	Control of drugs & alcohol onboard	0	35	20	
1500	Emergency Response System	0	30	10	
1510	Emergency Oil Recovery	0	10	0	
1600	Computer Systems, Networks, Data Security and Training	0	60	30	
1610	Cyber Risk Management	0	35	15	
1700	Noise and Vibration Management	0	50	15	
1710	Underwater Noise and Vibration Management	0	10	0	
1800	Social Dimension / Sustainability	0	50	10	
2000	NAVIGATION / BRIDGE OPERATIONS				
2100	Navigation	0	120	40	
2110	Electronic chart display & information systems / ECDIS	0	0	0	
2111	Electronic chart display & information systems / ECDIS	0	55	30	
2120	Fuel Change Over / Ballast Water Exchange	0	20	20	
2200	Helicopter / Ship Operations	0	20	20	
2300	Mooring Operations	0	50	30	
3000	MACHINERY / ENGINE OPERATIONS				
3100	Bunker Operations	0	50	50	
3101	Bunker Operations - LNG	0	50	25	
3300	On-shore Power Supply	0	25	0	
3200	Fuel oil management	0	80	40	
4000	CARGO OPERATIONS	V	00		
		T .		0	
4500 4601	Hull Stress Monitoring System	0	20 90	70	
	Preparation of loading / unloading plan	0	160	120	
4602	Cargo handling and operations	0	50	50	
4603	Safe work facilities during cargo operations	0	40	40	
4604	Communication during cargo operations, GA requirement for all cargoes	0	70	40	
4605	Inspections during cargo operations		40	20	
4606	Safety precautions during cargo operations  Cargo Operations Additional Caspa Award requirements	0	70	0	
4800	Cargo Operations, Additional Green Award requirements	<u> </u>	70	- 0	
5000	PREVENTION OF POLLUTION			-	1
5100	Biofouling Management	0	30	5	
5200	Waste Management / Garbage Handling Onboard	0	150	70	
5410	NOx Emissions	0	140	35	
5420	SOx Emissions	0	105	15	
5421	Ships required to carry out Fuel Change Over to low sulphur Marine Diesel Oil or low sulphur Marine Gas Oil (low sulphur Distillates)	0	75	55	
5430	Particulate Matter (PM) Emissions	0	30	0	

	CHECKLIST - RANKING CRITERIA - SURVEY - BULK CARRIER (GENERAL CARGO CARRIER) - VERSION 2023										
Norm item	TOTAL SCORE REVIEW SHIP SURVEY - BBU (GCC)	SHIP'S RANKING SCORE	MAXIMUM OBTAINABLE RANKING SCORE	MINIMUM RANKING SCORE REQUIRED	ELEMENTS WITH NO MINIMUM SCORE						
5440	Greenhouse Gas (GHG) Emissions - CO2 Emissions	0	155	15							
5441	Greenhouse Gas (GHG) Emissions - Methane (CH4) Emissions - Main Propulsion	0	35	0							
5460	Environmental Ship Index (ESI)	0	60	0							
5500	Sewage Management	0	55	20							
5510	Grey Water Management	0	25	0							
5700	Ballast Water Management (BWM)	0	85	50							
5800	Accidental Bunker Oil Pollution Prevention Measures (overflow prevention systems)	0	30	5							
5801	Protection of fuel oil tanks, lube oil tanks and hull	0	100	20							
5810	Stern tube lubrication	0	60	15							
5811	Mooring wire lubrication	0	20	0							
5812	Deck equipment lubrication (use of oils)	0	65	0							
5820	Management of bilge water and sludge handling onboard	0	15	15							
5821	Outfitting of bilge water system	0	80	20							
5822	Outfitting of sludge handling system	0	30	10							
5900	Ship Recycling - Inventory of Hazardous Materials	0	130	40							
6000	MAINTENANCE / SURVEYS		•	I	l.						
6100	Programme of Inspections & Cargo Hold Inspection / Maintenance	0	55	55							
6110	Critical and Stand-by Equipment	0	30	10							
6200	Mooring Equipment	0	95	65							
6300	Corrosion Prevention of Seawater Ballast Tanks	0	70	40							
6400	Condition Assessment Program, Maintenance Additional Green Award requirements	0	120	60							
6500	Certificates for Cargo Gear	0	40	40							
6600	Bulk Carrier Practice	0	60	30	1						
6610	Alternative Green Award requirements (SOLAS XII) (For General Cargo Carriers)	0	160	70							
7000	CREW			1							
7200	Extra personnel, Additional Green Award Requirement	0	60	20							
7300	Training / Courses for Personnel, Additional Green Award Requirements & IMO Model Courses	0	55	20							
7400	Familiarisation, Additional Green Award Requirement	0	70	50							
7500	Safe Manning and Fatigue Management	0	85	60							
9000	REQUIREMENTS ACCORDING TO ISO STANDARDS		l	l	1						
9421	ISO Certification	0	80	0							
	TOTAL SCORES	0	3835	1685							

#### LEGEND

LEGEN	
0	Indicates which crew/employee may be interviewed/questioned.
	Shows that a certain item is complied.
	Shows that a certain item is <i>not</i> complied.
0	Indicates that an alternative is used, hence the score for that item is a "0".
	The checklist was filled in incorrectly, thus shows "error".
0	Indicates that the whole element did not reach the minimum score, hence a finding is issued. The number shows the scores obtained.
	Shows which elements are minimum = maximum. Hence scores on all items is required to fully comply.
	Indicates that the minimum score for the relevant element is "0", hence a finding will not be issued.

<sup>\*</sup> for detailed interpretations of the colours and the usage of the checklist, please refer to the pdf-file named "Instruction Notes" located on www.greenaward.org under "Certification/ Download".

# **SUPPLEMENT TO 5410 - NOX EMISSIONS**

DATA FROM "SUPPLEMENT TO ENGINE INTERNATIONAL AIR POLLUTION PREVENTION CERTIFICATE -- RECORD OF CONSTRUCTION,
TECHNICAL FILE, AND MEANS OF VERIFICATION"

Keel Laid (DD/MM/YYYY) (available on supplement to IAPP certificate)
Vessel assigned to NOx Tier-3 ECA route (Y/N)
Main propulsion type
Electricity generation
TIER
Questions applicable (from 5410.11 - 5410.18)
NA

Questions applicable (from 5				
For DIESEL-ELECTRIC & DUAL FUEL (LNG / LPG) data, use "OTHEI		ules below		
MAIN ENGINE 1	NA→		RPM	
		Tier 1	Tier 2	Tier 3
Applicable NOx emission limit (g/kWh)				
Engine's actual NOx emission value (g/kWh)				
Percentage reduction		NA	NA	NA
	GA Compliano	е		
MAIN ENGINE 2	NA→		RPM	
		Tier 1	Tier 2	Tier 3
Applicable NOx emission limit (g/kWh)				
Engine's actual NOx emission value (g/kWh)				
Percentage reduction		NA	NA	NA
	GA Compliano	e		
AUXILIARY ENGINE 1	NA→		RPM	
		Tier 1	Tier 2	Tier 3
Applicable NOx emission limit (g/kWh)				
Engine's actual NOx emission value (g/kWh)				
Percentage reduction	04.0	NA	NA	NA
	GA Compliano	ce		
AUXILIARY ENGINE 2	NA→		RPM	
	, <u>, , , , , , , , , , , , , , , , , , </u>	Tier 1	Tier 2	Tier 3
Applicable NOx emission limit (g/kWh)				
Engine's actual NOx emission value (g/kWh)				
Percentage reduction		NA	NA	NA
	GA Compliano	ce		
HIVI LARV EVANIE A	lua x		DDM	
AUXILIARY ENGINE 3	NA→	Tion 4	RPM	Tion 2
Applicable NOV experience limit (all/M/h)		Tier 1	Tier 2	Tier 3
Applicable NOx emission limit (g/kWh)				
Engine's actual NOx emission value (g/kWh)		NΙΔ	NIA	NA
Percentage reduction	GA Compliano	NA NA	NA	INA
	OA COMPIIANC		<u> </u>	
AUXILIARY ENGINE 4	NA→		RPM	
		Tier 1	Tier 2	Tier 3
Applicable NOx emission limit (g/kWh)				
Engine's actual NOx emission value (g/kWh)				
Percentage reduction		NA	NA	NA
	GA Compliand	e		

CKL GCC / VERSION 2023 / 1.0 89 of 102

# **SUPPLEMENT TO 5410 - NOX EMISSIONS**

DATA FROM "SUPPLEMENT TO ENGINE INTERNATIONAL AIR POLLUTION PREVENTION CERTIFICATE -- RECORD OF CONSTRUCTION, TECHNICAL FILE, AND MEANS OF VERIFICATION" Keel Laid (DD/MM/YYYY) (available on supplement to IAPP certificate)

Vessel assigned to NOx Tier-3 ECA route (Y/N)

Main propulsion type DIESEL ENGINE DIESEL ENGINE Electricity generation TIER NA

Questions applicable (from 5410.11 - 5410.18) NA

OTHER ENGINE	NA→		RPM	
		Tier 1	Tier 2	Tier 3
Applicable NOx emission limit (g/kWh)				
Engine's actual NOx emission value (g/kWh)				
Percentage reduction		NA	NA	NA
	GA Complian	ce		
OTHER ENGINE	NA→		RPM	
	INA 7	Tier 1	Tier 2	Tier 3
Applicable NOx emission limit (g/kWh)				
Engine's actual NOx emission value (g/kWh)				
Percentage reduction		NA	NA	NA
	GA Complian	ce		
OTHER ENGINE	lata X		RPM	
OTHER ENGINE	NA- <del>)</del>	Tier 1	Tier 2	Tier 3
And Pool to AllOn and to the Proof of Allon		i iei i	Her Z	i iei 3
Applicable NOx emission limit (g/kWh)				
Engine's actual NOx emission value (g/kWh)				
Percentage reduction		NA	NA	NA
	GA Complian	се		

CKL GCC / VERSION 2023 / 1.0 90 of 102

#### **SUPPLEMENT TO 5440 GHG EMISSIONS - CO2**

# **ENERGY EFFICIENCY TECHNOLOGIES INFORMATION PORTAL**

GA Code: **TECHNOLOGY GROUPS** Ship name:

**IMO GLOMEEP Website** Date of Ship Survey:

# **MACHINERY TECHNOLOGIES**

This technology group includes measures that improve the energy efficiency of main and auxiliary engines. These include measures such as auxiliary systems optimization, optimizing heat exchangers, waste heat recovery systems, electronic autotuning, batteries and other solutions.

Y?	NAME	FUNCTION	TECHNICAL MATURITY*	APPLICABILITY
	Auxiliary systems optimization	Optimizing auxiliary systems to actual operational profiles, not design conditions	Semi-mature	All vessels
	Engine de-rating	De-rating an engine for reduction of the vessel's maximum speed to increase its efficiency by limiting the potential power output	Semi-mature	Vessels sailing 10-15% slower than design speed
	Engine performance optimization (automatic)	Automatic increase of engine efficiency through testing and tuning according to actual operational load and conditions	Semi-mature	Mainly for two stroke engines
	Engine performance optimization (manual)	Manual increase of engine efficiency through testing and tuning according to actual operational load and conditions	Mature	All vessels
	Exhaust gas boilers on auxiliary engines	Exhaust gas boilers recover the heat from the exhaust gas of auxiliary engines to generate steam, hot water or heat for process heating	Semi-mature	Vessels without shaft generator
	Hybridization (plug-in or conventional)	Use of electricity to replace various modes of power consumption	Semi-mature	Vessels with large fluctuations in power output (ferries, offshore vessels, tugs)
	Improved auxiliary engine load	Increase of the auxiliary engines' load and efficiency by reducing the number of auxiliary engines running	Semi-mature	All vessels
	Shaft generator	Produce electricity from the main propulsion engine	Mature	All vessels with high power needs and long transits
	Shore power	Use of cold ironing in ports to reduce fuel consumption on power producing engines	Semi-mature	For smaller vessels and in ports with developed solutions for larger vessels
	Steam plant operation improvement	Improve operations and maintenance of steam plant system saving fuel on oil fired boiler	Mature	Mainly crude and product tankers
	Waste heat recovery systems	Recover thermal energy from the exhaust gas and convert it into electrical energy	Semi-mature	All vessels with engines above 10 MW

CKL GCC / VERSION 2023 / 1.0 91 of 102

#### **SUPPLEMENT TO 5440 GHG EMISSIONS - CO2**

# PROPULSION AND HULL IMPROVEMENTS

Technologies in this group focus on improving the hydrodynamic performance of the vessel. This includes solutions that reduce the resistance of the vessel and/or also improve the propulsive efficiency of the vessel. Examples include measures such as propeller polishing, hull cleaning, PIDs (Propulsion Improving Devices), air lubrication and more.

Υ?	NAME	FUNCTION	TECHNICAL MATURITY*	APPLICABILITY
	Air cavity lubrication	Use of air injection on the wetted hull surfaces to improve a ship's hydrodynamic performance	Semi-mature	Most vessels in deep sea trade
	Hull cleaning	Removal of fouling on the hull to increase the vessel's hydrodynamic performance	Mature	All vessels
	Hull coating	Reduction of the hull's resistance through water	Mature	All vessels
	Hull form optimization	Optimizing the hull for lower resistance through water	Mature	All vessels
	Hull retrofitting	Retrofitting of the bulbous bow, optimizing thruster tunnels or bilge keel to reduce resistance	Mature	All vessels
	Propeller polishing	Removal of fouling on the propeller	Mature	All vessels
	Propeller retrofitting	Retrofitting the propeller to increase efficiency	Semi-mature	All vessels
	Propulsion Improving Devices (PIDs)	Installation of propulsion improving devices	Mature	All vessels

# **ENERGY CONSUMERS**

Consumers are equipment or devices that use energy when operated. Technologies in this group focus on minimizing the energy consumption by improving the device or optimizing the utilization of the device. Examples of measures in this group are frequency controllers, cargo handling systems, low energy lighting and more.

Υ?	NAME	FUNCTION	TECHNICAL MATURITY*	APPLICABILITY
	Cargo handling systems (Cargo discharge operation)	Reduction of energy consumption while discharging crude oil by use of model-based studies of the discharge operation	Semi-mature	Tankers
	Energy efficient lighting system	Use of energy efficient lighting equipment, such as LED light, to increase efficiency and remove heat loss from light devices	Mature	All vessels
	Frequency controlled electric motors	Regulating the frequency of the motors in order to adapt the motor optimized load	Mature	All vessels

CKL GCC / VERSION 2023 / 1.0 92 of 102

#### **SUPPLEMENT TO 5440 GHG EMISSIONS - CO2**

# **ENERGY RECOVERY**

Technologies in this group focus on capturing energy from the surroundings of the vessel and using or transforming this to useful energy for the vessel. This involves measures such as application of kites, fixed sails or wings, Flettner rotors, or solar panels.

Y?	NAME	FUNCTION	TECHNICAL MATURITY*	APPLICABILITY
	Fixed sails or wings	Use sails or wings to replace some of the propulsion power needed	Not mature	Vessels with enough place on deck (general cargo, tankers, bulkers)
	<u>Flettner rotors</u>	Use Flettner rotors to generate power from wind energy	Not mature	Dependent on trading area and sufficient free deck-surface
	<u>Kite</u>	Use a kite to replace some of the propulsion power needed	Not mature	All vessels
	Solar panels	Install solar panels for conversion of solar energy to electricity	lar panels for conversion of	

#### **TECHNICAL SOLUTIONS FOR OPTIMIZING OPERATION**

Technologies in this group focus on improving the operation of the vessel more than improving the vessel itself. The list of suggested measures includes both technologies and suggestions for best practice (without direct application of a technology). Measures in this group include trim and draft optimization, speed management, autopilot adjustment and use, combinator optimizing, and others.

Υ?	NAME	FUNCTION	TECHNICAL MATURITY*	APPLICABILITY
	Autopilot adjustment and use	Use of an automatic system to control the vessel's rudder in a more energy efficient manner	Mature	All vessels
	Combinator optimizing	propeller speed for optimized efficiency Mature		For vessels with controllable pitch propeller
	Efficient DP Operation	Optimize the operation in DP mode	Semi-mature	Vessels with DP mode
	Speed management	Management of the vessel's speed in the most efficient manner	Semi-mature	All vessels
	Trim and draft optimization	Optimizing the trim and draft to reduce the vessel's water resistance	Semi-mature	All vessels
	Weather routing	Including weather conditions when planning a voyage	Mature	All vessels

#### Definitions of maturity levels according to uptake across the maritime industry, and degree of proven technology/principle

Mature Proven, new or existing technology/principle, with high uptake across the industry.

Proven, new or existing technology/principle, but with limited uptake across the Semi-mature

industry.

Not mature New unproven-, unproven existing- , or proven existing technology/principle but

with very few installations and little to no operational experience.

This Energy Efficiency Technologies Information Portal was developed in cooperation with DNV GL.

This webpage serves as an Information Portal for Energy Efficiency Technologies for Ships. IMO does not make any warranties or representations as to the accuracy or completeness of the information provided.

View disclaimer

CKL GCC / VERSION 2023 / 1.0 93 of 102

<sup>\*</sup>This Information Portal is still under development and further images will be added.

# **APPENDIX 5**

CHECKLIST - VISUAL INSPECTION - SURVEY - BULK CARRIER (GENERAL CARGO CARRIER)

(GMC-10)

	Green Award Visual Inspection - Bulk Carrier (General Cargo Carrier)			
Check Box	Norm item	GREEN AWARD	Inspection Focus	Remarks
	10100	Machinery		
	10101	Reports		
	10101.1	Classification reports	Survey reports with recommendations and conditions of class, repairs	
	10101.2	State Authority reports	Survey reports, recommendations	
	10101.3	Company Reports	Inspection, repair, maintenance, planning, dry-dock reports by ship's staff and superintendents	
		Inspection guidelines	Guidelines on the means of access to structures for inspection and maintenance of bulkers	
	10101.5	Other reports	Vetting reports by chartering companies and independent surveyors	
	10102	Engine Room		
		Overall tidyness of E.R. space	Unsecured and loose material, tools and E.R. spare-parts	
		General cleanliness of E.R.	Oil- & gas-free enviroment	
		Storage E.R. equipment	Equipment stored at designated places	
	10102.4	Handling of general E.R. waste	General waste stored & handled properly	
		Indication of E.R. emergency escapes	Clearly visible and not obstructed	
		Save-alls	Oil, liquid and dirt free	
	10102.7	Workshop	Safety instructions near machinery (Grindstone, Lathe etc)	
	10103	Main Propulsion		
	10103.1	Exhaust gas lines	Leakage / condition of lagging, black spots and stripes / loose lagging	
	10103.2	Fuel lines H.P. & L.P.	H.P. pipes condition of protecting pipe/cover, L.P. pipes check leakage and heating tracings	
	10103.3	Cleanliness of cylinder heads	Fuel oil, cooling water, lub. Oil and exhaust gas leaks	
	10103.4	Instructions on emergency stand	Are there clear instructions available for changing over from normal to emergency conditions	
	10103.5	Condition of controllers / thermo couples & wiring	Loose wires, open doors of controllers	
	10103.6	Fuel oil system	Filters for leakage, purifiers cleanliness, area around purifiers	
		Lub. Oil system	Filters and save-alls, purifiers condition	
		Starting air system	Condition of starting air lines and valves	
		Cooling water system	Condition of expansion bellows	
		Auxiliary Engines		
		General performance		
		Leakage, condition of fuel oil, lub. oil lines	Cracks, corrosion and / or pipes connections not tight	
		Auxiliary Engine bilge	Oil-, water-, corrosion- and dirt-free	
		Emergency Generator	Condition and date last tested	
		Boilers		
		Steam or Thermal oil		
		Condition of burner front	Oil leakage, and air leakage	
		Lagging / isolation of fuel and steam lines	Condition of lagging	
		Thermal Oil	Check possible leakages bellows / quick closing valves	
	1010E E	Boiler bilge / Save-all	Oil-, water-, corrosion- and dirt-free	

	Green Award Visual Inspection - Bulk Carrier (General Cargo Carrier)			
Check Box	Norm item	GREEN AWARD	Inspection Focus	Remarks
	10100	Machinery		
	10106	Bilge System		
		Cleanliness of bilges on every platform	Presence of oil, water, corrosion and / or dirt	
		Bilge separator, position of all valves		
		In port overboard valve sealed		
		Condition and record regarding oily-bilge separator	Check Oil Record Book - Machinery Space Operations	
	10106.5	Bilge alarms	Alarms high level & high-high level in good condition	
		Emergency Bilge Suction valve	Check condition / last time tested	
		Double bottom sounding pipes	Check functioning self closing valves	
		Ballast Pumps		
		Condition of pumps	Check functioning of pumps	
		Condition ballast-system	Functioning of all pumps combined	
		Condition supports	Corrosion, cracks, deformation of pump-supports	
		Piping Systems		
		General condition	Check for leakage and / or temporary repairs	
		Condition of piping supports	Check for corroded, broken and / or missing supports	
		General Service Air Systems		
		Condition of air and oil drains	Check good working	
		Condition of pipe lines	Check for leakage and / or temporary repairs	
		Condition of safety valves	Check free movement	
		Chemicals		
		Sufficient Personal Protecting Equipment available	Near storage place and users place	
		Sufficient signboards available	Near storage place and users place	
		Storage of chemicals according safety rules	According makers safety instructions	
		Electrical		
		Generator inspections during operation max. load		
		Examination of cables without attachments	Cable supports bulkhead and deck penetrations	
		Electrical equipments in acc. with danger zones	Zeners barriers etc.	
		Inert Gas Plant (optional)		
		Inert Gas system fully operational		
		Condition of all instrumentation	Special O2 meter	
		Condition of all alarms and trips	High and low level alarms etc.	
		Sewage Plant		
		Sewage Plant fully operational	Alarms, level switches etc.	
	10113.2	Position of valves correct	Check if the by-pass valves are closed	

	Green Award Visual Inspection - Bulk Carrier (General Cargo Carrier)			
Check Box	Norm item	GREEN AWARD	Inspection Focus	Remarks
		Machinery		
		Fire Pumps		
		Position of firepump valves	Are instructions available for position of valves	
	10114.2	General check of emergency firepump	Position of Fuel valve, Content of fuel tank etc.	
		Operating instructions of firepump and drive-unit	Clear instruction board available	
		Emergency Electrical Stops		
		Emergency stops of general service pumps	Last time tested	
	10115.2	Emergency stops of steering gear pumps	Last time tested	
		Emergency stops of fans	Last time tested	
		Quick Closing Valves		
		Condition of closing valve station	Check for clear instructions	
		Condition of closing valves E.R.	Check for obstructions or other objects	
		Gauge Glasses		
		Condition of gauge glasses closing valves	Check proper working and if they are normal closed	
		Condition gauge glasses lub. oil tanks	Check proper working and if they are normal closed	
		Condition gauge glasses chemical tanks	Check proper working and if they are normal closed	
		Condition gauge glasses fuel tanks	Check proper working and if they are normal closed	
		Ventilation		
		Fire flaps in trunks engine room	Check markers open/close and proper working	
	10118.2		Check proper working	
		Exhaust gases of machinery		
	10119.1	Emission of main engines	Content NOX en SOX	
		Steering Gear		
	10201	SOLAS requirements		
		Steering gear unit complies with SOLAS		
	10201.2	Steering gear room complies with SOLAS		
	10201.3	Steering gear unit - and room cleanliness	Check for hydraulic leaks, presence of water and / or oil in drip-trays	
		Change over procedures		
		Emergency steering gear change over procedures	Signs posted with instructions for emergency change-over	
		Procedures for emergency change-over visible	Clearly visible near controls of steering gear unit	
		Testing		
	10203.1	Emergency-steering tested recently	Check records in engine / deck logbook	
	10203.2	Steering Gear	Check records in engine / deck logbook. Testing before arrival and departure.	

	Green Award Visual Inspection - Bulk Carrier (General Cargo Carrier)				
Check Box	Norm item	GREEN AWARD	Inspection Focus	Remarks	
	10200	Steering Gear			
	10204	Charging emergency header tank			
		Emergency header tank fully charged			
		Fixed storage tank installed			
		Compass			
		Compass present in steering gear room			
		Compass clearly visible from control-station			
		Bridge Communications			
		Satisfactory communications with bridge			
		Telephone availabel and working			
		Sound powered telephone available and working			
		Visibility of Rudder Angle Indicator			
		Rudder angle indicator present			
		Rudder angle indicator visible at steering position			
		Access to Steering Gear			
		Entrance door to steering gear room closed	Door to be kept closed at all times and not lashed or blocked in open position  Steering gear room should be uncluttered with easy access to all components of the system		
	10208.2	Access to steering gear unit unobstructed Safety and protection measures fitted	Vessels > 10.000 GT should have railings around the steering gear and deck non-slip surface		
		Bilge alarms	Alarms high level & high-high level in good condition		
			Alamis night level & high-night level in good condition		
		(Cargo) / Ballast System			
		Drawings / Diagrams Layout in Control Room			
		All relevant drawings and diagrams available	Pipe Line diagrams, mimic diagrams etc should be available		
		Drawings visible	Drawings clearly visible and understandable for operation		
$\parallel$		Loading manual / history reports	Check for typical loading / unloading sequences		
		Functioning of (Cargo) / Ballast Pumps			
$\parallel$		Is every separate pump working			
$\vdash$		Ballast pumps with temperature sensors			
$\vdash$		Is all equipment combined working			
		Meters / Displays inside control room	Object of condition are sound and account of the condition of		
$\parallel$		Hull bending / Shear force indicator (*)	Check of working, approved and commonly used		
	10303.2	Loading instrument	Check of working, approved and commonly used		

	Green Award Visual Inspection - Bulk Carrier (General Cargo Carrier)			
Check Box	Norm item	GREEN AWARD	Inspection Focus	Remarks
	10400	Structural		
	10401	Drawings		
	10401.1	Review of all relevant structural drawings	Overview structural design and scantlings	
	10402	Reports		
	10402.1	Classification reports	Survey reports with thickness readings, recommendations and conditions of class, repairs	
		State Authority reports	Survey reports, recommendations	
	10402.3	Company Reports	Inspection reports, repair, maintenance and dry-dock reports by ship's staff and superintendents	
	10402.4	Inspection guidelines	Guidelines on the means of access to structures for inspection and maintenance of oil tankers	
	10402.5	Other reports	Vetting reports by chartering companies and independent surveyors	
	10403	External Hull		
		Condition shell plating	Check for indents,cracks, paint-condition / corrosion, pitting and / or cargo stripes	
	10403.2	Condition from deck to light-loadline	Check reverse side lower-end topside ballast tanks and intersection vertical frames	
		Condition boottop and deep-loadline	Check reverse side upper-end double bottom ballast tanks and intersection vertical frames	
		Condition deep-loadline and flat bottom	Check bilge keels for wrongl designs and bad welds	
	10403.5	Condition flat-bottom	Check reverse sides of longitudinal girders / transverse webs & transverse stools under bulkheads	
	10404	Cargo Hold		
		General condition main-strength structure		
		Condition shell frame	Check for cracks, leakages connecting brackets at upper - and lower side tanks	
	10404.3	Condition corrugated bulkheads	Check connection with upper- and lower stools	
		Condition hatch-coamings	Checks connections hatch end beams and longitudinal hatch coamings	
		Condition corrosion protection systems	Check condition coating and / or sacrficial anodes	
		Corrosion locations	Locate corrosion on frames/brackets,shell-plating,tanktop,bilges,hopper-surfaces	
		Grab deformations / damage	Check for indents, cracks and / or deformations on all structural hold-parts	
		Shovel/hydraulic hammer deformations / damage	Check for deformations and / or damages near bulkheads,brackets,stringers,webs,girders	
		Condition access platforms, walkways and ladders	General condition of all supports (damages, corrosion and / or cracks )	
		Condition pipelines and valves	Check for leakages / corrosion, temporary repairs and patches ( also protection guards )	
		Bilge wells and strainer	Check content bilge and free of cargo	
		Hatch Covers and Coamings		
		Condition structural integrity hatch	Check main-strength members and general condition	
		Condition hatch-plating	Check for grab-damages, deformations on top-, side-, for- and aft-plating and connection-syst.	
		Condition framing	Damages, corrosion inside frames of covers	
		Condition rails, rollers, pins and supports	Greasing, usage of rollers, even support of rails and rollers ( straight surface of support )	
	10405.5	Condition hatchcover clamping and securing devices	Greasing, working	

	Green Award Visual Inspection - Bulk Carrier (General Cargo Carrier)			
Check Box	Norm item	GREN AWARD	Inspection Focus	Remarks
		Structural		
		Hatch Covers and Coamings		
		Condition gaskets and channnels		
		Condition of watertightness	Visual check of weather- and watertightness of hatches ( focus on hatches hold # 1 & # 2 )	
		Condition hatch-cover operating system	Check for hydraulic leakages at hydraulic motors & lines, condition of all supports, deformation	
		Topside Ballast Tanks		
		Condition structural integrity	Check main-strength members and general condition	
		Condition brackets, stringers, webs and girders	Check for deformations, fractures, damages, leakages	
		Condition webs	Check webs near connection with longitudinal at shell and bulkheads	
		Condition brackets	Check connection brackets as support for transverse shell frames in cargo-holds	
		Corrosion pattern	Locate corrosion in deckhead-, bulkhead ( near bunkers ) areas, bottom- and longitudinal-plates	
		Condition pipelines and valves	Check for leakages and corrosion, temporary repairs and patches, hydraulic leaks overhead-area	
		Condition access platforms, walkways and ladders	General condition of all supports, corrosion, cracks etc.	
		Double Bottom Ballast Tanks (including hopper)		
		Condition structural integrity	Check main-strength members and general condition	
		Condition bulkhead-, bottom-plating, web, stiffeners	Check for deformations, fractures, damages, leakages	
		Condition girders and transverse web-frames	Check intersection with longitudinal girders and transverse webs ( focus area outer-shell )	
		Condition girders and corrugated bulkheads	Check longitudinal girder under hopper and transverse stool under corrugated bulkhead	
		Condition brackets	Check bracket-ends and toe-ends of stringers, webs and girders	
		Condition webs	Check connection of webs with longitudinals at shell and bulkheads	
		Corrosion protection	Check coating, sacrificial anodes	
		Corrosion pattern	Locate corrosion near bulkhead stools, plating, surfaces and areas with sediment	
		Void Spaces / Cofferdams / Pipe duct		
		Condition structural integrity	Check main-strength members, any non-continous structural material and general condition	
		Condition brackets, stringers, webs and girders	Check for deformations, fractures, damages, leakages	
		Corrosion pattern	Locate corrosion in deckhead-, bulkhead ( near bunkers ) areas, bottom- and longitudinal-plates	
	10408.4	Condition pipelines and valves	Check for leakages and corrosion, temporary repairs and patches, hyraulic leaks overhead-area	
		Condition access platforms, walkways and ladders	General condition of all supports, corrosion, cracks etc.	
	10409	Bunker Oil Tanks		
	10409.1	Condition structural integrity	Check main-strength members, any non-continous structural material and general condition	
	10409.2	Condition brackets, stringers, webs and girders	Check for deformations, fractures, damages, leakages	
	10409.3	Corrosion pattern	Locate corrosion in deckhead-, bulkhead areas, bottom- and longitudinal-plates	
			Check for leakages and corrosion, temporary repairs and patches, hydraulic leaks overhead-area	
		Condition pipelines and valves		
	10409.5	Condition access platforms, walkways and ladders	General condition of all supports, corrosion, cracks etc.	

	Green Award Visual Inspection - Bulk Carrier (General Cargo Carrier)			
Check Box	Norm item	GREEN AWARD	Inspection Focus	Remarks
	10400	Structural		
	10410	Main Deck & Fittings		
	10410.1	Deck plating - deformations	May indicate problems from underneath, stiffeners or underneath deck-plating	
	10410.2	Deck plating - fractures	May indicate substantial corrosion and / or local stress areas	
	10410.3	Deck plating - damages	Caused by collissions and / or grab damage	
		Coaming corners	Check corner areas and underneath bracket-supports for damage / corrosion	
		Tank entrances and deck openings	Condition check covers and closing devices	
		Pipeline couplings, flanges, branches and supports	Condition check, deformation, cracks, corrosion, tightness	
		Closing appliances for ventilation	Condition check covers and closing devices	
		Bunker and oil tank derating pipes	Check flame screens and coamings	
		Accomodation & Machinery Spaces		
		Structural integrity	General condition, damages & defects	
		Doors, windows, ventilation ducts, closing devices	Condition check and water tightness	
		Stairs and platforms	Condition check, corrosion / deformations	
		Pipelines, valves, couplings, overboard connection	Condition check	
		Safety equipment	Condition check CO2, Halon system, extinguishers, fire hoses, alarms etc.	
		Certificates for safety equipment		
		Mooring equipment		
		Mooring lines	Condition mooring lines	
	_	Winches	Foundation bolts firm, casing crack-, corrosion-free, no leakages and save-all	
		Condition winch-brakes	Check last test report and thickness linings	
		Anchoring equipment		
		Anchors, anchor shackles and chain	Wear, corrosion, clearances inside hawser pipe	
		Anchor winch and associated gear	Foundation, no leakages, condition of brakes, hinges and hinge plates	
	10413.3	Anchor securing	Condition and workable	

	Green Award Visual Inspection - Bulk Carrier (General Cargo Carrier)			
Check Box	Norm item	GREN AWARD	Inspection Focus	Remarks
		Safety / Rescue		
		Safety equipment		
		Certificates	Check certificates, reports and safety drills	
		Safety plan	Check available and clearly visible	
	10502	Rescue equipment		
	10502.1	Life boat + davits	Check condition (incl. Kathodic wear) and working order	
	10502.2	Rescue boat + davits	Check condition (incl. Kathodic wear) and working order	
	10502.3	Life rafts + release system	Check condition (incl. Kathodic wear) and working order	
	10502.4	Accommodation ladders, pilot ladders and gangway	Check condition and working order	
	10502.5	Life jackets	Check condition and working order	
	10502.6	Life bouys	Check condition (incl. Kathodic wear) and working order	
	10503	Fire fighting		
	10503.1	CO2 / Halon system	Pressure gauges / indicators on bottles / pipelines / nozzles	
	10503.2	Foamtank	Content / Filling	
	10503.3	Fire control plans	Check available and clearly visible	
	10503.4	Portable fire extinguishers	Check ready for use	
		Fireman's outfit	Check ready for use, easily accessable	
		Breathing Apparatus charging compressor	Check ready for use, easily accessable	
		International Ship/Shore Fire connection	Check available both sides	
		Fire alarm system and detectors	Check test records, condition in accommodation, ER and boiler room	
		Fire flaps and vent stops	Check condition on deck, accommodation, ER and boiler room and clearly marked	
	10503.10		Check condition on deck, accommodation, ER and boiler room	
		Fire hoses	Check condition on deck, accommodation, ER and boiler room	
		Fire system for scavenging air receiver and boiler		
	10503.12		Check condition and working order separate fire fighting system	
		Escape routes		
		Free access	Check free access without obstructions	
		Indicators	Check clear markers / positioning	
	10504.3	Emergency lighting	Check clear markers / positioning	